

Martin
TOOL & FORGE
DIV. Martin SPROCKET & GEAR, INC.

MADE IN THE UNITED STATES OF AMERICA

Martin TOOL & FORGE

LIFETIME GUARANTEE

If a MARTIN Tool fails to give you complete satisfaction in performing its designed use, return it to your MARTIN distributor and it will be repaired or replaced without cost.

Price Sheet LPS-31B

Effective Nov. 14, 1988

TABLE OF CONTENTS

Martin TOOL & FORGE

TOOL POLICY: All Martin tools have a lifetime guarantee and are designed to meet the normal use for which they were intended. Tools are inspected before leaving the factory for quality of workmanship and material. Items that are returned and found defective will be replaced without charge.

INDEX

Item	Page
BODY AND FENDER TOOLS	
Body & Fender Tools Index	81
Dolly Blocks	84
Files and File Holders	87
Hammers	82,83
Miscellaneous Tools	87
Picks	86
Tool Sets	88
Spoons	85
"C" Clamps	76
Chisels & Punch Index	78
Chisels and Punches	79
Chisel & Punch Sets	80
Eye Bolts	76
HAMMERS	
Hammer Index	65,66
Ball Peen	67
Body and Fender Repair	82,83
Brick	70
Bumping	82
Dinging	82
Engineer's Blacksmith	68
Engineer's Double-Face	68
Hand Drilling	68
Riveting, Hand	70
Scaling (Boiler Pick)	69
Setting (Paneing)	69
Sledge	69
Handles, Crank	75
Handles, Hammer, wood	70
Manual of Body Repairs	87
Mechanics Tools Index	71
Pipe Wrench	40
Pliers	73,74
Pry Bars Rolling HD	77
Punches and Chisels	78,79
Screwdrivers	72
Sledge Hammers	69
SOCKETS, HANDLES AND PARTS	
Socket Wrench Index	41,42
3/8" Sq. Drive Chrome	44,45,46,47
1/2" Sq. Drive Chrome	52,53,56
3/4" Sq. Drive Chrome	59
1" Sq. Drive Chrome	63
SOCKETS, POWER/IMPACT AND ATTACHMENTS	
Socket Wrench Index	43
3/8" Sq. Drive, Std. & Deep	51
1/2" Sq. Drive, Std. Length	57
1/2" Sq. Drive, Deep	57
3/4" Sq. Drive, Std. Length	61
3/4" Sq. Drive, Deep	61
3/4" Sq. Drive, Attachments	61
1" Sq. Drive, Std. Length	64
1" Sq. Drive, Attachments	64
SOCKET SETS	
3/8" Sq. Drive, Chrome	48,49,50
1/2" Sq. Drive, Chrome	54,55,56
3/4" Sq. Drive, Chrome	60
1" Sq. Drive, Chrome	63
3/8" Sq. Drive, Power/Impact	51
1/2" Sq. Drive Power/Impact	58
3/4" Sq. Drive Power/Impact	62
TOOL SETS	
Body and Fender Repair	88
WRENCHES, ALLOY STEEL	
Wrench Index	14,15,16,17
Adjustable	31
Box, Double Offset, Short	22
Box, Double Offset, Long	22
Box, 12 pt. Single End	37
Box, Striking Face	
Offset, 12-Pt.	36
Straight, 6-Pt.	37
Combination (Open-End and Box)	18
Flare Nut	30
Hex Key Sets	77
Hydraulic, (Angle) Open-End	24
Open-End (Double Head)	20
Ratcheting Box	28,29
Service, 30-Deg. Opening	26
Service, Straight Opening	26
Wrench, Auto Type, Adj.	76
WRENCHES, INDUSTRIAL FINISH	
Wrench Index	14,15,16,17
Adjustable	31
Box, Offset 12-Pt.	22
Box, 12-Pt. Single End	37
Box, Striking Face	
Offset, 12-Pt.	36
Straight, 6-Pt.	37
Check Nut (Thin)	27
Combination (Open-End and Box)	18
Construction	35
Flare Nut	30
Hydraulic, (Angle) Open-End	24
Offset Socket	38
Open End (Double Head)	20
Open End Engineer's (Single Head)	32
Pipe Wrench	40
Service, 30-Deg. Opening	26
Set Screw	31
Structural	35
Spanner, Various Types	33,34
"T" Handle Sockets	39
WRENCH SETS, ALLOY, CHROME/INDUSTRIAL FINISH	
Box, Double Offset, Long	23
Combination	19
Hex Key (Allen Type)	77
Hydraulic (Angle) Open-End	25
Open-End (Double Head)	21
Ratcheting Box	28,29
Service, 30-Deg. Opening	26

Martin TOOL & FORGE

Tool and Forge Capabilities

In continuing the unsurpassed Martin tradition of serving industry with the utmost in service and the finest in product quality, Martin expands its vast manufacturing capabilities to produce tools and forgings.

Wrenches, hammers, and body and fender repair tools in both standard and unique styles and sizes are available from stock. Additionally, made-to-order tools for specific applications are available, as are made-to-order custom closed-die forgings. Manufactured in compliance with exacting industry standards, many tools are available in convenient sets and are available in either chrome or industrial black finishes.

Quality recognized and appreciated by true craftsmen combined with durability and economy utilized by volume users, Martin tools and forgings are the answer for the varied demands of industry.

— where dependability is a tradition.

Combination Open End Box Wrenches



USA1	LIST PRICE $476.60	QTY.
1158	1/4 Combination Wrench	1
1159	5/16 Combination Wrench	1
1159A	11/32 Combination Wrench	1
1160	3/8 Combination Wrench	1
1161	7/16 Combination Wrench	1
1162	1/2 Combination Wrench	1
1163	9/16 Combination Wrench	1
1164	5/8 Combination Wrench	1
1165	11/16 Combination Wrench	1
1166	3/4 Combination Wrench	1
1167A	13/16 Combination Wrench	1
1167	7/8 Combination Wrench	1
1168	15/16 Combination Wrench	1
1170	1 Combination Wrench	1
1171	1 1/16 Combination Wrench	1
1172	1 1/8 Combination Wrench	1
1173	1 1/4 Combination Wrench	1
1174	1 5/16 Combination Wrench	1
1175	1 3/8 Combination Wrench	1
1176	1 7/16 Combination Wrench	1
1177	1 1/2 Combination Wrench	1

Combination Open End Box Black Wrenches

USA1BLK	LIST PRICE $403.90	QTY.
BLK1158	1/4 Combination Wrench	1
BLK1159	5/16 Combination Wrench	1
BLK1159A	11/32 Combination Wrench	1
BLK1160	3/8 Combination Wrench	1
BLK1161	7/16 Combination Wrench	1
BLK1162	1/2 Combination Wrench	1
BLK1163	9/16 Combination Wrench	1
BLK1164	5/8 Combination Wrench	1
BLK1165	11/16 Combination Wrench	1
BLK1166	3/4 Combination Wrench	1
BLK1167A	13/16 Combination Wrench	1
BLK1167	7/8 Combination Wrench	1
BLK1168	15/16 Combination Wrench	1
BLK1170	1 Combination Wrench	1
BLK1171	1 1/16 Combination Wrench	1
BLK1172	1 1/8 Combination Wrench	1
BLK1173	1 1/4 Combination Wrench	1
BLK1174	1 5/16 Combination Wrench	1
BLK1175	1 3/8 Combination Wrench	1
BLK1176	1 7/16 Combination Wrench	1
BLK1177	1 1/2 Combination Wrench	1

Double Open End & Double Offset Box Wrenches



USA2	LIST PRICE $546.60	QTY.
1020	1/4 & 5/16 Open End Wrench	1
1721	5/16 & 3/8 Open End Wrench	1
1723	3/8 & 7/16 Open End Wrench	1
1725	7/16 & 1/2 Open End Wrench	1
1725B	1/2 & 9/16 Open End Wrench	1
1727	9/16 & 5/8 Open End Wrench	1
1027B	5/8 & 11/16 Open End Wrench	1
1731	3/4 & 13/16 Open End Wrench	1
1033A	7/8 & 15/16 Open End Wrench	1
1735	1 & 1 1/8 Open End Wrench	1
1037	1 1/16 & 1 1/4 Open End Wrench	1
1039A	1 5/16 & 1 1/2 Open End Wrench	1
1041	1 7/16 & 1 5/8 Open End Wrench	1
9723	3/8 & 7/16 Short Box Wrench	1
9725B	1/2 & 9/16 Short Box Wrench	1
9727A	5/8 & 11/16 Short Box Wrench	1
9729	5/8 & 3/4 Short Box Wrench	1
8723	3/8 & 7/16 Long Box Wrench	1
8725B	1/2 & 9/16 Long Box Wrench	1
8727	9/16 & 5/8 Long Box Wrench	1
8029B	11/16 & 3/4 Long Box Wrench	1
8731B	13/16 & 7/8 Long Box Wrench	1
8033A	7/8 & 15/16 Long Box Wrench	1
8735	1 & 1 1/8 Long Box Wrench	1
8037	1 1/16 & 1 1/4 Long Box Wrench	1
8037A	1 1/8 & 1 5/16 Long Box Wrench	1
8039	1 1/4 & 1 7/16 Long Box Wrench	1
8039A	1 5/16 & 1 1/2 Long Box Wrench	1

Double Open End & Double Offset Box Black Wrenches

USA2BLK	LIST PRICE $484.50	QTY.
BLK-1020	1/4 & 5/16 Open End Wrench	1
BLK1721	5/16 & 3/8 Open End Wrench	1
BLK1723	3/8 & 7/16 Open End Wrench	1
BLK1725	7/16 & 1/2 Open End Wrench	1
BLK1725B	1/2 & 9/16 Open End Wrench	1
BLK1727	9/16 & 5/8 Open End Wrench	1
BLK1027B	5/8 & 11/16 Open End Wrench	1
BLK1731	3/4 & 13/16 Open End Wrench	1
BLK1033A	7/8 & 15/16 Open End Wrench	1
BLK1735	1 & 1 1/8 Open End Wrench	1
BLK1037	1 1/16 & 1 1/4 Open End Wrench	1
BLK1039A	1 5/16 & 1 1/2 Open End Wrench	1
BLK1041	1 7/16 & 1 5/8 Open End Wrench	1
BLK9723	3/8 & 7/16 Short Box Wrench	1
BLK9725B	1/2 & 9/16 Short Box Wrench	1
BLK9727A	5/8 & 11/16 Short Box Wrench	1
BLK9729	5/8 & 3/4 Short Box Wrench	1
BLK8723	3/8 & 7/16 Long Box Wrench	1
BLK8725B	1/2 & 9/16 Long Box Wrench	1
BLK8727	9/16 & 5/8 Long Box Wrench	1
BLK8029B	11/16 & 3/4 Long Box Wrench	1
BLK8731B	13/16 & 7/8 Long Box Wrench	1
BLK8033A	7/8 & 15/16 Long Box Wrench	1
BLK8735	1 & 1 1/8 Long Box Wrench	1
BLK8037	1 1/16 & 1 1/4 Long Box Wrench	1
BLK8037A	1 1/8 & 1 5/16 Long Box Wrench	1
BLK8039	1 1/4 & 1 7/16 Long Box Wrench	1
BLK8039A	1 5/16 & 1 1/2 Long Box Wrench	1

Hydraulic Angle Open End & Service Pump Wrenches



USA3	LIST PRICE $467.10	QTY.
3710A	11/32-11/32 Hydraulic Wrench	1
3710	3/8-3/8 Hydraulic Wrench	1
3711	7/16-7/16 Hydraulic Wrench	1
3712	1/2-1/2 Hydraulic Wrench	1
3713	9/16-9/16 Hydraulic Wrench	1
3714	5/8-5/8 Hydraulic Wrench	1
3715	11/16-11/16 Hydraulic Wrench	1
3716	3/4-3/4 Hydraulic Wrench	1
3717	13/16-13/16 Hydraulic Wrench	1
3718	7/8-7/8 Hydraulic Wrench	1
3719	15/16-15/16 Hydraulic Wrench	1
3720	1-1 Hydraulic Wrench	1
3721	1 1/16-1 1/16 Hydraulic Wrench	1
3722	1 1/8-1 1/8 Hydraulic Wrench	1
3722A	1 3/16-1 3/16 Hydraulic Wrench	1
3723	1 1/4-1 1/4 Hydraulic Wrench	1
3724	1 3/8-1 3/8 Hydraulic Wrench	1
3725	1 7/16-1 7/16 Hydraulic Wrench	1
3726	1 1/2-1 1/2 Hydraulic Wrench	1
1224	3/4 Service Wrench	1
1226	13/16 Service Wrench	1
1228	7/8 Service Wrench	1
1230	15/16 Service Wrench	1
1232	1 Service Wrench	1
1234	1 1/16 Service Wrench	1
1236	1 1/8 Service Wrench	1
1238	1 3/16 Service Wrench	1
1240	1 1/4 Service Wrench	1
1242	1 5/16 Service Wrench	1
1244	1 3/8 Service Wrench	1
1246	1 7/16 Service Wrench	1

Hydraulic Angle Open End & Service Pump Black Wrenches



USA3BLK	LIST PRICE $421.20	QTY.
BLK3710A	11/32-11/32 Hydraulic Wrench	1
BLK3710	3/8-3/8 Hydraulic Wrench	1
BLK3711	7/16-7/16 Hydraulic Wrench	1
BLK3712	1/2-1/2 Hydraulic Wrench	1
BLK3713	9/16-9/16 Hydraulic Wrench	1
BLK3714	5/8-5/8 Hydraulic Wrench	1
BLK3715	11/16-11/16 Hydraulic Wrench	1
BLK3716	3/4-3/4 Hydraulic Wrench	1
BLK3717	13/16-13/16 Hydraulic Wrench	1
BLK3718	7/8-7/8 Hydraulic Wrench	1
BLK3719	15/16-15/16 Hydraulic Wrench	1
BLK3720	1-1 Hydraulic Wrench	1
BLK3721	1 1/16-1 1/16 Hydraulic Wrench	1
BLK3722	1 1/8-1 1/8 Hydraulic Wrench	1
BLK3722A	1 3/16-1 3/16 Hydraulic Wrench	1
BLK3723	1 1/4-1 1/4 Hydraulic Wrench	1
BLK3724	1 3/8-1 3/8 Hydraulic Wrench	1
BLK3725	1 7/16-1 7/16 Hydraulic Wrench	1
BLK3726	1 1/2-1 1/2 Hydraulic Wrench	1
BLK-1224	3/4 Service Wrench	1
BLK1226	13/16 Service Wrench	1
BLK1228	7/8 Service Wrench	1
BLK-1230	15/16 Service Wrench	1
BLK1232	1 Service Wrench	1
BLK1234	1 1/16 Service Wrench	1
BLK1236	1 1/8 Service Wrench	1
BLK1238	1 3/16 Service Wrench	1
BLK1240	1 1/4 Service Wrench	1
BLK1242	1 5/16 Service Wrench	1
BLK1244	1 3/8 Service Wrench	1
BLK1246	1 7/16 Service Wrench	1

Adjustable & Pipe Wrenches



USA4	LIST PRICE $345.55	QTY.
A6	6″ Adjustable Wrench	1
A8	8″ Adjustable Wrench	1
A10	10″ Adjustable Wrench	1
A12	12″ Adjustable Wrench	1
A15	15″ Adjustable Wrench	1
A18	18″ Adjustable Wrench	1
PW10	10″ Pipe Wrench	1
PW14	14″ Pipe Wrench	1
PW18	18″ Pipe Wrench	1
PW24	24″ Pipe Wrench	1
PWA14	14″ Aluminum Pipe Wrench	1
PWA18	18″ Aluminum Pipe Wrench	1

Pinch & Pry Bars

USA5	LIST PRICE $119.10	QTY.
196C	16 x 5/8 Pinch Bar	1
197C	24 x 3/4 Pinch Bar	1
198C	30 x 7/8 Pinch Bar	1
192C	12 x 1/2 Rolling Hd.	1
193C	15 x 1/2 Rolling Hd.	1
194C	18 x 5/8 Rolling Hd.	1

Hammers

USA6	LIST PRICE $176.40	QTY.
103G	8 oz. Ball Pein	1
105G	1 lb. Ball Pein	1
107G	1½ lb. Ball Pein	1
108G	2 lb. Ball Pein	1
110G	3 lb. Ball Pein	1
123G	3 lb. Cross Pein	1
143G	3 lb. Double Face	1
194G	4 lb. Hand Drilling	1
132G	1 lb. Scaling	1
28G	1 lb. Riveting	1

Body & Fender Tools

USA7	LIST PRICE $320.60	QTY.
158G	General Purpose Pick Hmr.	1
169G	Large Face Pick Finishing Hmr.	1
153S	Cross Chisel Shrinking Hmr.	1
162G	Shrinking Hmr.	1
156GB	Curved Pick Hmr.	1
150G	Dinging Hmr.	1
168G	Cross Peen Finishing Hmr.	1
153G	Cross Chisel Hmr.	1
1054	Long Curved Spoon	1
1060	General Purpose Dolly	1
1059	Heel Dolly	1
1058	Toe Dolly	1
1052	Spoon Dolly	1
1036	Light Dinging Spoon	1
164G	Utility Pick Hmr.	1

Miscellaneous Tools

USA8	LIST PRICE $368.90	QTY.
708A	1 3/8" Single End Wr.	1
107G	1 1/2 lb. Ball Pein Hmr.	1
A12	12" Adj. Chr. Wr.	1
PW14	14" Iron Pipe Wr.	1
8808	1 1/4" Striking Face Bx. Wr.	1
1733	7/8" x 1" Dbl. Open End Wr.	1
1246	1 7/16" Angle Serv. Wr. Chr.	1
4130	15/16" Flare Nut Wr.	1
3715	11/16" D.E. Chr. Hyd. Wr.	1
RB1214DH	3/8" x 7/16" Ratch. Bx. Wr. (12)	1
P27	1/4" Long Taper Punch	1
601	1/2" Check Nut Wrench	1
527	5/16" x 3/8" Set Screw Wr.	1
P8	1/4" Pin Punch	1
P40	Center Punch	1
C16	1/2" Cold Chisel	1
CC402	2 1/8" Cap. C-Clamp	1
455	1 3/4" Dia. Pin Spanner	1
EB25	1/2" Eye Bolt	1
471	3/4-2" Cap. Adj. Hk. Spanner	1
908	1 1/4" Structural Wr.	1
0474	2-4 3/4" Cap. Adj. Pin Spanner	1
1166	3/4" Comb. Wr.	1
8727	9/16" x 5/8" D.E. Box Chr.	1

Spanner Wrenches



USA9	LIST PRICE $557.30	QTY.
418	1" C/C Face Spanner	1
420	1 1/4" C/C Face Spanner	1
422	1 1/2" C/C Face Spanner	1
424	1 3/4" C/C Face Spanner	1
426	2" C/C Face Spanner	1
428	2 1/4" C/C Face Spanner	1
430	2 1/2" C/C Face Spanner	1
454	1 1/2" Cir. Dia. Pin Spanner	1
455	1 3/4" Cir. Dia. Pin Spanner	1
456	2" Cir. Dia. Pin Spanner	1
457	2 1/4" Cir. Dia. Pin Spanner	1
458	2 1/2" Cir. Dia. Pin Spanner	1
459	2 3/4" Cir. Dia. Pin Spanner	1
460	3" Cir. Dia. Pin Spanner	1
471	3/4 to 2" Adj. Hook Spanner	1
472	1 1/4 to 3" Adj. Hook Spanner	1
474	2 to 4 3/4" Adj. Hook Spanner	1
474A	4 1/2 to 6 1/4" Adj. Hook Spanner	1
474B	6 1/8 to 8 3/4 Adj. Hook Spanner	1
0-471	3/4 to 2" Adj. Pin Spanner	1
0-471A	3/4 to 2" Adj. Pin Spanner	1
0-472	1 1/4 to 3" Adj. Pin Spanner	1
0-472A	1 1/4 to 3" Adj. Pin Spanner	1
0-474	2 to 4 3/4" Adj. Pin Spanner	1
0-474A	4 1/2 to 6 1/4" Adj. Pin Spanner	1
482	2" Adj. Face Spanner	1
483	3" Adj. Face Spanner	1
484	4" Adj. Face Spanner	1

Screwdrivers and Pliers

USA10	LIST PRICE $323.40	QTY.
SDP3	No. 1 PHIL-3″	1
SDP4	No. 2 PHIL-4″	1
SDP6	No. 3 PHIL-6″	1
SDE4	3/16 x 4″ Cabinet	1
SDE6	3/16 x 6″ Electrical	1
SDE8	3/16 x 8″ Electrical	1
SDR4	1/4 x 4″ Mechanics	1
SDR6	5/16 x 6″ Heavy Duty	1
SDR8	3/8 x 8″ Heavy Duty	1
SDS4	1/4 x 4″ Sq. Blade	1
SDS6	5/16 x 6″ Sq. Blade	1
SDS8	3/8 x 8″ Sq. Blade	1
SDS10	3/8 x 10″ Sq. Blade	1
SDS12	3/8 x 12″ Sq. Blade	1
SDS1	1/4 x 1 1/2″ Sq. Stubby	1
SDP1	No. 2 PHIL Stubby	1
P407	7″ Tongue & Groove	1
P510	10″ Tongue & Groove	1
P71275	12 3/4″ Tongue & Groove	1
P2065	6 1/2″ Slip Joint	1
P208	8″ Slip Joint	1
P210	10″ Slip Joint	1
P307	7″ Lineman's	1
P308	8″ Lineman's	1
P309	9″ Lineman's (New Eng.)	1
P206	6″ Diagonal Cut	1
P2075	7 1/2″ Diagonal Cut	1
P506	6″ Chain Nose	1
P507	7″ Chain Nose	1

3/8″ Drive Sockets



USA11	LIST PRICE $655.80	QTY. 1 EA.

B52	7″ Ratchet	B608	1/4 6 Pt. Std.	BMD606	6mm 6 Pt. Deep
B103	3″ Extension	B610	5/16 6 Pt. Std.	BMD607	7mm 6 Pt. Deep
B105	5″ Extension	B612	3/8 6 Pt. Std.	BMD608	8mm 6 Pt. Deep
B112	12″ Extension	B614	7/16 6 Pt. Std.	BMD609	9mm 6 Pt. Deep
B40A	Flexible Hdle.	B616	1/2 6 Pt. Std.	BMD610	10mm 6 Pt. Deep
B20A	Sliding T-Hdle.	B618	9/16 6 Pt. Std.	BMD611	11mm 6 Pt. Deep
B15	Speeder	B620	5/8 6 Pt. Std.	BMD612	12mm 6 Pt. Deep
B140A	Universal	B622	11/16 6 Pt. Std.	BMD613	13mm 6 Pt. Deep
BS129	3/8F x 1/4M Adpt.	B624	3/4 6 Pt. Std.	BMD614	14mm 6 Pt. Deep
BS130	3/8F x 1/2M Adpt.	B626	13/16 6 Pt. Std.	BMD615	15mm 6 Pt. Deep
B1212	3/8 12 Pt. Std.	B628	7/8 6 Pt. Std.	BMD616	16mm 6 Pt. Deep
B1214	7/16 12 Pt. Std.	BD612	3/8 6 Pt. Deep	BMD617	17mm 6 Pt. Deep
B1216	1/2 12 Pt. Std.	BD614	7/16 6 Pt. Deep	BMD618	18mm 6 Pt. Deep
B1218	9/16 12 Pt. Std.	BD616	1/2 6 Pt. Deep	BMD619	19mm 6 Pt. Deep
B1220	5/8 12 Pt. Std.	BD618	9/16 6 Pt. Deep	2610	5/16 6 Pt. Std./Power
B1222	11/16 12 Pt. Std.	BD620	5/8 6 Pt. Deep	2612	3/8 6 Pt. Std./Power
B1224	3/4 12 Pt. Std.	BD622	11/16 6 Pt. Deep	2614	7/16 6 Pt. Std./Power
B1226	13/16 12 Pt. Std.	BD624	3/4 6 Pt. Deep	2616	1/2 6 Pt. Std./Power
B1228	7/8 12 Pt. Std.	BD626	13/16 6 Pt. Deep	2618	9/16 6 Pt. Std./Power
B1230	15/16 12 Pt. Std.	BA4	1/8 Allen w/Bit	2620	5/8 6 Pt. Std./Power
B1232	1 12 Pt. Std.	BA5	5/32 Allen w/Bit	2622	11/16 6 Pt. Std./Power
BD1212	3/8 12 Pt. Deep	BA6	3/16 Allen w/Bit	2624	3/4 6 Pt. Std./Power
BD1214	7/16 12 Pt. Deep	BA7	7/32 Allen w/Bit	12610	5/16 6 Pt. Deep/Power
BD1216	1/2 12 Pt. Deep	BA8	1/4 Allen w/Bit	12612	3/8 6 Pt. Deep/Power
BD1218	9/16 12 Pt. Deep	BA10	5/16 Allen w/Bit	12614	7/16 6 Pt. Deep/Power
BD1220	5/8 12 Pt. Deep	BA12	3/8 Allen w/Bit	12616	1/2 6 Pt. Deep/Power
BD1222	11/16 12 Pt. Deep	BM606	6mm 6 Pt. Std.	12618	9/16 6 Pt. Deep/Power
BD1224	3/4 12 Pt. Deep	BM607	7mm 6 Pt. Std.	12620	5/8 6 Pt. Deep/Power
BD1226	13/16 12 Pt. Deep	BM608	8mm 6 Pt. Std.	12622	11/16 6 Pt. Deep/Power
BD1228	7/8 12 Pt. Deep	BM609	9mm 6 Pt. Std.	12624	3/4 6 Pt. Deep/Power
		BM610	10mm 6 Pt. Std.	2140A	Impact Universal
		BM611	11mm 6 Pt. Std.	24A	3/8F x 1/2M Adaptor
		BM612	12mm 6 Pt. Std.		
		BM613	13mm 6 Pt. Std.		
		BM614	14mm 6 Pt. Std.		
		BM615	15mm 6 Pt. Std.		
		BM616	16mm 6 Pt. Std.		
		BM617	17mm 6 Pt. Std.		
		BM618	18mm 6 Pt. Std.		
		BM619	19mm 6 Pt. Std.		

1/2" Drive Sockets



USA12	LIST PRICE $849.80	QTY. 1 EA.

SF51	10 1/4" Ratchet	SD1230	15/16 12 Pt. Deep	14614	7/16 6 Pt. Deep/Power
S110P	5" Extension	SD1232	1 12 Pt. Deep	14616	1/2 6 Pt. Deep/Power
S115P	10" Extension	SD1234	1 1/16 12 Pt. Deep	14618	9/16 6 Pt. Deep/Power
S121P	20" Extension	SD1236	1 1/8 12 Pt. Deep	14620	5/8 6 Pt. Deep/Power
SF41	Flexible Handle	STM1209	9mm 12 Pt. Std.	14622	11/16 6 Pt. Deep/Power
S20A	Sliding T-Hdle.	STM1210	10mm 12 Pt. Std.	14624	3/4 6 Pt. Deep/Power
S15	Speeder	STM1211	11mm 12 Pt. Std.	14626	13/16 6 Pt. Deep/Power
S140	Universal	STM1212	12mm 12 Pt. Std.	14628	7/8 6 Pt. Deep/Power
SH129	1/2F x 3/8M Adpt.	STM1213	13mm 12 Pt. Std.	14630	15/16 6 Pt. Deep/Power
SH130	1/2F x 3/4M Adpt.	STM1214	14mm 12 Pt. Std.	14632	1 6 Pt. Deep/Power
ST1212	3/8 12 Pt. Std.	STM1215	15mm 12 Pt. Std.	14634	1 1/16 6 Pt. Deep/Power
ST1214	7/16 12 Pt. Std.	STM1216	16mm 12 Pt. Std.	14636	1 1/8 6 Pt. Deep/Power
ST1216	1/2 12 Pt. Std.	STM1217	17mm 12 Pt. Std.	14640	1 1/4 6 Pt. Deep/Power
ST1218	9/16 12 Pt. Std.	STM1218	18mm 12 Pt. Std.	4140A	Impact Universal
ST1220	5/8 12 Pt. Std.	STM1219	19mm 12 Pt. Std.	42A	1/2F x 3/8M Adpt.
ST1222	11/16 12 Pt. Std.	STM1220	20mm 12 Pt. Std.	46	1/2F x 3/4M Adpt.
ST1224	3/4 12 Pt. Std.	STM1221	21mm 12 Pt. Std.	4105A	5" Extension
ST1226	13/16 12 Pt. Std.	STM1222	22mm 12 Pt. Std.		
ST1228	7/8 12 Pt. Std.	STM1224	24mm 12 Pt. Std.		
ST1230	15/16 12 Pt. Std.	STM1227	27mm 12 Pt. Std.		
ST1232	1 12 Pt. Std.	STM1230	30mm 12 Pt. Std.		
ST1234	1 1/16 12 Pt. Std.	STM1232	32mm 12 Pt. Std.		
ST1236	1 1/8 12 Pt. Std.	4614	7/16 6 Pt. Std./Power		
ST1238	1 3/16 12 Pt. Std.	4616	1/2 6 Pt. Std./Power		
ST1240	1 1/4 12 Pt. Std.	4618	9/16 6 Pt. Std./Power		
ST1242	1 5/16 12 Pt. Std.	4620	5/8 6 Pt. Std./Power		
ST1244	1 3/8 12 Pt. Std.	4622	11/16 6 Pt. Std./Power		
ST1246	1 7/16 12 Pt. Std.	4624	3/4 6 Pt. Std./Power		
ST1248	1 1/2 12 Pt. Std.	4626	13/16 6 Pt. Std./Power		
SD1216	1/2 12 Pt. Deep	4628	7/8 6 Pt. Std./Power		
SD1218	9/16 12 Pt. Deep	4630	15/16 6 Pt. Std./Power		
SD1220	5/8 12 Pt. Deep	4632	1 6 Pt. Std./Power		
SD1222	11/16 12 Pt. Deep	4634	1 1/16 6 Pt. Std./Power		
SD1224	3/4 12 Pt. Deep	4636	1 1/8 6 Pt. Std./Power		
SD1226	13/16 12 Pt. Deep	4640	1 1/4 6 Pt. Std./Power		
SD1228	7/8 12 Pt. Deep	14612	3/8 6 Pt. Deep/Power		



3/4" Drive Sockets (Chrome)



USA13	LIST PRICE $807.80	QTY.
H51	21" Ratchet	1
H41A	Flex. Hdle.	1
H104	3 1/2" Extension	1
H110	8" Extension	1
H115	16" Extension	1
H140	Universal	1
H1224	3/4 12 Pt. Std.	1
H1226	13/16 12 Pt. Std.	1
H1228	7/8 12 Pt. Std.	1
H1230	15/16 12 Pt. Std.	1
H1232	1 12 Pt. Std.	1
H1234	1 1/16 12 Pt. Std.	1
H1236	1 1/8 12 Pt. Std.	1
H1240	1 1/4 12 Pt. Std.	1
H1242	1 5/16 12 Pt. Std.	1
H1244	1 3/8 12 Pt. Std.	1
H1246	1 7/16 12 Pt. Std.	1
H1248	1 1/2 12 Pt. Std.	1
H1250	1 9/16 12 Pt. Std.	1
H1252	1 5/8 12 Pt. Std.	1
H1254	1 11/16 12 Pt. Std.	1
H1256	1 3/4 12 Pt. Std.	1
H1258	1 13/16 12 Pt. Std.	1
H1260	1 7/8 12 Pt. Std.	1
H1264	2 12 Pt. Std.	1
H1266	2 1/16 12 Pt. Std.	1
H1268	2 1/8 12 Pt. Std.	1
H1270	2 3/16 12 Pt. Std.	1
H1272	2 1/4 12 Pt. Std.	1
H1276	2 3/8 12 Pt. Std.	1

3/4" Drive Sockets (Power)



USA13A	LIST PRICE $463.00	QTY.
64A	3/4F x 1/2M Adpt.	1
67	3/4F x 1M Adpt.	1
6107	7" Extension	1
6624	3/4 6 Pt. Std./Power	1
6626	13/16 6 Pt. Std./Power	1
6628	7/8 6 Pt. Std./Power	1
6630	15/16 6 Pt. Std./Power	1
6632	1 6 Pt. Std./Power	1
6634	1 1/16 6 Pt. Std./Power	1
6636	1 1/8 6 Pt. Std./Power	1
6638	1 3/16 6 Pt. Std./Power	1
6640	1 1/4 6 Pt. Std./Power	1
6642	1 5/16 6 Pt. Std./Power	1
6644	1 3/8 6 Pt. Std./Power	1
6646	1 7/16 6 Pt. Std./Power	1
6648	1 1/2 6 Pt. Std./Power	1
16624	3/4 6 Pt. Deep/Power	1
16626	13/16 6 Pt. Deep/Power	1
16628	7/8 6 Pt. Deep/Power	1
16630	15/16 6 Pt. Deep/Power	1
16632	1 6 Pt. Deep/Power	1
16634	1 1/16 6 Pt. Deep/Power	1
16636	1 1/8 6 Pt. Deep/Power	1
16638	1 3/16 6 Pt. Deep/Power	1
16640	1 1/4 6 Pt. Deep/Power	1
16642	1 5/16 6 Pt. Deep/Power	1
16644	1 3/8 6 Pt. Deep/Power	1
16646	1 7/16 6 Pt. Deep/Power	1
16648	1 1/2 6 Pt. Deep/Power	1

1″ Drive Chrome

USA14	LIST PRICE $994.20	QTY.
X51	30″ Ratchet	1
X41A	Flex. Hdle.	1
X108	8″ Extension	1
X117	17″ Extension	1
X1246	1 7/16 12 Pt. Std.	1
X1248	1 1/2 12 Pt. Std.	1
X1252	1 5/8 12 Pt. Std.	1
X1254	1 11/16 12 Pt. Std.	1
X1256	1 3/4 12 Pt. Std.	1
X1258	1 13/16 12 Pt. Std.	1
X1260	1 7/8 12 Pt. Std.	1
X1262	1 15/16 12 Pt. Std.	1
X1264	2 12 Pt. Std.	1
X1268	2 1/8 12 Pt. Std.	1
X1270	2 3/16 12 Pt. Std.	1
X1272	2 1/4 12 Pt. Std.	1
X1274	2 5/16 12 Pt. Std.	1
X1276	2 3/8 12 Pt. Std.	1

1″ Drive Chrome



USA14A	LIST PRICE $1231.30	QTY.
X1278	2 7/16 12 Pt. Std.	1
X1280	2 1/2 12 Pt. Std.	1
X1282	2 9/16 12 Pt. Std.	1
X1284	2 5/8 12 Pt. Std.	1
X1288	2 3/4 12 Pt. Std.	1
X1290	2 13/16 12 Pt. Std.	1
X1294	2 15/16 12 Pt. Std.	1
X1296	3 12 Pt. Std.	1
X12100	3 1/8 12 Pt. Std.	1
X12108	3 3/8 12 Pt. Std.	1
X12112	3 1/2 12 Pt. Std.	1

1″ Drive (Power)



USA15	LIST PRICE $530.00	QTY.
7107	7″ Extension	1
76	1F x 3/4M Adpt.	1
7624	3/4 6 Pt. Std.	1
7626	13/16 6 Pt. Std.	1
7628	7/8 6 Pt. Std.	1
7630	15/16 6 Pt. Std.	1
7632	1 6 Pt. Std.	1
7634	1 1/16 6 Pt. Std.	1
7636	1 1/8 6 Pt. Std.	1
7638	1 3/16 6 Pt. Std.	1
7640	1 1/4 6 Pt. Std.	1
7642	1 5/16 6 Pt. Std.	1
7644	1 3/8 6 Pt. Std.	1
7646	1 7/16 6 Pt. Std.	1
7648	1 1/2 6 Pt. Std.	1
7650	1 9/16 6 Pt. Std.	1
7652	1 5/8 6 Pt. Std.	1
7654	1 11/16 6 Pt. Std.	1
7656	1 3/4 6 Pt. Std.	1
7658	1 13/16 6 Pt. Std.	1
7660	1 7/8 6 Pt. Std.	1
7662	1 15/16 6 Pt. Std.	1
7664	2 6 Pt. Std.	1
7666	2 1/16 6 Pt. Std.	1

1″ Drive (Power)



USA15A	LIST PRICE $686.20	QTY.
7668	2 1/8 6 Pt. Std.	1
7670	2 3/16 6 Pt. Std.	1
7672	2 1/4 6 Pt. Std.	1
7674	2 5/16 6 Pt. Std.	1
7676	2 3/8 6 Pt. Std.	1
7678	2 7/16 6 Pt. Std.	1
7680	2 1/2 6 Pt. Std.	1
7684	2 5/8 6 Pt. Std.	1
7688	2 3/4 6 Pt. Std.	1
7694	2 15/16 6 Pt. Std.	1
7696	3 6 Pt. Std.	1

IMPORTANT SAFETY RULES FOR HAND TOOL USE

Hand tools, although commonly used, are specialized for particular jobs. Always use the right size and type of tool for the job being done. Keep tools in proper working condition and discard any tools that are worn or used beyond their useful life.

Never use chisels or punches with "mushroomed" heads. They may chip and cause injury.

Only power impact sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets or accessories.

All wrenches are designed to a specific-size-length-strength ratio. The use of a "cheater" or any other means for increased leverage is hazardous. Pull on a wrench, don't push.

Keep hammer heads tightened on handle. Do not strike one hammer with another hammer. A hammer blow should always be struck squarely. Avoid glancing blows.

Protect your eyes, through the use of safety glasses or goggles. This is recommended for any job involving the use of tools; particularly when using punches, chisels and hammers; or any other striking or struck tools.

Use hand tools only for their designed purpose and within their size range.

Periodic inspection of hand tools by competent trained personnel is a safety must.

Wrench Index

Martin TOOL & FORGE

Wrench Index

COMBINATION OPEN END BOX WRENCH		Particularly useful in tight spots. Both ends have the same opening, open end has a 15° angle, thin walled box opening is offset 15° from the plane of the handle for obstruction clearance. Open end is used for quick run down and box end allows torque application. Available in both chrome and industrial black finish and in convenient sets.	Page 18
HYDRAULIC WRENCH		Designed for assembly, adjustment and repairs. Hydraulic systems, servo units, electrical components where a thin head is needed for clearance. Same openings in both ends with 15° and 60° angle openings. Available in convenient sets in both chrome and industrial black finish.	Page 24
DOUBLE HEAD OPEN END WRENCH		Jaws of these open end wrenches are at a 15° angle to the handle. This allows complete rotation of a hex nut in only 30° swing by flopping the wrench. The line includes many sizes not offered by other manufacturers. Available in both chrome and industrial black and in convenient and economical sets.	Page 20
DOUBLE OFFSET BOX WRENCH		Often referred to as a 45° offset wrench, this tool has thin walls for close quarters and long handles for good leverage. 45° offset offers better obstruction clearance with ample space for mechanic's hands. 12 point box for continuous rotation of nuts in only 30° swing. Available in short and long pattern chrome and in short and long pattern industrial black. Also available in convenient sets.	Page 22
STRIKING FACE BOX WRENCH		These wrenches are designed for heavy work where large nuts must be set tight or frozen nuts loosened. 45° offset head for clearance of obstructions. Anvils are proportioned to opening sizes. Special heat treating provides maximum durability for long life.	Page 36 37

Martin TOOL & FORGE

Wrench Index

Wrench Index

SERVICE WRENCH		Also referred to as pump wrench. These 30° angle opening with very thin head section. Designed for close quarter work on pumps, glands, valves and servo units. Available in both chrome and industrial black finish.	Page 26
STRUCTURAL AND CONSTRUCTION WRENCH		Sometimes referred to as erection or speed wrenches, these unique tools have long handles for extra leverage with tapering for easy insertion in bolt holes to bring them in line. Available with offset handle for clearing obstructions and with straight handle with 15° angle open end.	Page 35
TEE HANDLED SOCKET WRENCH		Flanges, caps and assemblies of many kinds have unavoidable obstructions requiring the use of this style wrench. Shanks have hexagon ends for safe extra leverage. OEM's in many industries utilize this tool. Available in both square and hex openings.	Page 39
OFFSET SOCKET WRENCH		Applicable for a multitude of OEM uses, this offset wrench overcomes many obstruction problems. Handle lengths are proportioned to opening size to provide adequate leverage. Available in both square and hex openings.	Page 38
12 POINT SINGLE END BOX WRENCH		Tremendous for applications where strong, secure grip is needed within limited clearance. Also known as Machinist Wrench.	Page 37

Wrench Index

Martin TOOL & FORGE

Wrench Index

SPANNER WRENCH		Pin and Face style spanners are made to many standard dimensions for turning packing glands and adjustable rollers, etc. Useful in many applications, particularly on machine tools and material handling equipment.	Page 33 34
ADJUSTABLE SPANNER WRENCH		Made in Pin, Face and Hook styles. Each size will service several sizes of adjusting collars, lock nut rings and bearings.	Page 33 34
FLARE NUT WRENCH		Available in chrome and industrial black, these special wrenches are ideal for use in the assembly and repair of hydraulic, pneumatic and fluid systems. Extremely useful in automotive, refrigeration, air-conditioning, marine and aircraft fields, this wrench permits work over tubing or pipe in close quarters without marring fittings.	Page 30
ADJUSTABLE AUTO WRENCH		An extremely durable wrench well suited for general repair work with smooth jaws. Chrome finish and accurate secure adjustment.	Page 76
PIPE WRENCH		Available with straight iron handles, straight aluminum handles and offset iron handles, pipe wrenches fit securely on pipes and pipe fittings. Easy size setting with strong teeth, these wrenches provide instant grip and quick release.	Page 40

Martin TOOL & FORGE

Wrench Index

Wrench Index

SINGLE HEAD OPEN END ENGINEERS WRENCH		These sturdy 15° angle opening wrenches are designed for heavy duty and rough use. Utilized extensively in construction, refining and marine vessels, these wrenches are ideal for a wide range of OEM applications.	Page 32
RACHETING BOX WRENCH		Offered in both straight and offset patterns, these wrenches allow quick rotation of nuts in constricted areas. Appealing chrome finish also offered in sets.	Page 28 29
ADJUSTABLE WRENCH		Provides exceptional strength for heavy duty work yet is thin enough for close quarter work. Precision machining assures secure fit while the versatility of adjustment saves time.	Page 31
SINGLE HEAD CHECK NUT WRENCH		Thin heads allow precision tightening of extremely thin fasteners. These high carbon wrenches are finished in rust-resistant industrial black and are amply strong for their intended purpose but NOT recommended for severe service.	Page 27
DOUBLE HEAD SET SCREW WRENCH		These wrenches provide a snug fit on set screws with thick heads. Angled heads provide greater rotation while 3 point contact enhances wrench life.	Page 31

Combination Wrenches

Martin TOOL & FORGE



American Alloy Steel

Long Pattern
15° Angle
12 Point Box

Versatile, General Purpose Wrench in a Complete Range of Openings, 1/4" thru 2 1/2". Chrome and Industrial Black Finish.

Wrench Opening	Open End		Box End		Overall Length	Weight Ea.-Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.	Wrench Opening
	Diameter	Thickness	Diameter	Thickness			Part No.	List Price	Part No.	List Price		
	A	B	C	D	E							
1/4	35/64	5/32	13/32	3/16	4 3/4	.04	1158	8.30	BLK1158	7.50	6	1/4
5/16	21/32	11/64	31/64	1/4	4 3/4	.05	1159	8.30	BLK1159	7.50	6	5/16
11/32	21/32	11/64	31/64	1/4	4 3/4	.05	1159A	8.30	BLK1159A	7.50	6	11/32
3/8	25/32	3/16	9/16	9/32	5 1/2	.08	1160	9.00	BLK1160	7.60	6	3/8
7/16	15/16	7/32	21/32	19/64	6 1/2	.13	1161	9.40	BLK1161	8.10	6	7/16
1/2	1 1/16	17/64	25/32	5/16	7	.17	1162	9.80	BLK1162	8.50	6	1/2
9/16	1 3/16	17/64	53/64	11/32	7 3/4	.25	1163	11.10	BLK1163	8.60	6	9/16
5/8	1 5/16	9/32	59/64	3/8	8 7/16	.30	1164	12.30	BLK1164	9.60	6	5/8
11/16	1 7/16	11/32	1	13/32	9 1/4	.38	1165	12.70	BLK1165	10.50	6	11/16
3/4	1 9/16	11/32	1 3/64	7/16	10	.43	1166	13.90	BLK1166	11.70	6	3/4
13/16	1 23/32	11/32	1 5/32	15/32	11	.55	1167A	15.20	BLK1167A	12.50	6	13/16
7/8	1 25/32	11/32	1 1/4	31/64	11 7/8	.64	1167	17.70	BLK1167	14.50	6	7/8
15/16	1 15/16	3/8	1 5/16	1/2	12 7/8	.77	1168	20.60	BLK1168	16.20	6	15/16
1	1 15/16	3/8	1 25/64	1/2	14	.92	1170	24.90	BLK1170	19.40	6	1
1 1/16	2 3/16	7/16	1 15/32	17/32	15	1.07	1171	29.00	BLK1171	22.70	6	1 1/16
1 1/8	2 1/4	15/32	1 19/32	9/16	15 7/8	1.37	1172	33.80	BLK1172	26.50	6	1 1/8
1 1/4	2 9/16	1/2	1 23/32	5/8	16 7/8	1.8	1173	38.00	BLK1173	31.30	1	1 1/4
1 5/16	2 13/16	5/8	1 15/16	3/4	18	2.1	1174	42.10	BLK1174	38.30	1	1 5/16
1 3/8	2 13/16	5/8	1 15/16	3/4	18	2.1	1175	44.60	BLK1175	40.00	1	1 3/8
1 7/16	3 1/32	23/32	2 1/8	27/32	20 3/8	3.6	1176	50.70	BLK1176	45.80	1	1 7/16
1 1/2	3 1/32	23/32	2 1/8	27/32	20 3/8	3.4	1177	56.90	BLK1177	49.60	1	1 1/2
1 5/8	3 13/64	5/8	2 5/16	29/32	22 3/4	4.5	1180	62.60	BLK1180	59.20	1	1 5/8
1 11/16	3 13/64	5/8	2 5/16	29/32	22 3/4	4.5	1182	69.00	BLK1182	64.50	1	1 11/16
1 3/4	3 15/16	3/4	2 7/8	1 1/16	25	7.1	1184	79.30	BLK1184	74.70	1	1 3/4
1 13/16	3 15/16	3/4	2 7/8	1 1/16	25	7.0	1186	79.30	BLK1186	76.20	1	1 13/16
1 7/8	3 15/16	3/4	2 7/8	1 1/16	25	6.9	1188	91.50	BLK1188	87.40	1	1 7/8
2	3 15/16	3/4	2 7/8	1 1/16	25	6.8	1190	96.30	BLK1190	89.80	1	2
2 1/16	4 1/2	13/16	3 1/4	1 3/16	28	8.3	1191	116.00	BLK1191	98.70	1	2 1/16
2 1/8	4 1/2	13/16	3 1/4	1 3/16	28	8.2	1192	130.80	BLK1192	111.10	1	2 1/8
2 3/16	4 1/2	13/16	3 1/4	1 3/16	28	7.9	1193	138.60	BLK1193	115.60	1	2 3/16
2 1/4	4 1/2	13/16	3 1/4	1 3/16	28	7.7	1194	145.30	BLK1194	124.20	1	2 1/4
2 3/8	5	15/16	3 5/8	1 5/16	30	12.1	1195	168.80	BLK1195	143.30	1	2 3/8
2 1/2	5	15/16	3 5/8	1 5/16	30	11.7	1196	177.00	BLK1196	150.10	1	2 1/2

Martin TOOL & FORGE

Combination Wrench Sets

Convenient Sets Provide Popular Wrench Sizes Ranging From 3/8" Thru 2" Openings. Sets Are Available In 4 Sizes: 5, 7, 11 and 14 Wrenches, Packaged In A Handcrafted Fabric and Vinyl Roll Up Kit.

Chrome Sets

C7K — $75.15



OPENING	PART NO.
3/8	1160
7/16	1161
1/2	1162
9/16	1163
5/8	1164
11/16	1165
3/4	1166
KIT BAG	C187

C11K — $148.60



OPENING	PART NO.
3/8	1160
7/16	1161
1/2	1162
9/16	1163
5/8	1164
11/16	1165
3/4	1166
13/16	1167A
7/8	1167
15/16	1168
1	1170
KIT BAG	C110

C14K — $241.00



OPENING	PART NO.
3/8	1160
7/16	1161
1/2	1162
9/16	1163
5/8	1164
11/16	1165
3/4	1166
13/16	1167A
7/8	1167
15/16	1168
1	1170
1 1/16	1171
1 1/8	1172
1 1/4	1173
KIT BAG	C140

HC5K — $316.00

OPENING	PART NO.
1 1/4	1173
1 7/16	1176
1 5/8	1180
1 13/16	1186
2	1190
KIT BAG	C55

Industrial Black Sets

CB7K — $62.90

OPENING	PART NO.
3/8	BLK1160
7/16	BLK1161
1/2	BLK1162
9/16	BLK1163
5/8	BLK1164
11/16	BLK1165
3/4	BLK1166
KIT BAG	C187

CB11K — $122.15



OPENING	PART NO.
3/8	BLK1160
7/16	BLK1161
1/2	BLK1162
9/16	BLK1163
5/8	BLK1164
11/16	BLK1165
3/4	BLK1166
13/16	BLK1167A
7/8	BLK1167
15/16	BLK1168
1	BLK1170
KIT BAG	C110

CB14K — $196.30



OPENING	PART NO.
3/8	BLK1160
7/16	BLK1161
1/2	BLK1162
9/16	BLK1163
5/8	BLK1164
11/16	BLK1165
3/4	BLK1166
13/16	BLK1167A
7/8	BLK1167
15/16	BLK1168
1	BLK1170
1 1/16	BLK1171
1 1/8	BLK1172
1 1/4	BLK1173
KIT BAG	C140

HCB5K — $293.85

OPENING	PART NO.
1 1/4	BLK1173
1 7/16	BLK1176
1 5/8	BLK1180
1 13/16	BLK1186
2	BLK1190
KIT BAG	C55

Double Head Open End Wrenches

Martin TOOL & FORGE



American Alloy Steel Drop Forged

15° Angle

Comfortable Grip

Chrome and Industrial Black

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea.	Chrome		Std. Pkg.	Industrial Black		Std. Pkg.	Wrench Opening
	A x B	C	D	Lbs.	Part No.	List Price	Qty.	Part No.	List Price	Qty.	
1/4 x 5/16	19/32 x 3/4	5/32	4 1/2	.03	1020	6.10	6	BLK-1020	5.50	6	1/4 x 5/16
5/16 x 11/32	19/32 x 3/4	5/32	4 1/2	.04	1720	6.10	6	BLK1720	5.50	6	5/16 x 11/32
5/16 x 3/8	19/32 x 3/4	5/32	4 1/2	.04	1721	6.10	6	BLK1721	5.50	6	5/16 x 3/8
5/16 x 13/32	19/32 x 3/4	5/32	4 1/2	.04	1021	6.10	6	BLK1021	5.50	6	5/16 x 13/32
3/8 x 7/16	3/4 x 29/32	13/64	4 7/8	.06	1723	6.20	6	BLK1723	5.60	6	3/8 x 7/16
3/8 x 1/2	3/4 x 29/32	13/64	4 7/8	.06	1723A	6.20	6	BLK1723A	5.60	6	3/8 x 1/2
7/16 x 1/2	29/32 x 1 1/8	1/4	5 3/4	.13	1725	6.40	6	BLK1725	5.70	6	7/16 x 1/2
7/16 x 9/16	29/32 x 1 1/8	1/4	5 3/4	.13	1725A	6.30	6	BLK1725A	5.70	6	7/16 x 9/16
1/2 x 9/16	1 1/16 x 1 1/8	1/4	6 1/8	.19	1725B	6.30	6	BLK1725B	5.80	6	1/2 x 9/16
1/2 x 5/8	1 1/4 x 1 3/8	11/32	6 1/2	.32	1726	9.00	6	BLK1726	7.80	6	1/2 x 5/8
9/16 x 5/8	1 1/8 x 1 1/4	17/64	6 3/4	.20	1727	8.50	6	BLK1727	6.90	6	9/16 x 5/8
9/16 x 11/16	1 3/16 x 1 7/16	19/64	7 1/2	.27	1027C	10.10	6	BLK1027C	8.20	6	9/16 x 11/16
19/32 x 11/16	1 3/16 x 1 7/16	19/64	7 1/2	.27	1027	9.60	6	BLK1027	8.50	6	19/32 x 11/16
5/8 x 11/16	1 3/16 x 1 7/16	19/64	7 1/2	.27	1027B	10.10	6	BLK1027B	8.50	6	5/8 x 11/16
9/16 x 3/4	1 5/16 x 1 5/8	5/16	8 1/2	.41	1728	10.20	6	BLK1728	8.00	6	9/16 x 3/4
5/8 x 3/4	1 5/16 x 1 5/8	5/16	8 1/2	.41	1729	10.20	6	BLK1729	8.00	6	5/8 x 3/4
11/16 x 3/4	1 5/16 x 1 5/8	5/16	8 1/2	.41	1029B	10.20	6	BLK1029B	8.00	6	11/16 x 3/4
11/16 x 25/32	1 5/16 x 1 5/8	5/16	8 1/2	.41	1029	11.60	6	BLK1029	8.30	6	11/16 x 25/32
11/16 x 13/16	1 5/16 x 1 5/8	5/16	8 1/2	.40	1029C	11.90	6	BLK1029C	10.90	6	11/16 x 13/16
11/16 x 7/8	1 5/16 x 1 5/8	5/16	8 1/2	.40	1030	13.00	6	BLK-1030	11.60	6	11/16 x 7/8
3/4 x 13/16	1 5/8 x 1 3/4	11/32	9 5/8	.50	1731	13.00	6	BLK1731	11.80	6	3/4 x 13/16
3/4 x 7/8	1 5/8 x 1 3/4	11/32	9 5/8	.50	1731A	13.00	6	BLK1731A	10.00	6	3/4 x 7/8
13/16 x 7/8	1 5/8 x 1 3/4	11/32	9 5/8	.50	1731B	13.90	6	BLK1731B	11.50	6	13/16 x 7/8
7/8 x 15/16	1 11/16 x 1 15/16	3/8	10 5/8	.75	1033A	17.30	6	BLK1033A	15.90	6	7/8 x 15/16
7/8 x 1	1 11/16 x 1 15/16	3/8	10 5/8	.72	1733	18.70	6	BLK1733	15.90	6	7/8 x 1
15/16 x 1	1 7/8 x 2 1/8	7/16	11 1/2	1.05	1033C	18.80	6	BLK1033C	15.70	6	15/16 x 1
7/8 x 1 1/16	1 7/8 x 2 1/8	7/16	11 1/2	1.03	1034	18.80	6	BLK1034	14.60	6	7/8 x 1 1/16
15/16 x 1 1/16	1 7/8 x 2 1/8	7/16	11 1/2	1.01	1034A	20.60	6	BLK1034A	17.70	6	15/16 x 1 1/16
1 x 1 1/8	2 1/8 x 2 1/4	7/16	12 1/2	1.18	1735	20.60	6	BLK1735	18.50	6	1 x 1 1/8
1 1/16 x 1 1/8	2 1/8 x 2 1/4	7/16	12 1/2	1.16	1036B	20.60	6	BLK1036B	18.50	6	1 1/16 x 1 1/8
1 1/16 x 1 1/4	2 1/4 x 2 5/8	1/2	13 3/4	1.6	1037	27.40	6	BLK1037	22.10	6	1 1/16 x 1 1/4
1 1/8 x 1 1/4	2 1/4 x 2 5/8	1/2	13 3/4	1.6	1737	27.40	6	BLK1737	22.30	6	1 1/8 x 1 1/4
1 1/8 x 1 5/16	2 1/4 x 2 5/8	1/2	13 3/4	1.6	1037A	27.40	6	BLK1037A	25.60	6	1 1/8 x 1 5/16
1 1/4 x 1 5/16	2 3/4 x 2 7/8	9/16	15 1/2	2.1	1039B	37.20	6	BLK1039B	34.10	1	1 1/4 x 1 5/16
1 1/4 x 1 7/16	2 3/4 x 2 7/8	9/16	15 1/2	2.1	1039	39.50	6	BLK1039	34.10	1	1 1/4 x 1 7/16
1 5/16 x 1 1/2	2 3/4 x 2 7/8	9/16	15 1/2	2.1	1039A	39.50	6	BLK1039A	34.10	1	1 5/16 x 1 1/2
1 3/8 x 1 7/16	2 3/4 x 2 7/8	9/16	15 1/2	2.0	1039C	39.50	6	BLK1039C	34.10	1	1 3/8 x 1 7/16
1 1/4 x 1 5/8	2 3/4 x 2 7/8	9/16	15 1/2	2.0	1040	47.40	6	BLK1040	41.30	1	1 1/4 x 1 5/8
1 7/16 x 1 5/8	2 3/4 x 3 1/4	5/8	17	3.1	1041	46.80	1	BLK1041	44.80	1	1 7/16 x 1 5/8
1 1/2 x 1 5/8	2 3/4 x 3 1/2	5/8	17	3.1	1041B	49.20	1	BLK1041B	44.80	1	1 1/2 x 1 5/8
1 11/16 x 1 7/8	3 3/4 x 4 1/8	7/8	19 1/2	7.2	—	—	—	BLK44A	89.00	1	1 11/16 x 1 7/8
1 13/16 x 2	3 3/4 x 4 1/8	7/8	19 1/2	6.9	—	—	—	BLK45	89.00	1	1 13/16 x 2
2 3/16 x 2 3/8	4 13/16 x 4 7/8	1 1/8	23	11.8	—	—	—	BLK49	171.20	1	2 3/16 x 2 3/8
2 1/4 x 2 7/16	4 13/16 x 4 7/8	1 1/8	23	11.7	—	—	—	BLK49A	174.60	1	2 1/4 x 2 7/16

Martin TOOL & FORGE

Double Head Open End Wrench Sets

6 Sets of Popular Sizes Provide a Wide Range of Openings in Chrome or Industrial Black Finish.

Chrome Sets

OE6K	$70.85	OE8K	$102.85	OE11K	$122.85



OPENING	PART NO.
3/8 x 7/16	1723
1/2 x 9/16	1725B
5/8 x 11/16	1027B
3/4 x 13/16	1731
7/8 x 15/16	1033A
1 x 1 1/8	1735
KIT BAG	C60B



OPENING	PART NO.
1/4 x 5/16	1020
3/8 x 7/16	1723
1/2 x 9/16	1725B
5/8 x 11/16	1027B
3/4 x 13/16	1731
7/8 x 15/16	1033A
1 x 1 1/8	1735
1 1/16 x 1 1/4	1037
KIT BAG	C81



OPENING	PART NO.
1/4 x 5/16	1020
5/16 x 3/8	1721
3/8 x 7/16	1723
7/16 x 1/2	1725
1/2 x 9/16	1725B
9/16 x 5/8	1727
5/8 x 11/16	1027B
3/4 x 13/16	1731
7/8 x 15/16	1033A
1 x 1 1/8	1735
1 1/16 x 1 1/4	1037
KIT BAG	C110

Industrial Black Sets

BOE6K	$64.20	BOE8K	$90.90	BOE11K	$108.25



OPENING	PART NO.
3/8 x 7/16	BLK1723
1/2 x 9/16	BLK1725B
5/8 x 11/16	BLK1027B
3/4 x 13/16	BLK1731
7/8 x 15/16	BLK1033A
1 x 1 1/8	BLK1735
KIT BAG	C60B



OPENING	PART NO.
1/4 x 5/16	BLK-1020
3/8 x 7/16	BLK1723
1/2 x 9/16	BLK1725B
5/8 x 11/16	BLK1027B
3/4 x 13/16	BLK1731
7/8 x 15/16	BLK1033A
1 x 1 1/8	BLK1735
1 1/16 x 1 1/4	BLK1037
KIT BAG	C81



OPENING	PART NO.
1/4 x 5/16	BLK-1020
5/16 x 3/8	BLK1721
3/8 x 7/16	BLK1723
7/16 x 1/2	BLK1725
1/2 x 9/16	BLK1725B
9/16 x 5/8	BLK1727
5/8 x 11/16	BLK1027B
3/4 x 13/16	BLK1731
7/8 x 15/16	BLK1033A
1 x 1 1/8	BLK1735
1 1/16 x 1 1/4	BLK1037
KIT BAG	C110

Double Offset Box Wrenches

Martin TOOL & FORGE



American Alloy Steel Drop Forged

12 Point Box

Double Offset 45° for Obstruction Clearance

Different Opening in Each End.

Short Pattern

Wrench Opening	Diameter of Head		Thickness of Head		Length	Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.	Wrench Opening
A x B	A_1	B_1	A_2	B_2	C		Part No.	List Price Ea.	Part No.	List Price Ea.		A x B
5/16 x 3/8	15/32	35/64	7/32	1/4	4 1/4	.06	9721	8.20	BLK9721	7.40	6	5/16 x 3/8
3/8 x 7/16	17/32	5/8	17/64	5/16	4 5/8	.08	9723	9.00	BLK9723	8.10	6	3/8 x 7/16
7/16 x 1/2	5/8	23/32	5/16	11/32	5 1/16	.10	9725	9.90	BLK9725	8.90	6	7/16 x 1/2
1/2 x 9/16	23/32	13/16	11/32	3/8	5 1/2	.13	9725B	10.80	BLK9725B	9.70	6	1/2 x 9/16
9/16 x 5/8	13/16	7/8	3/8	7/16	5 15/16	.19	9727	12.10	BLK9727	10.90	6	9/16 x 5/8
5/8 x 11/16	7/8	1 1/32	7/16	15/32	6 1/2	.26	9727A	12.10	BLK9727A	10.90	6	5/8 x 11/16
5/8 x 3/4	7/8	1 1/32	7/16	15/32	6 1/2	.25	9729	12.10	BLK9729	10.90	6	5/8 x 3/4

Long Pattern

Wrench Opening	Diameter of Head		Thickness of Head		Length	Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.	Wrench Opening
A x B	A_1	B_1	A_2	B_2	C		Part No.	List Price Ea.	Part No.	List Price Ea.		A x B
3/8 x 7/16	17/32	19/32	9/32	9/32	6 15/32	.15	8723	10.80	BLK8723	8.00	6	3/8 x 7/16
7/16 x 1/2	5/8	11/16	5/16	5/16	7 3/4	.16	8725	11.40	BLK8725	8.60	6	7/16 x 1/2
1/2 x 9/16	11/16	13/16	3/8	3/8	8 5/8	.25	8725B	11.70	BLK8725B	8.60	6	1/2 x 9/16
9/16 x 5/8	25/32	7/8	3/8	3/8	9 1/2	.34	8727	12.60	BLK8727	10.10	6	9/16 x 5/8
5/8 x 11/16	7/8	31/32	13/32	13/32	10 5/16	.37	8727A	13.20	BLK8727A	11.00	6	5/8 x 11/16
5/8 x 3/4	7/8	1 1/32	29/64	29/64	11 3/16	.43	8729	13.20	BLK8729	11.00	6	5/8 x 3/4
11/16 x 3/4	1 1/32	1 5/32	15/32	15/32	11 7/8	.56	8029B	13.30	BLK8029B	12.50	6	11/16 x 3/4
3/4 x 7/8	1 1/32	1 3/16	1/2	1/2	12 9/16	.68	8731A	14.40	BLK8731A	12.30	6	3/4 x 7/8
13/16 x 7/8	1 5/32	1 7/32	17/32	17/32	13 5/16	.74	8731B	14.40	BLK8731B	12.30	6	13/16 x 7/8
7/8 x 15/16	1 5/16	1 13/32	9/16	9/16	14 1/16	1.0	8033A	20.50	BLK8033A	19.70	6	7/8 x 15/16
15/16 x 1	1 5/16	1 13/32	9/16	9/16	14 1/16	1.0	8033C	22.00	BLK8033C	19.60	6	15/16 x 1
1 x 1 1/8	1 13/32	1 17/32	21/32	21/32	15 3/16	1.4	8735	31.80	BLK8735	26.60	6	1 x 1 1/8
1 1/16 x 1 1/8	1 13/32	1 17/32	21/32	21/32	15 3/16	1.4	8735A	30.40	BLK8735A	26.60	6	1 1/16 x 1 1/8
1 1/16 x 1 1/4	1 9/16	1 13/16	11/16	11/16	17 3/16	1.8	8037	30.90	BLK8037	29.80	1	1 1/16 x 1 1/4
1 1/8 x 1 5/16	1 9/16	1 13/16	11/16	11/16	17 3/16	1.8	8037A	36.10	BLK8037A	33.20	1	1 1/8 x 1 5/16
1 1/4 x 1 5/16	1 7/8	2 1/16	3/4	3/4	18 3/8	2.4	8039B	50.10	BLK8039B	44.70	1	1 1/4 x 1 5/16
1 1/4 x 1 7/16	1 7/8	2 1/16	3/4	3/4	18 3/8	2.4	8039	52.50	BLK8039	45.10	1	1 1/4 x 1 7/16
1 5/16 x 1 1/2	1 7/8	2 1/16	3/4	3/4	18 3/8	2.4	8039A	53.70	BLK8039A	48.30	1	1 5/16 x 1 1/2

Martin TOOL & FORGE

Double Offset Box Wrench Sets

Chrome Sets

BO6K	$72.35	BO11K	$207.25

OPENING	PART NO.
3/8 x 7/16	8723
7/16 x 1/2	8725
1/2 x 9/16	8725B
9/16 x 5/8	8727
11/16 x 3/4	8029B
13/16 x 7/8	8731B
KIT BAG	C60B

OPENING	PART NO.
3/8 x 7/16	8723
7/16 x 1/2	8725
1/2 x 9/16	8725B
9/16 x 5/8	8727
5/8 x 11/16	8727A
11/16 x 3/4	8029B
13/16 x 7/8	8731B
15/16 x 1	8033C
1 1/16 x 1 1/8	8735A
1 1/16 x 1 1/4	8037
1 1/4 x 1 5/16	8039B
KIT BAG	C110

Industrial Black Sets

BBO6K	$58.75	BBO11K	$182.70



OPENING	PART NO.
3/8 x 7/16	BLK8723
7/16 x 1/2	BLK8725
1/2 x 9/16	BLK8725B
9/16 x 5/8	BLK8727
11/16 x 3/4	BLK8029B
13/16 x 7/8	BLK8731B
KIT BAG	C60B

OPENING	PART NO.
3/8 x 7/16	BLK8723
7/16 x 1/2	BLK8725
1/2 x 9/16	BLK8725B
9/16 x 5/8	BLK8727
5/8 x 11/16	BLK8727A
11/16 x 3/4	BLK8029B
13/16 x 7/8	BLK8731B
15/16 x 1	BLK8033C
1 1/16 x 1 1/8	BLK8735A
1 1/16 x 1 1/4	BLK8037
1 1/4 x 1 5/16	BLK8039B
KIT BAG	C110

Hydraulic Wrenches
Angle Openings

Martin TOOL & FORGE



American Alloy Steel Drop Forged

Permits Work in Extremely Tight Clearance

Thin Head

Same Opening Each End

Wrench Openings	Diameter of Head	Thickness of Head	Length	Wt. Ea.	Chrome		Industrial Black		Std. Pkg. Qty.	Wrench Openings
	A	B	C	Lbs.	Part No.	List Price	Part No.	List Price		
11/32 x 11/32	3/4	3/16	4 3/4	.07	3710A	7.90	BLK3710A	7.10	6	11/32 x 11/32
3/8 x 3/8	3/4	3/16	4 3/4	.07	3710	7.90	BLK3710	7.10	6	3/8 x 3/8
7/16 x 7/16	7/8	15/64	5	.08	3711	8.60	BLK3711	7.80	6	7/16 x 7/16
1/2 x 1/2	31/32	15/64	5 1/4	.10	3712	9.50	BLK3712	8.60	6	1/2 x 1/2
9/16 x 9/16	1 1/16	1/4	5 3/4	.12	3713	9.80	BLK3713	8.80	6	9/16 x 9/16
5/8 x 5/8	1 1/8	17/64	6 1/4	.18	3714	10.70	BLK3714	9.70	6	5/8 x 5/8
11/16 x 11/16	1 3/16	9/32	6 3/4	.22	3715	11.80	BLK3715	10.60	6	11/16 x 11/16
3/4 x 3/4	1 7/16	9/32	7 1/4	.24	3716	12.90	BLK3716	11.60	6	3/4 x 3/4
13/16 x 13/16	1 1/2	9/32	7 5/8	.29	3717	13.30	BLK3717	12.00	6	13/16 x 13/16
7/8 x 7/8	1 5/8	9/32	8	.35	3718	14.70	BLK3718	13.20	6	7/8 x 7/8
15/16 x 15/16	1 3/4	9/32	8 3/4	.38	3719	15.40	BLK3719	13.80	6	15/16 x 15/16
1 x 1	1 7/8	19/64	9 1/2	.52	3720	16.20	BLK3720	14.60	6	1 x 1
1 1/16 x 1 1/16	2	19/64	10	.60	3721	18.10	BLK3721	16.30	6	1 1/16 x 1 1/16
1 1/8 x 1 1/8	2 1/8	5/16	11	.75	3722	20.70	BLK3722	18.60	6	1 1/8 x 1 1/8
1 3/16 x 1 3/16	2 1/8	5/16	11	.74	3722A	21.60	BLK3722A	19.40	6	1 3/16 x 1 3/16
1 1/4 x 1 1/4	2 3/8	21/64	11 3/4	.83	3723	22.60	BLK3723	20.30	6	1 1/4 x 1 1/4
1 3/8 x 1 3/8	2 5/8	13/32	12 1/2	1.2	3724	24.60	BLK3724	22.10	6	1 3/8 x 1 3/8
1 7/16 x 1 7/16	2 5/8	13/32	12 1/2	1.2	3725	27.60	BLK3725	24.80	6	1 7/16 x 1 7/16
1 1/2 x 1 1/2	2 5/8	13/32	12 1/2	1.2	3726	30.10	BLK3726	27.10	6	1 1/2 x 1 1/2

Martin TOOL & FORGE

Hydraulic Wrench Sets Angle Openings

Convenient Angle Wrench Sets Keep Popular Sizes in Handy, Easy to Carry Roll Bags. 8 Sets Provide the Full Range of Openings in Chrome or Industrial Black Finish.

Chrome Sets

OB7K — $67.40



OPENING	PART NO.
3/8 x 3/8	3710
7/16 x 7/16	3711
1/2 x 1/2	3712
9/16 x 9/16	3713
5/8 x 5/8	3714
11/16 x 11/16	3715
3/4 x 3/4	3716
ROLL BAG	C70

OB11K — $125.00



OPENING	PART NO.
3/8 x 3/8	3710
7/16 x 7/16	3711
1/2 x 1/2	3712
9/16 x 9/16	3713
5/8 x 5/8	3714
11/16 x 11/16	3715
3/4 x 3/4	3716
13/16 x 13/16	3717
7/8 x 7/8	3718
15/16 x 15/16	3719
1 x 1	3720
ROLL BAG	C111

OB15K — $208.85



OPENING	PART NO.
3/8 x 3/8	3710
7/16 x 7/16	3711
1/2 x 1/2	3712
9/16 x 9/16	3713
5/8 x 5/8	3714
11/16 x 11/16	3715
3/4 x 3/4	3716
13/16 x 13/16	3717
7/8 x 7/8	3718
15/16 x 15/16	3719
1 x 1	3720
1 1/16 x 1 1/16	3721
1 1/8 x 1 1/8	3722
1 3/16 x 1 3/16	3722A
1 1/4 x 1 1/4	3723
ROLL BAG	C180

OB18K — $276.80



OPENING	PART NO.
11/32 x 11/32	3710A
3/8 x 3/8	3710
7/16 x 7/16	3711
1/2 x 1/2	3712
9/16 x 9/16	3713
5/8 x 5/8	3714
11/16 x 11/16	3715
3/4 x 3/4	3716
13/16 x 13/16	3717
7/8 x 7/8	3718
15/16 x 15/16	3719
1 x 1	3720
1 1/16 x 1 1/16	3721
1 1/8 x 1 1/8	3722
1 1/4 x 1 1/4	3723
1 3/8 x 1 3/8	3724
1 7/16 x 1 7/16	3725
1 1/2 x 1 1/2	3726
ROLL BAG	C180

Industrial Black Sets

BOB7K — $61.10



OPENING	PART NO.
3/8 x 3/8	BLK3710
7/16 x 7/16	BLK3711
1/2 x 1/2	BLK3712
9/16 x 9/16	BLK3713
5/8 x 5/8	BLK3714
11/16 x 11/16	BLK3715
3/4 x 3/4	BLK3716
ROLL BAG	C70

BOB11K — $113.30

OPENING	PART NO.
3/8 x 3/8	BLK3710
7/16 x 7/16	BLK3711
1/2 x 1/2	BLK3712
9/16 x 9/16	BLK3713
5/8 x 5/8	BLK3714
11/16 x 11/16	BLK3715
3/4 x 3/4	BLK3716
13/16 x 13/16	BLK3717
7/8 x 7/8	BLK3718
15/16 x 15/16	BLK3719
1 x 1	BLK3720
ROLL BAG	C111

BOB15K — $187.95



OPENING	PART NO.
3/8 x 3/8	BLK3710
7/16 x 7/16	BLK3711
1/2 x 1/2	BLK3712
9/16 x 9/16	BLK3713
5/8 x 5/8	BLK3714
11/16 x 11/16	BLK3715
3/4 x 3/4	BLK3716
13/16 x 13/16	BLK3717
7/8 x 7/8	BLK3718
15/16 x 15/16	BLK3719
1 x 1	BLK3720
1 1/16 x 1 1/16	BLK3721
1 1/8 x 1 1/8	BLK3722
1 3/16 x 1 3/16	BLK3722A
1 1/4 x 1 1/4	BLK3723
ROLL BAG	C180

BOB18K — $249.10



OPENING	PART NO.
11/32 x 11/32	BLK3710A
3/8 x 3/8	BLK3710
7/16 x 7/16	BLK3711
1/2 x 1/2	BLK3712
9/16 x 9/16	BLK3713
5/8 x 5/8	BLK3714
11/16 x 11/16	BLK3715
3/4 x 3/4	BLK3716
13/16 x 13/16	BLK3717
7/8 x 7/8	BLK3718
15/16 x 15/16	BLK3719
1 x 1	BLK3720
1 1/16 x 1 1/16	BLK3721
1 1/8 x 1 1/8	BLK3722
1 1/4 x 1 1/4	BLK3723
1 3/8 x 1 3/8	BLK3724
1 7/16 x 1 7/16	BLK3725
1 1/2 x 1 1/2	BLK3726
ROLL BAG	C180

Service Wrenches

Martin TOOL & FORGE



30° ANGLE



STRAIGHT

30° Angle Service Wrenches

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.	Part No.	List Price Ea.		
3/4	1 11/16	1/4	6 1/4	.22	1224	12.60	BLK-1224	11.30	6	3/4
13/16	1 11/16	1/4	6 1/4	.22	1226	13.00	BLK1226	11.70	6	13/16
7/8	1 11/16	1/4	6 1/4	.22	1228	13.00	BLK1228	11.70	6	7/8
15/16	1 7/8	1/4	6 7/8	.25	1230	13.00	BLK-1230	11.70	6	15/16
1	1 7/8	1/4	6 7/8	.25	1232	13.00	BLK1232	11.70	6	1
1 1/16	1 7/8	1/4	6 7/8	.25	1234	13.30	BLK1234	12.00	6	1 1/16
1 1/8	2 1/16	1/4	7	.31	1236	13.80	BLK1236	12.40	6	1 1/8
1 3/16	2 1/16	1/4	7	.31	1238	13.90	BLK1238	12.50	6	1 3/16
1 1/4	2 1/16	1/4	7	.30	1240	13.90	BLK1240	12.50	6	1 1/4
1 5/16	2 1/16	1/4	7	.30	1236S	13.90	BLK1236S	12.50	6	1 5/16
1 5/16	2 1/2	9/32	7 5/8	.45	1242	14.20	BLK1242	12.80	6	1 5/16
1 3/8	2 1/2	9/32	7 5/8	.44	1244	14.70	BLK1244	13.20	6	1 3/8
1 7/16	2 1/2	9/32	7 5/8	.43	1246	14.70	BLK1246	13.20	6	1 7/16
1 1/2	2 1/2	9/32	7 5/8	.42	1248	15.20	BLK1248	13.70	6	1 1/2
1 9/16	2 5/8	9/32	7 5/8	.43	1250	17.00	BLK1250	15.30	6	1 9/16
1 5/8	2 5/8	9/32	7 5/8	.43	1252	17.00	BLK1252	15.30	6	1 5/8
1 11/16	2 5/8	9/32	7 5/8	.42	1254	18.10	BLK1254	16.30	6	1 11/16
1 3/4	3 1/8	5/16	8 1/2	.70	1256	18.10	BLK1256	16.30	6	1 3/4
1 13/16	3 1/8	5/16	8 1/2	.69	1258	19.20	BLK1258	17.30	6	1 13/16
1 7/8	3 1/8	5/16	8 1/2	.69	1260	19.20	BLK1260	17.30	6	1 7/8
1 15/16	3 1/8	5/16	8 1/2	.68	1262	19.20	BLK1262	17.30	6	1 15/16
2	3 1/2	5/16	8 1/2	.66	1264	19.20	BLK1264	17.30	6	2
2 1/8	3 1/2	5/16	8 1/2	.65	1268	19.40	BLK1268	17.50	6	2 1/8
2 1/4	3 1/2	5/16	8 1/2	.61	1272	19.60	BLK1272	17.60	6	2 1/4
2 3/8	3 1/2	5/16	9 1/2	.61	1276	21.50	BLK1276	19.40	6	2 3/8
2 1/2	3 1/2	5/16	9 1/2	.59	1272S	21.50	BLK1272S	19.40	6	2 1/2
2 9/16	3 1/2	5/16	9 1/2	.57	1264S	21.50	BLK1264S	19.40	6	2 9/16

Chrome Set 30°

SW11K	$150.00

Industrial Black Set 30°

BSW11K	$135.75



OPENING	CHROME PART NO.	BLACK PART NO.
3/4	1224	BLK-1224
13/16	1226	BLK1226
7/8	1228	BLK1228
15/16	1230	BLK-1230
1	1232	BLK1232
1 1/16	1234	BLK1234
1 1/8	1236	BLK1236
1 3/16	1238	BLK1238
1 1/4	1240	BLK1240
1 3/8	1244	BLK1244
1 1/2	1248	BLK1248
KIT BAG		C111

Straight Service Wrenches

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
1	2 1/2	1/4	12 1/4	.77	1932	19.10	6	1
1 1/8	2 1/2	1/4	12 1/4	.73	1936	19.10	6	1 1/8
1 1/2	2 7/8	9/32	12 1/4	.93	1948	22.90	6	1 1/2
1 5/8	2 7/8	9/32	12 1/4	.92	1952	22.90	6	1 5/8
1 3/4	3 7/16	5/16	12 1/4	1.3	1956	24.80	6	1 3/4
2	3 7/16	5/16	12 1/4	1.3	1964	24.80	6	2
2 1/4	3 7/16	5/16	12 1/4	1.3	1972	25.90	6	2 1/4

Martin TOOL & FORGE

Check Nut Wrenches

Specially Designed For Check, Jam, Lock Nuts, Etc.

Drop Forged

High Grade Carbon Steel

15° Angle



CHECK NUT WRENCH

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
1/2	1	1/8	4	.05	601	6.00	6	1/2
7/16	1	1/8	4	.05	601A	6.00	6	7/16
19/32	1 1/4	5/32	4 1/2	.11	602	7.20	6	19/32
9/16	1 1/4	5/32	4 1/2	.11	602A	7.20	6	9/16
11/16	1 1/2	3/16	5 1/8	.13	603	8.40	6	11/16
5/8	1 1/2	3/16	5 1/8	.13	603A	8.40	6	5/8
3/4	1 5/8	7/32	6 1/8	.19	604A	10.20	6	3/4
7/8	1 13/16	1/4	6 5/8	.28	605	12.20	6	7/8
13/16	1 13/16	1/4	6 5/8	.28	605A	12.20	6	13/16
15/16	2	9/32	7 1/2	.36	606A	14.60	6	15/16
1	2	9/32	7 1/2	.35	606B	14.60	6	1
1 1/16	2 7/16	5/16	8 1/2	.66	607	16.50	6	1 1/16
1 1/8	2 7/16	5/16	8 1/2	.65	607A	16.50	6	1 1/8
1 1/4	2 5/8	3/8	10	1.12	608	20.90	6	1 1/4
1 5/16	2 5/8	3/8	10	1.12	608A	20.90	6	1 5/16
1 1/2	3 3/8	7/16	11 3/8	1.5	609A	26.20	6	1 1/2
1 5/8	3 7/16	1/2	13	2.3	610	40.00	6	1 5/8
1 11/16	3 7/16	1/2	13	2.2	610A	40.00	6	1 11/16

Ratcheting Box Wrenches & Sets Straight Pattern

Martin TOOL & FORGE



Chrome Finish

Different Openings on Each End in Size From 1/4" thru 7/8".

12 Point With 6 Point Also Available on RB810, 1214 and 1618.

Wrench Openings A x B	Type Opening	Diameter of Head A_1	Diameter of Head B_1	Thickness of Head C	Overall Length D	Wt. Ea. Lbs.	Chrome Part No.	Chrome List Price Ea.	Std. Pkg. Qty.	Wrench Openings A x B
1/4 x 5/16	6 pt.	9/16	5/8	3/8	4 1/4	.12	RB810	7.00	6	1/4 x 5/16
1/4 x 5/16	12 pt.	9/16	5/8	3/8	4 1/4	.13	RB810DH	7.20	6	1/4 x 5/16
3/8 x 7/16	6 pt.	5/8	7/8	3/8	5 1/2	.18	RB1214	7.80	6	3/8 x 7/16
3/8 x 7/16	12 pt.	5/8	7/8	3/8	5 1/2	.19	RB1214DH	8.10	6	3/8 x 7/16
1/2 x 9/16	6 pt.	1	1 1/8	1/2	6 3/4	.42	RB1618	10.40	6	1/2 x 9/16
1/2 x 9/16	12 pt.	1	1 1/8	1/2	6 3/4	.42	RB1618DH	11.10	6	1/2 x 9/16
5/8 x 11/16	12 pt.	1 1/4	1 7/16	1/2	8	.54	RB2022	13.20	6	5/8 x 11/16
5/8 x 3/4	12 pt.	1 1/4	1 7/16	1/2	8	.52	RB2024	13.50	6	5/8 x 3/4
11/16 x 13/16	12 pt.	1 7/16	1 9/16	1/2	9 1/4	.78	RB2226	15.30	6	11/16 x 13/16
3/4 x 7/8	12 pt.	1 7/16	1 9/16	1/2	9 1/4	.74	RB2428	15.00	6	3/4 x 7/8

SETS

RB5K	$59.05	RB7K	$91.05



OPENING	PART NO.
1/4 x 5/16	RB810
3/8 x 7/16	RB1214
1/2 x 9/16	RB1618
5/8 x 11/16	RB2022
3/4 x 7/8	RB2428
KIT BAG	C185



OPENING	PART NO.
1/4 x 5/16	RB810
3/8 x 7/16	RB1214
1/2 x 9/16	RB1618
5/8 x 11/16	RB2022
5/8 x 3/4	RB2024
11/16 x 13/16	RB2226
3/4 x 7/8	RB2428
KIT BAG	C187

Martin TOOL & FORGE

Ratcheting Box Wrenches & Sets 25° Offset Pattern

Chrome Finish

25° Offset

Size Openings From 1/4″ thru 7/8″ With Different Openings on Each End.

RBO810 thru RBO1618 6 Point

RBO2022 thru RBO2428 12 Point



Wrench Openings	Type Opening	Diameter of Head		Thickness of Head	Overall Length	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Wrench Openings
A x B		A_1	B_1	C	D		Part No.	List Price Ea.		A x B
1/4 x 5/16	6 pt.	9/16	5/8	3/8	4 3/32	.12	RBO810	8.80	6	1/4 x 5/16
3/8 x 7/16	6 pt.	5/8	7/8	3/8	5 7/32	.18	RBO1214	9.70	6	3/8 x 7/16
1/2 x 9/16	6 pt.	1	1 1/8	1/2	6 15/32	.42	RBO1618	12.40	6	1/2 x 9/16
5/8 x 11/16	12 pt.	1 1/4	1 7/16	1/2	7 21/32	.54	RBO2022	15.40	6	5/8 x 11/16
5/8 x 3/4	12 pt.	1 1/4	1 7/16	1/2	7 21/32	.52	RBO2024	15.50	6	5/8 x 3/4
11/16 x 13/16	12 pt.	1 7/16	1 9/16	1/2	8 3/4	.78	RBO2226	17.10	6	11/16 x 13/16
3/4 x 7/8	12 pt.	1 7/16	1 9/16	1/2	8 3/4	.74	RBO2428	17.40	6	3/4 x 7/8

SETS

RBO5K	$68.65	RBO7K	$104.60



OPENING	PART NO.
1/4 x 5/16	RBO810
3/8 x 7/16	RBO1214
1/2 x 9/16	RBO1618
5/8 x 11/16	RBO2022
3/4 x 7/8	RBO2428
KIT BAG	C185



OPENING	PART NO.
1/4 x 5/16	RBO810
3/8 x 7/16	RBO1214
1/2 x 9/16	RBO1618
5/8 x 11/16	RBO2022
5/8 x 3/4	RBO2024
11/16 x 13/16	RBO2226
3/4 x 7/8	RBO2428
KIT BAG	C187

Flare Nut Wrench

Martin TOOL & FORGE

American Alloy Steel

12 Point Opening

Chrome or Black Finish

Drop Forged



FLARE NUT WRENCH

Wrench Opening	Diameter of Head	Thickness of Head	Width of Slot	Length	Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C	D		Part No.	List Price Ea.	Part No.	List Price Ea.		
3/8	25/32	5/16	9/32	6 13/32	.18	4112	10.30	BLK4112	9.30	6	3/8
7/16	27/32	5/16	11/32	6 15/32	.20	4114	10.40	BLK4114	9.40	6	7/16
1/2	29/32	3/8	3/8	6 25/32	.28	4116	10.60	BLK4116	9.50	6	1/2
9/16	1 1/32	7/16	7/16	6 25/32	.30	4118	11.50	BLK4118	10.40	6	9/16
5/8	1 1/16	1/2	1/2	7 1/8	.38	4120	11.60	BLK4120	10.40	6	5/8
11/16	1 1/8	1/2	9/16	7 3/16	.45	4122	12.50	BLK4122	11.30	6	11/16
3/4	1 7/32	9/16	5/8	7 7/16	.53	4124	12.60	BLK4124	11.40	6	3/4
13/16	1 7/32	5/8	21/32	7 1/2	.60	4126	13.70	BLK4126	12.30	6	13/16
7/8	1 3/8	5/8	11/16	7 1/2	.60	4128	14.30	BLK4128	12.90	6	7/8
15/16	1 7/16	5/8	3/4	7 13/16	.63	4130	14.90	BLK4130	13.40	6	15/16
1	1 9/16	11/16	3/4	7 13/16	.69	4132	14.90	BLK4132	13.40	6	1
1 1/16	1 5/8	3/4	13/16	7 15/16	.78	4134	16.40	BLK4134	14.80	6	1 1/16
1 1/8	1 11/16	25/32	7/8	7 15/16	.83	4136	17.70	BLK4136	15.90	6	1 1/8
1 1/4	1 23/32	13/16	1	7 15/16	.83	4140	23.60	BLK4140	21.20	6	1 1/4
1 3/8	2 3/32	29/32	1 1/16	9	1.3	4144	31.60	BLK4144	28.40	6	1 3/8
1 1/2	2 3/16	7/8	1 1/8	10	1.6	4148	40.70	BLK4148	36.70	6	1 1/2

Martin TOOL & FORGE

Adjustable Wrenches
Set Screw Wrenches



ADJUSTABLE WRENCH

American Alloy Steel Drop Forged

Chrome and Industrial Black Finish

22 1/2° Angle

Designed to Meet the Industrial Users Needs.

Size Length	Capacity	Thickness of Head		Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.	Size Length
		Jaw Tip	Extreme		Part No.	List Price Ea.	Part No.	List Price Ea.		
A	B	C	D							A
6	3/4	7/32	3/8	.26	A6	11.50	A6T	10.50	6	6
8	1	17/64	1/2	.52	A8	12.50	A8T	11.70	6	8
10	1 1/8	23/64	19/32	.93	A10	15.90	A10T	13.30	6	10
12	1 5/16	15/32	23/32	1.5	A12	23.20	A12T	20.60	6	12
15	1 3/4	19/32	31/32	3.3	A15	41.40	A15T	37.80	6	15
18	2 1/16	23/32	1 3/16	5.3	A18	75.50	—	—	1	18
24	2 7/16	7/8	1 3/8	9.0	A24	132.30	—	—	1	24



SET SCREW WRENCH

High Grade Carbon Steel Drop Forged

Machined to Industry Standards for Set Screws, Square Screws, Cap Screws and Nuts.

Wrench Openings	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Openings
					Part No.	List Price Ea.		
A x B	A_1 x B_1	C	D					A x B
1/4 x 5/16	27/32 x 1 1/16	9/32	4 1/4	.13	525	7.50	6	1/4 x 5/16
5/16 x 3/8	1 x 1 5/16	11/32	5	.21	527	9.10	6	5/16 x 3/8
3/8 x 7/16	1 1/4 x 1 3/8	3/8	5 3/4	.33	529	10.80	6	3/8 x 7/16
1/2 x 5/8	1 3/4 x 1 7/8	9/16	8 1/2	.90	534	20.10	6	1/2 x 5/8

Single Head Open End Wrench

Martin TOOL & FORGE



American High Carbon Steel

Precision Forged and thru Hardened.

1 13/16" and Larger Sizes Have Tapered Handles

Industrial Black Finish

Wide Range of Openings from 1/2" thru 5".

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
1/2	1	5/16	4 5/8	.16	1	5.90	6	1/2
9/16	1 3/16	5/16	5 1/2	.19	702	7.00	6	9/16
5/8	1 3/8	11/32	6 3/8	.32	703	8.50	6	5/8
11/16	1 3/8	11/32	6 3/8	.32	3	8.50	6	11/16
3/4	1 9/16	3/8	7 1/4	.44	704	9.80	6	3/4
13/16	1 3/4	7/16	8 1/8	.64	705	12.30	6	13/16
7/8	1 3/4	7/16	8 1/8	.64	5	12.30	6	7/8
15/16	2	7/16	9 1/4	.80	6A	14.80	6	15/16
1	2	7/16	9 1/4	.82	706	14.00	6	1
1 1/16	2 1/4	9/16	10 1/2	1.26	7	17.30	6	1 1/16
1 1/8	2 1/4	9/16	10 1/2	1.22	707	17.80	6	1 1/8
1 1/4	2 3/4	19/32	12	2.1	8	23.00	6	1 1/4
1 5/16	2 3/4	19/32	12	2.0	8A	24.30	6	1 5/16
1 3/8	2 3/4	19/32	12	2.0	708A	22.20	6	1 3/8
1 7/16	3	5/8	13 1/2	2.5	9	33.80	6	1 7/16
1 1/2	3	5/8	13 1/2	2.5	709	33.80	6	1 1/2
1 5/8	3 1/2	7/8	15	3.6	10	47.50	1	1 5/8
1 11/16	3 1/2	7/8	15	3.5	10A	47.50	1	1 11/16
1 13/16	3 3/4	15/16	16 1/2	5.0	11	63.90	1	1 13/16
1 7/8	3 3/4	15/16	16 1/2	5.0	11A	63.90	1	1 7/8
2	4 1/8	1	18 1/4	6.2	12	86.90	1	2
2 1/16	4 1/8	1	18 1/4	6.2	12A	86.90	1	2 1/16
2 3/16	4 1/2	1 1/16	20	8.0	13	111.20	1	2 3/16
2 1/4	4 1/2	1 1/16	20	8.0	13A	111.20	1	2 1/4
2 3/8	4 5/8	1 1/8	22	9.6	14	140.20	1	2 3/8
2 7/16	4 5/8	1 1/8	22	9.6	14A	140.20	1	2 7/16
2 9/16	5 1/4	1 3/16	24	13.2	15	176.50	1	2 9/16
2 5/8	5 1/4	1 3/16	24	13.1	15A	176.50	1	2 5/8
2 3/4	6	1 1/4	27	12.9	16	210.50	1	2 3/4
2 13/16	6	1 1/4	27	16.0	16B	219.50	1	2 13/16
2 15/16	6	1 1/4	27	16.0	16A	210.50	1	2 15/16
3	6 3/8	1 1/2	30	23.7	17A	308.50	1	3
3 1/8	6 3/8	1 1/2	30	23.7	17	308.50	1	3 1/8
3 3/8	7 1/2	1 5/8	34	31.6	18A	456.00	1	3 3/8
3 1/2	7 1/2	1 5/8	34	31.6	18	456.00	1	3 1/2
3 3/4	8	1 3/4	37	33.0	19B	649.00	1	3 3/4
3 7/8	8	1 3/4	37	33.0	19	649.00	1	3 7/8
4 1/8	8	1 3/4	37	32.5	19C	649.00	1	4 1/8
4 1/4	8	1 3/4	37	32.0	19A	649.00	1	4 1/4
4 1/2	10 1/4	1 7/8	42	50.5	20B	1120.90	1	4 1/2
4 5/8	10 1/4	1 7/8	42	50.5	20	1120.90	1	4 5/8
5	10 1/4	1 7/8	42	50.4	20A	1120.90	1	5

Martin TOOL & FORGE

Spanner Wrenches

Adjustable Face Spanner

Extreme Capacity	Diameter of Pin A	Length of Pin B	Overall Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.
2	3/16	1/4	6 3/8	.31	482	18.20	6
3	1/4	1/4	8 1/4	.52	483	26.70	6
4	5/16	1/2	10 3/8	1.02	484	38.60	6



Pin Spanner

For Circle Diameter	Diameter of Pin A	Length of Pin B	Overall Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.
1	3/16	3/16	4	.08	452	7.30	6
1 1/4	13/64	3/16	4 1/2	.11	453	7.60	6
1 1/2	7/32	7/32	5	.13	454	7.70	6
1 3/4	15/64	7/32	5 1/2	.17	455	8.00	6
2	1/4	1/4	6	.20	456	8.60	6
2 1/4	17/64	1/4	6 1/2	.24	457	9.00	6
2 1/2	9/32	9/32	7	.28	458	9.20	6
2 3/4	19/64	9/32	7 1/2	.37	459	10.30	6
3	5/16	5/16	8	.43	460	11.30	6
3 1/4	21/64	5/16	8 1/2	.47	461	11.90	6
3 1/2	11/32	5/16	9	.50	462	12.50	6
3 3/4	23/64	3/8	9 1/2	.59	463	13.50	6
4	3/8	7/16	10	.69	464	13.90	6
5	7/16	7/16	12	1.15	466	18.70	6
6	1/2	1/2	14	1.90	468	25.20	6



Face Spanner

Center Distance of Pins A	Pins Dia. B	Pins Length C	Span of Jaws in Clear D	Length From Center of Pins E	Thick-ness F	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.
1	3/16	3/16	11/16	4 1/2	3/16	.12	418	8.00	6
1 1/4	7/32	7/32	7/8	5	3/16	.13	420	9.00	6
1 1/2	7/32	7/32	1 1/8	5 1/2	3/16	.23	422	10.00	6
1 3/4	7/32	7/32	1 3/8	6	7/32	.30	424	11.70	6
2	1/4	1/4	1 19/32	6 1/2	7/32	.39	426	13.00	6
2 1/4	1/4	1/4	1 27/32	7	7/32	.42	428	14.30	6
2 1/2	9/32	9/32	2 1/32	7 1/2	1/4	.52	430	17.40	6
2 3/4	9/32	9/32	2 9/32	8	1/4	.59	432	20.10	6
3	5/16	5/16	2 1/2	8 1/2	1/4	.70	434	22.80	6
3 1/4	5/16	5/16	2 3/4	9 1/8	1/4	.82	436	26.20	6
3 1/2	5/16	5/16	3	9 3/4	1/4	.89	438	30.00	6
3 3/4	3/8	3/8	3 3/16	10 3/8	1/4	1.0	440	33.90	6
4	3/8	3/8	3 7/16	11	1/4	1.1	442	39.20	6



Spanner Wrenches

Martin TOOL & FORGE



Adjustable Hook Spanner

Capacity Range	Thickness of Handle	Thickness of Hook	Depth of Hook	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
	A	B	C	D		Part No.	List Price Ea.	
3/4 to 2	1/4	11/32	1/8	6 3/8	.23	471	20.60	6
1 1/4 to 3	9/32	13/32	5/32	8 1/8	.43	472	24.90	6
2 to 4 3/4	5/16	15/32	3/16	11 3/8	1.03	474	31.50	6
4 1/2 to 6 1/4	5/16	15/32	1/4	12 1/8	1.07	474A	33.70	6
6 1/8 to 8 3/4	5/16	15/32	5/16	13 3/4	1.40	474B	44.70	6



Adjustable Pin Spanner

Capacity Range	Thickness		Pin Size		Overall Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
	Handle	Hook	Diameter	Length			Part No.	List Price Ea.	
	A	B	C	D	E				
3/4 to 2	1/4	11/32	1/8	1/8	6 3/8	.23	0471	22.60	6
3/4 to 2	1/4	11/32	3/16	5/32	6 3/8	.23	0471A	22.60	6
1 1/4 to 3	9/32	13/32	3/16	3/16	8 1/8	.42	0472	25.90	6
1 1/4 to 3	9/32	13/32	1/4	7/32	8 1/8	.42	0472A	25.90	6
2 to 4 3/4	5/16	15/32	1/4	1/4	11 3/8	.99	0474	35.70	6
4 1/2 to 6 1/4	5/16	15/32	3/8	1/4	12 1/8	1.08	0474A	38.20	6

Adjustable Pin Spanner Wrench Set

SPW6K — $176.10



Capacity Range	Pin Diam.	Part No.
3/4 to 2	1/8	0471
3/4 to 2	3/16	0471A
1 1/4 to 3	3/16	0472
1 1/4 to 3	1/4	0472A
2 to 4 3/4	1/4	0474
4 1/2 to 6 1/4	3/8	0474A
KIT BAG		C60B

Martin TOOL & FORGE

Construction and Structural Wrenches



CONSTRUCTION



STRUCTURAL

Construction Wrench 15° Angle

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.	Wrench Opening
5/8	1 9/16	7/16	12	.62	203A	14.80	1	5/8
11/16	1 9/16	7/16	12	.62	203	14.90	1	11/16
3/4	1 9/16	7/16	12	.58	204A	15.40	1	3/4
7/8	2	17/32	14 1/2	2.0	205	17.60	1	7/8
15/16	2	17/32	14 1/2	2.0	206C	18.40	1	15/16
1	2	17/32	14 1/2	2.0	206B	19.00	1	1
1 1/16	2 1/4	5/8	17	1.8	207	22.70	1	1 1/16
1 1/8	2 1/4	5/8	17	1.8	207A	22.70	1	1 1/8
1 1/4	2 5/8	11/16	19	2.7	208	29.70	1	1 1/4
1 5/16	2 5/8	11/16	19	2.7	208A	29.70	1	1 5/16
1 7/16	2 5/8	11/16	19	2.6	209	39.00	1	1 7/16
1 1/2	2 5/8	11/16	19	2.6	209A	39.00	1	1 1/2
1 5/8	4	15/16	25	7.0	210	52.20	1	1 5/8
1 11/16	4	15/16	25	7.0	210A	52.20	1	1 11/16
1 13/16	4	15/16	25	6.9	211	79.10	1	1 13/16
1 7/8	4	15/16	25	6.9	211A	79.10	1	1 7/8
2	4	15/16	25	6.8	212	79.10	1	2

Drop Forged From High Grade, thru Hardening, Carbon Steel.

Straight Handle With 15° Angle Opening.

Handles Are Tapered For Insertion Into Bolt Holes.

Structural Wrench Offset

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Handle at Head D	Offset at End E	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.	Wrench Opening
5/8	1 9/16	7/16	12	13/16	1 11/16	.56	903A	15.80	1	5/8
11/16	1 9/16	7/16	12	13/16	1 11/16	.56	903	15.80	1	11/16
3/4	1 9/16	7/16	12	13/16	1 11/16	.70	904A	15.80	1	3/4
13/16	2	17/32	14 1/2	15/16	1 7/8	1.3	905A	19.00	1	13/16
7/8	2	17/32	14 1/2	15/16	1 7/8	1.3	905	20.90	1	7/8
15/16	2	17/32	14 1/2	15/16	1 7/8	1.3	906C	19.80	1	15/16
1	2	17/32	14 1/2	15/16	1 7/8	1.3	906B	22.10	1	1
1 1/16	2 1/4	5/8	17	1 1/16	2 3/8	1.9	907	25.20	1	1 1/16
1 1/8	2 1/4	5/8	17	1 1/16	2 3/8	1.9	907A	25.50	1	1 1/8
1 1/4	2 13/16	11/16	19	1 1/4	2 3/4	2.6	908	32.00	1	1 1/4
1 5/16	2 13/16	11/16	19	1 1/4	2 3/4	2.6	908A	33.80	1	1 5/16
1 7/16	3 1/8	3/4	20	1 1/4	3 1/16	3.5	909	40.60	1	1 7/16
1 1/2	3 1/8	3/4	20	1 1/4	3 1/16	3.5	909A	42.40	1	1 1/2
1 5/8	3 19/32	13/16	23	1 1/2	3 3/8	4.8	910	55.80	1	1 5/8
1 11/16	3 19/32	13/16	23	1 1/2	3 3/8	4.7	910A	55.80	1	1 11/16
1 13/16	4 1/8	13/16	24	1 5/8	3 11/16	6.6	911	87.80	1	1 13/16
1 7/8	4 1/8	13/16	24	1 5/8	3 11/16	6.6	911A	87.80	1	1 7/8
2	4 1/8	13/16	24	1 5/8	3 11/16	6.5	912	89.30	1	2

Structural Wrench Heads Are Offset From Handle to Permit Clearance of Obstructions.

Handles Are Tapered For Insertion Into Bolt Holes.

Striking Face Box Wrenches

Martin TOOL & FORGE



OFFSET PATTERN — 12 POINT

Black Industrial Finish Drop Forged

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
1 1/16	1 11/16	13/16	10 1/2	2.3	8807	34.60	1	1 1/16
1 1/8	1 11/16	13/16	10 1/2	2.3	8807A	34.60	1	1 1/8
1 1/4	2	7/8	11	3.1	8808	37.80	1	1 1/4
1 5/16	2	7/8	11	3.0	8808A	37.80	1	1 5/16
1 7/16	2 3/16	1	11 1/2	3.8	8809	45.10	1	1 7/16
1 1/2	2 3/16	1	11 1/2	3.8	8809A	45.10	1	1 1/2
1 5/8	2 1/2	1 1/16	12	4.7	8810	54.10	1	1 5/8
1 11/16	2 1/2	1 1/16	12	4.7	8810A	56.30	1	1 11/16
1 3/4	2 7/8	1 1/8	12 1/2	5.9	8811B	62.60	1	1 3/4
1 13/16	2 7/8	1 1/8	12 1/2	5.9	8811	64.30	1	1 13/16
1 7/8	2 7/8	1 1/8	12 1/2	5.8	8811A	67.80	1	1 7/8
1 15/16	3	1 1/4	13	6.3	8812A	67.80	1	1 15/16
2	3	1 1/4	13	6.3	8812	67.80	1	2
2 1/8	3 3/8	1 3/8	13 1/2	7.7	8813B	71.80	1	2 1/8
2 3/16	3 3/8	1 3/8	13 1/2	7.7	8813	75.60	1	2 3/16
2 1/4	3 3/8	1 3/8	13 1/2	7.6	8813A	80.50	1	2 1/4
2 5/16	3 23/32	1 1/2	14	8.8	8814A	83.20	1	2 5/16
2 3/8	3 23/32	1 1/2	14	8.6	8814	83.20	1	2 3/8
2 1/2	4 5/16	1 3/4	15 1/4	14.3	8815B	105.30	1	2 1/2
2 9/16	4 5/16	1 3/4	15 1/4	14.1	8815	107.30	1	2 9/16
2 5/8	4 5/16	1 3/4	15 1/4	13.9	8815A	107.30	1	2 5/8
2 3/4	4 5/16	1 3/4	15 1/4	13.6	8816	109.50	1	2 3/4
2 15/16	4 13/16	2	16 1/2	18.6	8816B	131.50	1	2 15/16
3	4 13/16	2	16 1/2	18.0	8817	134.80	1	3
3 1/8	4 13/16	2	16 1/2	17.7	8817A	137.00	1	3 1/8

METRIC



OFFSET PATTERN — 12 POINT

Black Industrial Finish Drop Forged

Wrench Opening	Diameter of Head	Thickness of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
32 mm	2	7/8	11	3.1	8832 mm	37.80	1	32 mm
36 mm	2 3/16	1	11 1/2	3.8	8836 mm	45.10	1	36 mm
41 mm	2 1/2	1 1/16	12	4.7	8841 mm	54.10	1	41 mm
46 mm	2 7/8	1 1/8	12 1/2	5.9	8846 mm	64.30	1	46 mm
50 mm	3	1 1/4	13	6.3	8850 mm	67.80	1	50 mm
55 mm	3 3/8	1 3/8	13 1/2	7.7	8855 mm	75.60	1	55 mm
60 mm	3 23/32	1 1/2	14	8.6	8860 mm	83.20	1	60 mm
65 mm	4 5/16	1 3/4	15 1/4	14.4	8865 mm	107.30	1	65 mm
70 mm	4 5/16	1 3/4	15 1/4	13.6	8870 mm	109.50	1	70 mm
75 mm	4 13/16	2	16 1/2	18.6	8875 mm	131.50	1	75 mm
80 mm	4 13/16	2	16 1/2	17.7	8880 mm	137.00	1	80 mm

Martin TOOL & FORGE

Striking Face Box Wrenches
12 Point Box Wrenches

Wrench Opening (Nut Size)	Stud Size	Diameter of Head A	Length B	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.	Wrench Opening (Nut Size)
1 1/16	5/8	1 25/32	9 7/8	1.9	RN7063	28.80	1	1 1/16
1 1/4	3/4	2	10 1/4	2.1	RN7075	28.80	1	1 1/4
1 7/16	7/8	2 17/64	10 9/16	2.6	RN7088	33.80	1	1 7/16
1 5/8	1	2 31/64	11	2.9	RN7100	39.10	1	1 5/8
1 13/16	1 1/8	2 21/32	11 5/16	3.5	RN7113	39.10	1	1 13/16
2	1 1/4	3 1/32	11 11/16	4.0	RN7125	51.00	1	2
2 3/16	1 3/8	3 9/32	12	5.2	RN7138	65.00	1	2 3/16
2 3/8	1 1/2	3 13/32	12 3/8	6.0	RN7150	69.30	1	2 3/8
2 9/16	1 5/8	3 3/4	12 11/16	6.6	RN7163	74.90	1	2 9/16
2 3/4	1 3/4	4 11/64	13 1/6	7.5	RN7175	98.20	1	2 3/4
2 15/16	1 7/8	4 23/64	13 7/16	7.9	RN7188	118.80	1	2 15/16
3 1/8	2	4 31/64	13 13/16	9.4	RN7200	133.30	1	3 1/8
3 1/2	2 1/4	4 31/32	14 1/8	10.5	RN7225	161.00	1	3 1/2
3 7/8	2 1/2	5 35/64	14 1/2	13.3	RN7250	199.40	1	3 7/8



ROUGHNECK "HAMMER WRENCH"

Straight Pattern — 6 Point Alloy Steel



12 POINT BOX OPENING

Drop Forged Black Industrial Finish Machinist Wrench American Alloy Steel

Wrench Opening	Diameter of Head A	Thickness of Head B	Length C	Wt. Ea. Lbs.	Industrial Black Part No.	Industrial Black List Price Ea.	Std. Pkg. Qty.	Wrench Opening
1/2	29/32	3/8	6 25/32	.28	801	7.90	6	1/2
9/16	1 1/32	7/16	6 25/32	.30	802A	9.60	6	9/16
5/8	1 1/16	1/2	7 1/8	.38	803A	10.40	6	5/8
11/16	1 1/8	1/2	7 3/16	.45	803	11.30	6	11/16
3/4	1 7/32	9/16	7 7/16	.53	804A	11.40	6	3/4
7/8	1 3/8	5/8	7 1/2	.60	805	12.90	6	7/8
15/16	1 7/16	5/8	7 13/16	.63	806	14.30	6	15/16
1	1 9/16	11/16	7 13/16	.69	806B	14.40	6	1
1 1/16	1 5/8	3/4	7 15/16	.78	807	14.80	6	1 1/16
1 1/8	1 11/16	25/32	7 15/16	.83	807A	15.90	6	1 1/8
1 1/4	1 23/32	13/16	7 15/16	.83	808	21.20	6	1 1/4
1 1/2	2 3/16	7/8	10	1.6	809A	36.70	6	1 1/2

Offset Socket Wrenches

Martin TOOL & FORGE

Forged From High Grade Carbon Steel

Special Bends, Lengths Available As Made-to-Order



SQUARE OPENING

Square Opening 4-Point

Wrench Opening	Handle Offset in Clear from Face of Wrench	Diameter of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
1/4	13/16	1/2	3 3/8	.07	261J	10.90	6	1/4
5/16	1	5/8	3 7/8	.12	262H	11.00	6	5/16
3/8	1 1/8	11/16	4 5/16	.23	263H	11.90	6	3/8
7/16	1 1/8	7/8	5 7/8	.42	265H	14.10	6	7/16
1/2	1 1/4	1	6 1/4	.59	266H	16.60	6	1/2
9/16	1 7/16	1 1/8	6 3/4	.85	267H	18.70	6	9/16
5/8	1 9/16	1 1/4	7 1/2	.94	268H	20.80	6	5/8
3/4	1 5/8	1 3/8	8 3/8	1.2	269H	27.40	6	3/4
1 1/4	3	2 3/8	14 7/8	5.3	276H	59.30	1	1 1/4



HEXAGON OPENING

Hexagon Opening 6-Point

Wrench Opening	Handle Offset in Clear from Face of Wrench	Diameter of Head	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C		Part No.	List Price Ea.		
7/16	1 1/8	11/16	4 5/16	.21	263D	11.90	6	7/16
1/2	1 1/4	3/4	5 1/8	.33	264A	12.40	6	1/2
9/16	1 7/16	7/8	5 7/8	.46	265D	14.20	6	9/16
5/8	1 9/16	1	6 1/4	.53	266D	16.50	6	5/8
3/4	1 5/8	1 1/8	6 3/4	.79	267D	17.00	6	3/4
7/8	2 1/4	1 3/8	8 3/8	1.02	269A	24.30	6	7/8
15/16	2 1/4	1 1/2	9 1/8	1.7	270S	28.20	6	15/16
1 1/16	2 3/4	1 5/8	10	1.8	271A	31.00	1	1 1/16
1 1/8	2 3/4	1 5/8	10	1.9	271D	31.00	1	1 1/8
1 1/4	3	1 7/8	11 5/8	2.7	273A	42.20	1	1 1/4
1 7/16	3 1/4	2 1/8	13 1/4	4.1	275A	52.00	1	1 7/16
1 1/2	3 1/4	2 1/8	13 1/4	4.1	275D	52.00	1	1 1/2
1 5/8	3 1/2	2 3/8	14 7/8	5.8	276A	59.60	1	1 5/8

Martin TOOL & FORGE

Tee-Handle Socket Wrenches

Upset Forged From Carbon Steel

Special Lengths Can Be Ordered in Quantities.

Can Be Used as Tee-Handle or Pin Handle Can Be Removed Enabling Use of a Wrench on Hexagon End of Shank.

Square Opening 4-Point

Wrench Opening	Diameter of Head	Size Hex on Handle End	Length of Pin Handle	Overall Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C	D		Part No.	List Price Ea.		
3/16	1/2	13/32	4 1/2	4 1/4	.12	961H	14.60	6	3/16
1/4	1/2	13/32	4 1/2	4 1/4	.12	961J	14.60	6	1/4
5/16	5/8	17/32	4 1/2	4 1/2	.17	962H	17.00	6	5/16
3/8	11/16	5/8	4 1/2	4 7/8	.29	963H	19.90	6	3/8
7/16	7/8	3/4	5 1/2	5 3/4	.57	965H	20.70	12	7/16
1/2	1	3/4	6 1/8	6 1/8	.68	966H	20.70	12	1/2
9/16	1 1/8	7/8	6 1/8	6 1/2	.94	967H	25.90	6	9/16
5/8	1 1/4	7/8	7	7	1.18	968H	27.40	6	5/8
3/4	1 3/8	7/8	7	7 3/8	1.20	969H	30.80	1	3/4
7/8	1 5/8	1 1/4	8 1/4	8 1/4	2.2	971H	39.30	1	7/8



SQUARE OPENING

Hexagon Opening 6-Point

Wrench Opening	Diameter of Head	Size Hex On Handle End	Length of Pin Handle	Overall Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Wrench Opening
	A	B	C	D		Part No.	List Price Ea.		
5/16	1/2	13/32	4 1/2	4 1/4	.12	961A	16.00	6	5/16
3/8	5/8	17/32	4 1/2	4 1/2	.17	962D	16.40	6	3/8
7/16	11/16	5/8	4 1/2	4 7/8	.28	963D	19.20	6	7/16
1/2	3/4	11/16	5 1/2	5 1/4	.40	964A	19.20	12	1/2
9/16	7/8	3/4	5 1/2	5 3/4	.56	965D	20.80	12	9/16
5/8	1	3/4	6 1/8	6 1/8	.68	966D	20.80	12	5/8
11/16	1 1/8	7/8	6 1/8	6 1/2	.94	967A	25.90	6	11/16
3/4	1 1/8	7/8	6 1/8	6 1/2	.91	967D	25.90	6	3/4
7/8	1 3/8	7/8	7	7 3/8	1.24	969A	30.80	1	7/8
15/16	1 1/2	1 1/16	7 7/8	7 7/8	1.8	970S	34.60	1	15/16
1	1 1/2	1 1/16	7 7/8	7 7/8	1.9	970D	34.60	1	1
1 1/16	1 5/8	1 1/4	8 1/4	8 1/4	2.3	971A	39.20	1	1 1/16
1 1/8	1 5/8	1 1/4	8 1/4	8 1/4	2.2	971D	39.20	1	1 1/8
1 1/4	1 7/8	1 1/4	8 1/4	9 1/8	3.0	973A	52.90	1	1 1/4
1 5/16	1 7/8	1 1/4	8 1/4	9 1/8	2.9	973B	52.90	1	1 5/16
1 1/2	2 1/8	1 7/16	8 1/4	10	3.8	975D	65.30	1	1 1/2
1 5/8	2 3/8	1 5/8	10 3/8	10 3/8	5.5	976A	77.80	1	1 5/8



HEXAGON OPENING

Heavy Duty Pipe Wrenches

Martin TOOL & FORGE

STRAIGHT IRON HANDLE

Size	Capacity	Wt. Ea. Lbs.	Part No.	List Price	Std. Pkg. Qty.
6	3/4"	1/2	PW6	9.55	6
8	1"	3/4	PW8	10.65	6
10	1 1/2"	1 3/4	PW10	14.80	6
12	2"	2 3/4	PW12	17.15	6
14	2"	3 1/2	PW14	18.60	6
18	2 1/2"	5 3/4	PW18	27.85	6
24	3"	9 3/4	PW24	42.05	6
36	5"	17	PW36	88.00	3
48	6"	34	PW48	133.65	1

STRAIGHT ALUMINUM HANDLE

Size	Capacity	Wt. Ea. Lbs.	Part No.	List Price	Std. Pkg. Qty.
—	—	—	—	—	—
—	—	—	—	—	—
10	1 1/2	1	PWA10	19.95	6
—	—	—	—	—	—
14	2	2	PWA14	26.85	6
18	2 1/2	3 1/2	PWA18	35.40	6
24	3	5 3/4	PWA24	54.55	6
36	5	10	PWA36	91.65	3
48	6	17	PWA48	180.95	1

OFFSET WRENCH



Size	Capacity	Wt. Ea. Lbs.	Part No.	List Price	Std. Pkg. Qty.
—	—	—	—	—	—
—	—	—	—	—	—
10	1 1/2	1 3/4	PWO10	14.80	6
—	—	—	—	—	—
14	2	3 1/2	PWO14	18.60	6
18	2 1/2	5 3/4	PWO18	27.85	6
—	—	—	—	—	—
—	—	—	—	—	—
—	—	—	—	—	—

Iron Handle — Hammer Head

Size	Capacity	Wt. Ea. Lbs.	Part No.	List Price	Std. Pkg. Qty.
10	1 1/2	1 7/8	PWH10	14.80	6

Pipe Wrench Parts Prices

HOOK JAW

Part No.	Size	Price
PW6HJ	6"	4.25
PW8HJ	8"	4.80
PW10HJ	10"	6.75
PW12HJ	12"	6.65
PW14HJ	14"	8.55
PW18HJ	18"	12.05
PW24HJ	24"	18.65
PW36HJ	36"	39.25
PW48HJ	48"	58.45

HEEL JAW & PIN

Part No.	Size	Price
PW6HP	6"	2.20
PW8HP	8"	2.65
PW10HP	10"	3.65
PW12HP	12"	4.65
PW14HP	14"	4.65
PW18HP	18"	5.35
PW24HP	24"	6.45
PW36HP	36"	7.50
PW48HP	48"	14.05

FLAT SPRING & BALL

Part No.	Size	Price
PW6SFC	6"	1.45
PW8SFC	8"	1.50
PW10SFC	10"	1.55
PW12SFC	12"	1.60
PW14SFC	14"	1.90
PW18SFC	18"	3.55
PW24SFC	24"	3.65
PW36SFC	36"	4.00
PW48SFC	48"	4.80

NUT

Part No.	Size	Price
PW6N	6"	1.40
PW8N	8"	1.45
PW10N	10"	1.55
PW12N	12"	1.60
PW14N	14"	1.95
PW18N	18"	2.85
PW24N	24"	4.00
PW36N	36"	6.65
PW48N	48"	11.50

Martin TOOL & FORGE

Socket Wrench Index Chrome

Socket Wrench Index

3/8" SQUARE DRIVE STANDARD SOCKETS		3/8" square drive opening standard depth chrome finish 12 and 6 point openings. 6 point also available in metric.	Page 44 45 46
3/8" SQUARE DRIVE DEEP SOCKETS		3/8" square drive opening extra depth chrome finish 12 and 6 point openings. 6 point also available in metric.	Page 44 45 46
3/8" SQUARE DRIVE ALLEN TYPE SOCKETS WITH BITS		3/8" square drive opening chrome finish with black hex bits.	Page 45
3/8" SQUARE DRIVE ATTACHMENTS		Complete line of 3/8" chrome handles, adaptors and extensions for all hand tool needs.	Page 47
3/8" SQUARE DRIVE SETS		Several convenient and economical sets of 3/8" drive socket wrenches and attachments.	Page 48 49 50
1/2" SQUARE DRIVE STANDARD SOCKETS		1/2" square drive opening standard depth chrome finish 12 point opening sockets. Available in SAE and metric.	Page 52 56
1/2" SQUARE DRIVE DEEP SOCKETS		1/2" square drive opening extra depth chrome finish 12 point opening sockets.	Page 52

Socket Wrench Index Chrome

Martin TOOL & FORGE

Socket Wrench Index

1/2" SQUARE DRIVE ATTACHMENTS		Complete line of 1/2" chrome handles, adaptors and extensions for all hand tool needs.	Page 53
1/2" SQUARE DRIVE SETS		Several convenient and economical sets of 1/2" drive socket wrenches and accessories.	Page 54 55 56
3/4" SQUARE DRIVE STANDARD SOCKETS		3/4" square drive opening standard depth chrome finish 12 point opening sockets.	Page 59
3/4" SQUARE DRIVE ATTACHMENTS		Complete line of 3/4" chrome handles, adaptors, and extensions for all hand tool needs.	Page 59
3/4" SQUARE DRIVE SETS		Several convenient and economical sets of 3/4" drive socket wrenches and accessories.	Page 60
1" SQUARE DRIVE STANDARD SOCKETS		1" square drive opening standard depth chrome finish 12 point opening sockets.	Page 63
1" SQUARE DRIVE ATTACHMENTS		Complete line of 1" chrome handles, adaptors, and extensions for all hand tool needs.	Page 63

Martin TOOL & FORGE

Socket Wrench Index Power/Impact

Socket Wrench Index Power/Impact

3/8" SQUARE DRIVE STANDARD DEPTH SOCKETS		3/8" square drive opening standard depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 51
3/8" SQUARE DRIVE EXTRA DEPTH SOCKETS		3/8" square drive opening with extra depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 51
3/8" SQUARE DRIVE ATTACHMENTS		Complete line of adaptors and extensions for 3/8" power/impact drives. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 51
1/2" SQUARE DRIVE STANDARD DEPTH SOCKETS		1/2" square drive opening standard depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 57
1/2" SQUARE DRIVE EXTRA DEPTH SOCKETS		1/2" square drive opening extra depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 57
1/2" SQUARE DRIVE ATTACHMENTS		Complete line of adaptors and extensions for 1/2" power/impact drives. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 57
3/4" SQUARE DRIVE STANDARD DEPTH SOCKETS		3/4" square drive opening standard depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 61
3/4" SQUARE DRIVE EXTRA DEPTH SOCKETS		3/4" square drive opening extra depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 61
3/4" SQUARE DRIVE ATTACHMENTS		Complete line of adaptors and extensions for 3/4" power/impact drives. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 61
1" SQUARE DRIVE STANDARD DEPTH SOCKETS		1" square drive opening standard depth designed for all types of power wrenches. Industrial black finish 6 point opening. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 64
1" DRIVE ATTACHMENTS		Complete line of adaptors and extensions for 1" power/impact wrench needs. *Only Power Impact Sockets should be used on pneumatic or electric impact wrenches. Never use chrome sockets.*	Page 64

Socket Wrenches
3/8" Drive
Chrome

Martin TOOL & FORGE

Martin Heavy Duty Chrome Hand Tool Sockets Are Manufactured to Extremely Close Tolerances of American Alloy Steel. The 12 Point Broach Opening Provides a Secure Fit for Absolute Tightening and Loosening.

WARNING: Only Power Impact Sockets Should Be Used on Pneumatic or Electric Impact Wrenches. Never Use Chrome Sockets.

3/8" Square Drive 12 Point Standard Depth

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
1/4	I	1 1/8	5/8	25/64	1/8	.04	B1208	4.30	6	1/4
5/16	I	1 1/8	5/8	15/32	9/64	.05	B1210	4.30	6	5/16
3/8	I	1 1/8	5/8	35/64	5/32	.05	B1212	4.30	6	3/8
7/16	II	1 1/8	—	5/8	7/32	.05	B1214	4.50	6	7/16
1/2	II	1 1/8	—	23/32	17/64	.06	B1216	4.50	6	1/2
9/16	II	1 1/8	—	25/32	21/64	.08	B1218	4.70	6	9/16
5/8	II	1 1/8	—	7/8	3/8	.10	B1220	4.70	6	5/8
11/16	II	1 1/8	—	15/16	3/8	.12	B1222	4.90	6	11/16
3/4	II	1 1/8	—	1	7/16	.14	B1224	4.90	6	3/4
13/16	II	1 3/16	—	1 1/16	29/64	.15	B1226	5.40	6	13/16
7/8	II	1 1/4	—	1 9/64	1/2	.18	B1228	5.70	6	7/8
15/16	II	1 9/16	—	1 1/4	35/64	.18	B1230	6.00	6	15/16
1	II	1 5/8	—	1 5/16	35/64	.19	B1232	6.50	6	1

3/8" Square Drive 12 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/8	I	2 7/32	5/8	35/64	5/32	.10	BD1212	5.70	6	3/8
7/16	II	2 7/32	—	5/8	7/32	.10	BD1214	5.70	6	7/16
1/2	II	2 7/32	—	23/32	17/64	.15	BD1216	5.70	6	1/2
9/16	II	2 7/32	—	25/32	21/64	.19	BD1218	5.70	6	9/16
5/8	II	2 7/32	—	7/8	3/8	.23	BD1220	6.10	6	5/8
11/16	II	2 1/2	—	59/64	3/8	.28	BD1222	6.10	6	11/16
3/4	II	2 1/2	—	63/64	7/16	.26	BD1224	6.30	6	3/4
13/16	II	2 25/32	—	1 1/16	29/64	.48	BD1226	6.50	6	13/16
7/8	II	2 7/8	—	1 5/32	1/2	.39	BD1228	6.90	6	7/8

Martin TOOL & FORGE

Socket Wrenches
3/8" Drive
Chrome



TYPE I



TYPE II

3/8" Square Drive 6 Point Standard Depth

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
1/4	I	1 1/8	5/8	25/64	1/8	.04	B608	4.30	6	1/4
5/16	I	1 1/8	5/8	15/32	9/64	.04	B610	4.30	6	5/16
3/8	I	1 1/8	5/8	35/64	5/32	.05	B612	4.40	6	3/8
7/16	II	1 1/8	—	5/8	7/32	.05	B614	4.40	6	7/16
1/2	II	1 1/8	—	23/32	17/64	.07	B616	4.40	6	1/2
9/16	II	1 1/8	—	25/32	21/64	.08	B618	4.70	6	9/16
5/8	II	1 1/8	—	7/8	3/8	.10	B620	4.70	6	5/8
11/16	II	1 1/8	—	15/16	3/8	.13	B622	4.90	6	11/16
3/4	II	1 1/8	—	1	7/16	.14	B624	5.00	6	3/4
13/16	II	1 3/16	—	1 1/16	29/64	.17	B626	5.30	6	13/16
7/8	II	1 1/4	—	1 9/64	1/2	.19	B628	5.70	6	7/8
15/16	II	1 9/16	—	1 1/4	35/64	.00	B630	7.30	6	15/16
1	II	1 5/8	—	1 5/16	35/64	.00	B632	7.60	6	1

3/8" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
1/4	I	2 7/32	5/8	3/8	5/32	.10	BD608	4.90	6	1/4
5/16	I	2 7/32	5/8	7/16	5/32	.11	BD610	4.90	6	5/16
3/8	I	2 7/32	5/8	35/64	5/32	.12	BD612	5.20	6	3/8
7/16	II	2 7/32	—	5/8	7/32	.12	BD614	5.20	6	7/16
1/2	II	2 7/32	—	23/32	17/64	.16	BD616	5.20	6	1/2
9/16	I	2 1/4	55/64	13/16	11/32	.25	BD618	5.40	6	9/16
5/8	I	2 1/4	59/64	57/64	3/8	.30	BD620	5.70	6	5/8
11/16	II	2 5/16	—	61/64	3/8	.32	BD622	6.10	6	11/16
3/4	II	2 5/16	—	1 3/64	7/16	.37	BD624	6.30	6	3/4
13/16	II	2 25/32	—	1 1/16	29/64	.32	BD626	6.70	6	13/16
7/8	II	2 7/8	—	1 5/32	1/2	.39	BD628	6.70	6	7/8
15/16	II	3 3/64	—	1 1/4	35/64	.41	BD630	6.70	6	15/16
1	II	3 3/64	—	1 5/16	35/64	.41	BD632	6.90	6	1



TYPE VI

3/8" Drive Allen Type Sockets With Bits

Opening	Type	Length	Drive End	Opening End	Bit Length	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
1/8	VI	2 3/32	5/8	15/32	I	.06	BA4	7.70	6	1/8
5/32	VI	2 3/32	5/8	15/32	I	.06	BA5	7.70	6	5/32
3/16	VI	2 3/32	5/8	15/32	I	.06	BA6	8.00	6	3/16
7/32	VI	2 3/32	5/8	33/64	I	.07	BA7	8.40	6	7/32
1/4	VI	2 3/32	5/8	9/16	I	.08	BA8	9.10	6	1/4
5/16	VI	2 3/32	—	5/8	I	.10	BA10	9.10	6	5/16
3/8	VI	2 3/32	—	11/16	I	.13	BA12	9.10	6	3/8

Socket Wrenches
3/8" Drive
Chrome

Martin TOOL & FORGE



Martin Heavy Duty Chrome Hand Tool Sockets Are Manufactured to Extremely Close Tolerances of American Alloy Steel. The 6 Point Broach Opening Provides a Secure Fit for Absolute Tightening and Loosening.

3/8" Square Drive 6 Point Standard Depth — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea.	Chrome		Std. Pkg.	Opening
		A	B	C	D	Lbs.	Part No.	List Price Ea.	Qty.	
6 mm	I	1 1/8	5/8	25/64	5/32	.04	BM606	4.30	6	6 mm
7 mm	I	1 1/8	5/8	7/16	5/32	.04	BM607	4.30	6	7 mm
8 mm	I	1 1/8	5/8	15/32	13/64	.05	BM608	4.50	6	8 mm
9 mm	I	1 1/8	5/8	33/64	7/32	.05	BM609	4.50	6	9 mm
10 mm	I	1 1/8	5/8	37/64	15/64	.05	BM610	4.60	6	10 mm
11 mm	II	1 1/8	—	5/8	9/32	.05	BM611	4.60	6	11 mm
12 mm	II	1 1/8	—	11/16	5/16	.06	BM612	4.60	6	12 mm
13 mm	II	1 1/8	—	47/64	5/16	.08	BM613	4.60	6	13 mm
14 mm	II	1 1/8	—	49/64	25/64	.08	BM614	4.60	6	14 mm
15 mm	II	1 1/8	—	27/32	25/64	.10	BM615	4.80	6	15 mm
16 mm	II	1 1/8	—	7/8	13/32	.10	BM616	4.80	6	16 mm
17 mm	II	1 1/8	—	59/64	25/64	.13	BM617	5.10	6	17 mm
18 mm	II	1 1/8	—	31/32	13/32	.13	BM618	5.10	6	18 mm
19 mm	II	1 1/8	—	1	15/32	.15	BM619	5.10	6	19 mm

3/8" Square Drive 6 Point Deep — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea.	Chrome		Std. Pkg.	Opening
		A	B	C	D	Lbs.	Part No.	List Price Ea.	Qty.	
6 mm	I	2 7/32	5/8	25/64	5/32	.10	BMD606	5.60	6	6 mm
7 mm	I	2 7/32	5/8	27/64	5/32	.10	BMD607	5.60	6	7 mm
8 mm	I	2 7/32	5/8	29/64	3/16	.12	BMD608	5.60	6	8 mm
9 mm	I	2 7/32	5/8	1/2	15/64	.10	BMD609	5.60	6	9 mm
10 mm	I	2 7/32	5/8	9/16	15/64	.12	BMD610	5.60	6	10 mm
11 mm	I	2 7/32	—	5/8	9/32	.12	BMD611	6.10	6	11 mm
12 mm	II	2 7/32	—	43/64	5/16	.13	BMD612	6.10	6	12 mm
13 mm	II	2 7/32	—	47/64	5/16	.17	BMD613	6.10	6	13 mm
14 mm	II	2 7/32	—	49/64	25/64	.21	BMD614	6.10	6	14 mm
15 mm	II	2 7/32	—	27/32	25/64	.23	BMD615	6.10	6	15 mm
16 mm	II	2 7/32	—	7/8	25/64	.23	BMD616	6.20	6	16 mm
17 mm	II	2 1/2	—	59/64	25/64	.31	BMD617	6.20	6	17 mm
18 mm	II	2 1/2	—	31/32	13/32	.23	BMD618	6.60	6	18 mm
19 mm	II	2 1/2	—	63/64	7/16	.25	BMD619	6.60	6	19 mm

Martin TOOL & FORGE

Socket Wrenches 3/8" Drive Chrome

Type		Description	Part No.	List Price	Std. Pkg. Qty.
SLIDING TEE HANDLE		Chrome. **Length 7". Weight .49 lbs.**	B20A	13.00	6
FLEXIBLE HANDLE		Chrome knurled grip. **Length 8 1/2". Weight .59 lbs.**	B40A	20.40	6
REVERSIBLE RATCHET		Chrome. 41 tooth. **Head dia. 1 1/4". Length 7". Weight .69 lbs.**	B52	29.60	6
		Preassembled Ratchet Replacement Head. **Weight .19 lbs.**	B52RD	11.10	1
EXTENSIONS		Chrome. **Length 3". Weight .17 lbs.**	B103	6.00	6
		Chrome. **Length 5". Weight .20 lbs.**	B105	8.60	6
		Chrome. **Length 12". Weight .42 lbs.**	B112	14.40	6
UNIVERSAL JOINT		Chrome. **Weight .13 lbs.**	B140A	16.70	6
ADAPTORS		Chrome. **3/8"F to 1/4"M. Weight .06 lbs.**	BS129	5.10	6
		Chrome. **3/8"F to 1/2"M. Weight .09 lbs.**	BS130	5.60	6
SPEEDER		Chrome. Revolving Grip. **Length 14 1/4". Weight 1.1 lbs.**	B15	14.60	6

Socket Wrenches
3/8" Drive
Chrome

Martin TOOL & FORGE

B8K	LIST PRICE 50.20

BD1212 . . . 3/8" 12 pt. Deep Skt.
BD1214 . . . 7/16" 12 pt. Deep Skt.
BD1216 . . . 1/2" 12 pt. Deep Skt.
BD1218 . . . 9/16" 12 pt. Deep Skt.
BD1220 . . . 5/8" 12 pt. Deep Skt.
BD1222 . . . 11/16" 12 pt. Deep Skt.
BD1224 . . . 3/4" 12 pt. Deep Skt.
BD1226 . . . 13/16" 12 pt. Deep Skt.
247 . . . . . .CLIP RAIL



B8KD	LIST PRICE 49.30

BD612 . . . 3/8" 6 pt. Deep Skt.
BD614 . . . 7/16" 6 pt. Deep Skt.
BD616 . . . 1/2" 6 pt. Deep Skt.
BD618 . . . 9/16" 6 pt. Deep Skt.
BD620 . . . 5/8" 6 pt. Deep Skt.
BD622 . . . . 11/16" 6 pt. Deep Skt.
BD624 . . . . 3/4" 6 pt. Deep Skt.
BD626 . . . . 13/16" 6 pt. Deep Skt.
71 . . . . . .METAL TRAY



BA7K	LIST PRICE 73.60

BA4 . . . . . 1/8" Allen Skt. w/Bit
BA5 . . . . . 5/32" Allen Skt. w/Bit
BA6 . . . . . 3/16" Allen Skt. w/Bit
BA7 . . . . . 7/32" Allen Skt. w/Bit
BA8 . . . . . 1/4" Allen Skt. w/Bit
BA10 . . . . . 5/16" Allen Skt. w/Bit
BA12 . . . . . 3/8" Allen Skt. w/Bit
97 . . . . . .METAL BOX



B11K	LIST PRICE 54.80

B608 . . . . 1/4" 6 pt. Std. Skt.
B610 . . . . 5/16" 6 pt. Std. Skt.
B612 . . . . 3/8" 6 pt. Std. Skt.
B614 . . . . 7/16" 6 pt. Std. Skt.
B616 . . . . 1/2" 6 pt. Std. Skt.
B618 . . . . 9/16" 6 pt. Std. Skt.
B620 . . . . 5/8" 6 pt. Std. Skt.
B622 . . . . 11/16" 6 pt. Std. Skt.
B624 . . . . 3/4" 6 pt. Std. Skt.
B626 . . . . 13/16" 6 pt. Std. Skt.
B628 . . . . 7/8" 6 pt. Std. Skt.
249 . . . . .CLIP RAIL



Martin TOOL & FORGE

Socket Wrenches
3/8" Drive
Chrome

B11KM	LIST PRICE 88.30
B612 . . . .3/8" 6 Pt. Std. Skt.	B1224 . . .3/4" 12 Pt. Std. Skt.
B614 . . . .7/16" 6 Pt. Std. Skt.	B1226 . . .13/16" 12 Pt. Std. Skt.
B616 . . . .1/2" 6 Pt. Std. Skt.	B1228 . . .7/8" 12 Pt. Std. Skt.
B618 . . . .9/16" 6 Pt. Std. Skt.	B52 . . . . .RATCHET
B1220 . . .5/8" 12 Pt. Std. Skt.	B105 . . . .5" EXTENSION
B1222 . . .11/16" 12 Pt. Std. Skt.	93. . . . . .METAL BOX

B20K	LIST PRICE 156.70
B612 . . . .3/8" 6 Pt. Std. Skt.	BD616 . . .1/2" 6 Pt. Deep Skt.
B614 . . . .7/16" 6 Pt. Std. Skt.	BD618 . . .9/16" 6 Pt. Deep Skt.
B616 . . . .1/2" 6 Pt. Std. Skt.	BD620 . . .5/8" 6 Pt. Deep Skt.
B618 . . . .9/16" 6 Pt. Std. Skt.	BD622 . . .11/16" 6 Pt. Deep Skt.
B1220 . . .5/8" 12 Pt. Std. Skt.	BD624 . . .3/4" 6 Pt. Deep Skt.
B1222 . . .11/16" 12 Pt. Std. Skt.	BD626 . . .13/16" 6 Pt. Deep Skt.
B1224 . . .3/4" 12 Pt. Std. Skt.	B52 . . . . .RATCHET
B1226 . . .13/16" 12 Pt. Std. Skt.	B105 . . . .5" EXTENSION
B1228 . . .7/8" 12 Pt. Std. Skt.	B40A . . . .FLEX HANDLE
BD612. . .3/8" 6 Pt. Deep Skt.	94. . . . . .METAL BOX
BD614. . .7/16" 6 Pt. Deep Skt.	



B26K	LIST PRICE 200.50
B608 . . . .1/4" 6 Pt. Std. Skt.	BD614 . . . . .7/16" 6 Pt. Deep Skt.
B610 . . . .5/16" 6 Pt. Std. Skt.	BD616 . . . . .1/2" 6 Pt. Deep Skt.
B612 . . . .3/8" 6 Pt. Std. Skt.	BD618 . . . . .9/16" 6 Pt. Deep Skt.
B614 . . . .7/16" 6 Pt. Std. Skt.	BD620 . . . . .5/8" 6 Pt. Deep Skt.
B616 . . . .1/2" 6 Pt. Std. Skt.	BD622 . . . . .11/16" 6 Pt. Deep Skt.
B618 . . . .9/16" 6 Pt. Std. Skt.	BD624 . . . . .3/4" 6 Pt. Deep Skt.
B1220 . . .5/8" 12 Pt. Std. Skt.	BD626 . . . . .13/16" 6 Pt. Deep Skt.
B1222 . . .11/16" 12 Pt. Std. Skt.	B52 . . . . . .RATCHET
B1224 . . .3/4" 12 Pt. Std. Skt.	B103 . . . . . .3" EXTENSION
B1226 . . .13/16" 12 Pt. Std. Skt.	B105 . . . . . .5" EXTENSION
B1228 . . .7/8" 12 Pt. Std. Skt.	B40A . . . . . .FLEX HANDLE
B1230 . . .15/16" 12 Pt. Std. Skt.	B140A . . . . .UNIVERSAL
B1232 . . .1" 12 Pt. Std. Skt.	94. . . . . .METAL BOX
BD612. . .3/8" 6 Pt. Deep Skt.	



Socket Wrenches
3/8" Drive
Chrome

Martin TOOL & FORGE

MB14K	LIST PRICE 70.10
BM606 . . . 6 mm 6 Pt. Std. Skt.	BM614 . . .14 mm 6 Pt. Std. Skt.
BM607 . . . 7 mm 6 Pt. Std. Skt.	BM615 . . .15 mm 6 Pt. Std. Skt.
BM608 . . . 8 mm 6 Pt. Std. Skt.	BM616 . . .16 mm 6 Pt. Std. Skt.
BM609 . . . 9 mm 6 Pt. Std. Skt.	BM617 . . .17 mm 6 Pt. Std. Skt.
BM610 . . .10 mm 6 Pt. Std. Skt.	BM618 . . .18 mm 6 Pt. Std. Skt.
BM611 . . .11 mm 6 Pt. Std. Skt.	BM619 . . .19 mm 6 Pt. Std. Skt.
BM612 . . .12 mm 6 Pt. Std. Skt.	74 . . . . . .METAL TRAY
BM613 . . .13 mm 6 Pt. Std. Skt.	

METRIC



MB14KD	LIST PRICE 89.90
BMD606 . . 6 mm 6 Pt. Deep Skt.	BMD614. .14 mm 6 Pt. Deep Skt.
BMD607 . . 7 mm 6 Pt. Deep Skt.	BMD615. .15 mm 6 Pt. Deep Skt.
BMD608 . . 8 mm 6 Pt. Deep Skt.	BMD616. .16 mm 6 Pt. Deep Skt.
BMD609 . . 9 mm 6 Pt. Deep Skt.	BMD617. .17 mm 6 Pt. Deep Skt.
BMD610 . .10 mm 6 Pt. Deep Skt.	BMD618. .18 mm 6 Pt. Deep Skt.
BMD611 . .11 mm 6 Pt. Deep Skt.	BMD619. .19 mm 6 Pt. Deep Skt.
BMD612 . .12 mm 6 Pt. Deep Skt.	75 . . . . . .METAL TRAY
BMD613 . .13 mm 6 Pt. Deep Skt.	

METRIC



MB26K	LIST PRICE 190.30
BM607 . . . . 7 mm 6 Pt. Std. Skt.	BMD611. .11 mm 6 Pt. Deep Skt.
BM608 . . . . 8 mm 6 Pt. Std. Skt.	BMD612. .12 mm 6 Pt. Deep Skt.
BM609 . . . . 9 mm 6 Pt. Std. Skt.	BMD613. .13 mm 6 Pt. Deep Skt.
BM610 . . . .10 mm 6 Pt. Std. Skt.	BMD614. .14 mm 6 Pt. Deep Skt.
BM611 . . . .11 mm 6 Pt. Std. Skt.	BMD615. .15 mm 6 Pt. Deep Skt.
BM612 . . . .12 mm 6 Pt. Std. Skt.	BMD616. .16 mm 6 Pt. Deep Skt.
BM613 . . . .13 mm 6 Pt. Std. Skt.	BMD617. .17 mm 6 Pt. Deep Skt.
BM614 . . . .14 mm 6 Pt. Std. Skt.	BMD618. .18 mm 6 Pt. Deep Skt.
BM615 . . . .15 mm 6 Pt. Std. Skt.	BMD619. .19 mm 6 Pt. Deep Skt.
BM616 . . . .16 mm 6 Pt. Std. Skt.	B52. . . . . .RATCHET
BM617 . . . .17 mm 6 Pt. Std. Skt.	B105. . . . .5" EXTENSION
BM618 . . . .18 mm 6 Pt. Std. Skt.	B40A . . . .FLEX HANDLE
BM619 . . . .19 mm 6 Pt. Std. Skt.	94 . . . . . .METAL BOX
BMD610. . .10 mm 6 Pt. Deep Skt.	

METRIC



Martin TOOL & FORGE

Socket Wrenches
3/8" Drive
Power/Impact

3/8" Square Drive 6 Point Standard Depth

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
5/16	I	1 1/16	47/64	1/2	7/64	.07	2610	4.20	6	5/16
3/8	I	1 1/16	47/64	19/32	5/32	.07	2612	4.20	6	3/8
7/16	I	1 1/16	47/64	43/64	7/32	.08	2614	4.30	6	7/16
1/2	II	1 3/32	—	3/4	13/64	.08	2616	4.30	6	1/2
9/16	II	1 1/8	—	55/64	1/4	.13	2618	4.60	6	9/16
5/8	II	1 1/8	—	59/64	9/32	.15	2620	5.00	6	5/8
11/16	II	1 1/8	—	63/64	5/16	.16	2622	5.00	6	11/16
3/4	II	1 3/16	—	1 3/64	23/64	.19	2624	5.30	6	3/4

3/8" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
5/16	I	2 1/4	47/64	1/2	3/32	.19	12610	5.10	6	5/16
3/8	I	2 1/4	47/64	19/32	7/64	.19	12612	5.10	6	3/8
7/16	I	2 1/4	47/64	43/64	13/64	.19	12614	5.10	6	7/16
1/2	II	2 1/4	—	3/4	13/64	.18	12616	5.10	6	1/2
9/16	I	2 1/4	55/64	13/16	11/32	.25	12618	5.20	6	9/16
5/8	I	2 1/4	59/64	57/64	3/8	.28	12620	5.50	6	5/8
11/16	II	2 5/16	—	61/64	3/8	.31	12622	5.80	6	11/16
3/4	II	2 5/16	—	1 3/64	7/16	.38	12624	6.10	6	3/4

3/8" ATTACHMENTS

Item	Description	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
Universal	Impact Universal	.18	2140A	16.50	6
Adaptor	3/8"F x 1/2"M	.10	24A	8.00	6

IB8K	LIST PRICE 40.20
2610 . . . 5/16" 6 Pt. Std. Skt.	2620 . . . . . 5/8" 6 Pt. Std. Skt.
2612 . . . . 3/8" 6 Pt. Std. Skt.	2622 . . . . . 11/16" 6 Pt. Std. Skt.
2614 . . . 7/16" 6 Pt. Std. Skt.	2624 . . . . . 3/4" 6 Pt. Std. Skt.
2616 . . . . 1/2" 6 Pt. Std. Skt.	70 . . . . . METAL TRAY
2618 . . . 9/16" 6 Pt. Std. Skt.	



IB8KD	LIST PRICE 46.50
12610 .5/16" 6 Pt. Deep Skt.	12620 . . . . 5/8" 6 Pt. Deep Skt.
12612 . 3/8" 6 Pt. Deep Skt.	12622 . . . 11/16" 6 Pt. Deep Skt.
12614 .7/16" 6 Pt. Deep Skt.	12624 . . . . 3/4" 6 Pt. Deep Skt.
12616 . 1/2" 6 Pt. Deep Skt.	72 . . . . . METAL TRAY
12618 .9/16" 6 Pt. Deep Skt.	



Socket Wrenches
1/2" Drive
Chrome

Martin TOOL & FORGE



Martin Heavy Duty Chrome Hand Tool Sockets Are Manufactured to Extremely Close Tolerances of American Alloy Steel. The 12 Point Broach Opening Provides a Secure Fit for Absolute Tightening and Loosening.

1/2" Square Drive 12 Point Standard Depth

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/8	I	1 15/32	13/16	37/64	5/32	.09	ST1212	5.10	5	3/8
7/16	I	1 15/32	13/16	41/64	7/32	.09	ST1214	5.10	5	7/16
1/2	I	1 15/32	13/16	23/32	17/64	.10	ST1216	5.10	5	1/2
9/16	II	1 15/32	—	13/16	21/64	.10	ST1218	5.10	5	9/16
5/8	II	1 15/32	—	7/8	1 15/32	.14	ST1220	6.00	5	5/8
11/16	II	1 15/32	—	31/32	1 15/32	.15	ST1222	6.00	5	11/16
3/4	II	1 15/32	—	1 1/16	1 15/32	.19	ST1224	6.00	5	3/4
13/16	II	1 9/16	—	1 1/8	1 9/16	.20	ST1226	6.00	5	13/16
7/8	II	1 5/8	—	1 11/64	1/2	.24	ST1228	6.00	5	7/8
15/16	II	1 5/8	—	1 1/4	35/64	.28	ST1230	6.00	5	15/16
1	II	1 11/16	—	1 5/16	35/64	.32	ST1232	6.00	5	1
1 1/16	III	1 3/4	1 3/32	1 13/32	5/8	.32	ST1234	6.00	5	1 1/16
1 1/8	III	1 13/16	1 7/64	1 1/2	21/32	.35	ST1236	6.00	5	1 1/8
1 3/16	III	1 7/8	1 7/64	1 37/64	21/32	.40	ST1238	8.00	5	1 3/16
1 1/4	III	1 59/64	1 1/8	1 13/16	3/4	.43	ST1240	8.00	5	1 1/4
1 5/16	III	2	1 3/16	1 13/16	13/16	.45	ST1242	8.30	5	1 5/16
1 3/8	III	2	1 1/4	1 7/8	55/64	.46	ST1244	10.40	5	1 3/8
1 7/16	III	2 1/16	1 3/8	1 15/16	29/32	.47	ST1246	11.70	5	1 7/16
1 1/2	III	2 1/8	1 3/8	2	1 1/16	.49	ST1248	11.70	5	1 1/2

1/2" Square Drive 12 Point Deep

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/8	II	3 3/64	—	13/16	27/64	.24	SD1212	8.90	5	3/8
7/16	II	3 3/64	—	13/16	23/32	.24	SD1214	8.90	5	7/16
1/2	I	3 1/16	13/16	23/32	17/64	.24	SD1216	8.90	5	1/2
9/16	II	3 1/16	—	13/16	21/64	.24	SD1218	8.80	5	9/16
5/8	II	3 1/16	—	7/8	3/8	.30	SD1220	9.40	5	5/8
11/16	II	3 1/16	—	31/32	3/8	.34	SD1222	10.00	5	11/16
3/4	II	3 1/16	—	1 3/64	7/16	.35	SD1224	10.00	5	3/4
13/16	II	3 1/16	—	1 7/64	29/64	.40	SD1226	10.00	5	13/16
7/8	II	3 1/16	—	1 11/64	1/2	.43	SD1228	10.00	5	7/8
15/16	II	3 1/16	—	1 1/4	35/64	.48	SD1230	11.60	5	15/16
1	III	3 1/16	1 3/32	1 5/16	35/64	.45	SD1232	11.60	5	1
1 1/16	III	3 1/16	1 7/64	1 13/32	5/8	.50	SD1234	12.30	5	1 1/16
1 1/8	III	3 1/16	1 7/64	1 1/2	21/32	.51	SD1236	12.50	5	1 1/8
1 3/16	III	3 3/64	1 7/64	1 37/64	21/32	.56	SD1238	18.20	5	1 3/16
1 1/4	III	3 3/64	1 1/8	1 41/64	3/4	.61	SD1240	19.60	5	1 1/4
1 5/16	III	3 3/64	1 9/64	1 13/16	49/64	.61	SD1242	23.00	5	1 5/16
1 3/8	III	3 3/64	1 15/64	1 7/8	25/32	.84	SD1244	24.70	5	1 3/8
1 7/16	III	3 3/64	1 19/64	1 61/64	7/8	.88	SD1246	26.40	5	1 7/16
1 1/2	III	3 3/64	1 11/32	2 1/64	55/64	.93	SD1248	28.00	5	1 1/2

Martin TOOL & FORGE

Socket Wrenches 1/2" Drive Chrome

Type		Description	Part No.	List Price	Std. Pkg. Qty.
SLIDING TEE HANDLE		Chrome. **Length 10". Weight .88 lbs.**	S20A	26.90	5
FLEXIBLE HANDLE		Chrome knurled grip. **Length 18". Weight 1.65 lbs.**	SF41	44.40	5
REVERSIBLE RATCHET		Chrome. 45 tooth. **Head diameter 1 5/8". Length 10 1/4". Weight 1.44 lbs.**	SF51	45.80	1
		Preassembled Ratchet Replacement Head. **Weight .31 lbs.**	SF51RD	24.90	1
EXTENSIONS		Chrome. **Length 5". Weight .37 lbs.**	S110P	11.20	5
		Chrome. **Length 10". Weight .66 lbs.**	S115P	15.10	5
		Chrome. **Length 20". Weight 1.19 lbs.**	S121P	23.10	5
UNIVERSAL JOINT		Chrome. **Length 2 5/16". Weight .30 lbs.**	S140	22.90	5
ADAPTORS		Chrome. **1/2"F to 3/8"M. Weight .15 lbs.**	SH129	9.20	5
		Chrome. **1/2"F to 3/4"M. Weight .18 lbs.**	SH130	10.50	5
SPEEDER		Chrome. Revolving Grip. **Length 17 1/4". Weight 1.23 lbs.**	S15	28.50	5

Socket Wrenches
1/2" Drive
Chrome

Martin TOOL & FORGE

WARNING: Only Power Impact Sockets Should Be Used on Pneumatic or Electric Impact Wrenches. Never Use Chrome Sockets.

S11K	LIST PRICE 117.80

SD1216 . . . 1/2" 12 pt. Deep Skt.
SD1218 . . . 9/16" 12 pt. Deep Skt.
SD1220 . . . 5/8" 12 pt. Deep Skt.
SD1222 . . . 11/16" 12 pt. Deep Skt.
SD1224 . . . 3/4" 12 pt. Deep Skt.
SD1226 . . . 13/16" 12 pt. Deep Skt.
SD1228 . . . 7/8" 12 pt. Deep Skt.
SD1230 . . . 15/16" 12 pt. Deep Skt.
SD1232 . . . 1" 12 pt. Deep Skt.
SD1234 . . . 1 1/16" 12 pt. Deep Skt.
SD1236 . . . 1 1/8" 12 pt. Deep Skt.
254 . . . . . .CLIP RAIL



S12K	LIST PRICE 124.90

ST1214 . . . . 7/16" 12 pt. Skt.
ST1216 . . . . 1/2" 12 pt. Skt.
ST1218 . . . . 9/16" 12 pt. Skt.
ST1220 . . . . 5/8" 12 pt. Skt.
ST1222 . . . . 11/16" 12 pt. Skt.
ST1224 . . . . 3/4" 12 pt. Skt.
ST1226 . . . . 13/16" 12 pt. Skt.
ST1228 . . . . 7/8" 12 pt. Skt.
ST1230 . . . . 15/16" 12 pt. Skt.
ST1232 . . . . 1" 12 pt. Skt.
SF51. . . . . 10 1/2" Rev. Ratchet
S110P . . . . . 5" EXTENSION
95 . . . . . .METAL BOX



S13K	LIST PRICE 83.50

ST1214 . . . . 7/16" 12 pt. Skt.
ST1216 . . . . 1/2" 12 pt. Skt.
ST1218 . . . . 9/16" 12 pt. Skt.
ST1220 . . . . 5/8" 12 pt. Skt.
ST1222 . . . . 11/16" 12 pt. Skt.
ST1224 . . . . 3/4" 12 pt. Skt.
ST1226 . . . . 13/16" 12 pt. Skt.
ST1228 . . . . 7/8" 12 pt. Skt.
ST1230 . . . . 15/16" 12 pt. Skt.
ST1232 . . . . 1" 12 pt. Skt.
ST1234 . . . . 1 1/16" 12 pt. Skt.
ST1236 . . . . 1 1/8" 12 pt. Skt.
ST1240 . . . . 1 1/4" 12 pt. Skt.
151 . . . . . .METAL TRAY

S16K	LIST PRICE 167.80

ST1214 . . . 7/16" 12 pt. Skt.
ST1216 . . . 1/2" 12 pt. Skt.
ST1218 . . . 9/16" 12 pt. Skt.
ST1220 . . . 5/8" 12 pt. Skt.
ST1222 . . . 11/16" 12 pt. Skt.
ST1224 . . . 3/4" 12 pt. Skt.
ST1226 . . . 13/16" 12 pt. Skt.
ST1228 . . . 7/8" 12 pt. Skt.
ST1230 . . . 15/16" 12 pt. Skt.
ST1232 . . . 1" 12 pt. Skt.
ST1234 . . . 1 1/16" 12 pt. Skt.
ST1236 . . . 1 1/8" 12 pt. Skt.
ST1240 . . . 1 1/4" 12 pt. Skt.
SF51. . . . . 10 1/2" Rev. Ratchet
S110P . . . . Ext. 5"
S140. . . . . Universal Joint
95 . . . . . .METAL BOX



MORE 1/2" SETS ON NEXT PAGE

Martin TOOL & FORGE

Socket Wrenches 1/2" Drive Chrome



S18K	LIST PRICE 247.10
ST1214 . . .7/16" 12 pt. Skt.	SF51. . . . . 10 1/2" Rev. Ratchet
ST1216 . . .1/2" 12 pt. Skt.	S110P . . . .Ext. 5"
ST1218 . . .9/16" 12 pt. Skt.	S115P . . . .Ext. 10"
ST1220 . . .5/8" 12 pt. Skt.	S20A. . . . . 11" Sliding Handle
ST1222 . . .11/16" 12 pt. Skt.	SH129 . . . .1/2"F x 3/8"M Adaptor
ST1224 . . .3/4" 12 pt. Skt.	SH130 . . . .1/2"F x 3/4"M Adaptor
ST1226 . . .13/16" 12 pt. Skt.	SF41. . . . . 17 1/2" Flex Handle
ST1228 . . .7/8" 12 pt. Skt.	S140. . . . . Universal Joint
ST1230 . . .15/16" 12 pt. Skt.	95 . . . . . Tool Box
ST1232 . . .1" 12 pt. Skt.	



S24K	LIST PRICE 292.20
ST1214 . . .7/16" 12 pt. Skt.	SD1216 . . .1/2" 12 pt. Deep Skt.
ST1216 . . .1/2" 12 pt. Skt.	SD1218 . . .9/16" 12 pt. Deep Skt.
ST1218 . . .9/16" 12 pt. Skt.	SD1220 . . .5/8" 12 pt. Deep Skt.
ST1220 . . .5/8" 12 pt. Skt.	SD1222 . . .11/16" 12 pt. Deep Skt.
ST1222 . . .11/16" 12 pt. Skt.	SD1224 . . .3/4" 12 pt. Deep Skt.
ST1224 . . .3/4" 12 pt. Skt.	SD1226 . . .13/16" 12 pt. Deep Skt.
ST1226 . . .13/16" 12 pt. Skt.	SD1228 . . .7/8" 12 pt. Deep Skt.
ST1228 . . .7/8" 12 pt. Skt.	SD1230 . . .15/16" 12 pt. Deep Skt.
ST1230 . . .15/16" 12 pt. Skt.	SF41. . . . . 17 1/2" Flex Handle
ST1232 . . .1" 12 pt. Skt.	SF51. . . . . 10 1/2" Rev. Ratchet
ST1234 . . .1 1/16" 12 pt. Skt.	S115P. . . . .Ext. 10"
ST1236 . . .1 1/8" 12 pt. Skt.	BX21. . . . . TOOL BOX
ST1240 . . .1 1/4" 12 pt. Skt.	



S36K 32 PIECES	LIST PRICE 420.60
ST1212 . . .3/8" 12 pt. Skt.	SD1216 . . .1/2" 12 pt. Deep Skt.
ST1214 . . .7/16" 12 pt. Skt.	SD1218 . . .9/16" 12 pt. Deep Skt.
ST1216 . . .1/2" 12 pt. Skt.	SD1220 . . .5/8" 12 pt. Deep Skt.
ST1218 . . .9/16" 12 pt. Skt.	SD1222 . . .11/16" 12 pt. Deep Skt.
ST1220 . . .5/8" 12 pt. Skt.	SD1224 . . .3/4" 12 pt. Deep Skt.
ST1222 . . .11/16" 12 pt. Skt.	SD1226 . . .13/16" 12 pt. Deep Skt.
ST1224 . . .3/4" 12 pt. Skt.	SD1228 . . .7/8" 12 pt. Deep Skt.
ST1226 . . .13/16" 12 pt. Skt.	SD1230 . . .15/16" 12 pt. Deep Skt.
ST1228 . . .7/8" 12 pt. Skt.	SD1232 . . .1" 12 pt. Deep Skt.
ST1230 . . .15/16" 12 pt. Skt.	SD1234 . . .1 1/16" 12 pt. Deep Skt.
ST1232 . . .1" 12 pt. Skt.	SD1236 . . .1 1/8" 12 pt. Deep Skt.
ST1234 . . .1 1/16" 12 pt. Skt.	S15 . . . . . 17 1/2" Speed Handle
ST1236 . . .1 1/8" 12 pt. Skt.	S20A. . . . . 11" Sliding Handle
ST1240 . . .1 1/4" 12 pt. Skt.	SF41. . . . . 17 1/2" Flex Handle
	S110P. . . . .Ext. 5"
	S140. . . . . Universal Joint
	SF51. . . . . 10 1/2" Rev. Ratchet
	S115P. . . . .Ext. 10"
	BX21. . . . . TOOL BOX

Socket Wrenches
1/2" Drive
Chrome

Martin TOOL & FORGE



Martin Now Offers Metric Sockets Manufactured to the Same Close Tolerances as U.S. Openings, Using the Same High Grade Alloy Steel, With Precise Attention to Quality of Design and Manufacturing.

1/2" Square Drive 12 Point Standard Depth — Metric

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D	Lbs.	Part No.	List Price Ea.		
9 mm	I	1 15/32	13/16	33/64	7/32	.09	STM1209	5.90	5	9 mm
10 mm	I	1 15/32	13/16	37/64	15/64	.09	STM1210	5.90	5	10 mm
11 mm	I	1 15/32	13/16	41/64	9/32	.09	STM1211	5.90	5	11 mm
12 mm	I	1 15/32	13/16	11/16	5/16	.10	STM1212	5.90	5	12 mm
13 mm	I	1 15/32	13/16	47/64	5/16	.10	STM1213	5.90	5	13 mm
14 mm	II	1 15/32	—	13/16	11/32	.12	STM1214	5.90	5	14 mm
15 mm	II	1 15/32	—	55/64	11/32	.13	STM1215	5.90	5	15 mm
16 mm	II	1 15/32	—	7/8	3/8	.13	STM1216	6.30	5	16 mm
17 mm	II	1 15/32	—	15/16	3/8	.17	STM1217	6.30	5	17 mm
18 mm	II	1 15/32	—	1	13/32	.14	STM1218	6.30	5	18 mm
19 mm	II	1 15/32	—	1 1/16	7/16	.19	STM1219	6.30	5	19 mm
20 mm	II	1 1/2	—	1 3/32	29/64	.17	STM1220	6.60	5	20 mm
21 mm	II	1 9/16	—	1 9/64	15/32	.24	STM1221	6.80	5	21 mm
22 mm	II	1 5/8	—	1 11/64	1/2	.24	STM1222	7.10	5	22 mm
24 mm	II	1 5/8	—	1 1/4	35/64	.29	STM1224	7.80	5	24 mm
27 mm	III	1 3/4	1 3/32	1 13/32	5/8	.30	STM1227	9.20	5	27 mm
30 mm	III	1 7/8	1 1/8	1 37/64	21/32	.40	STM1230	9.80	5	30 mm
32 mm	III	1 59/64	1 1/8	1 21/32	3/4	.44	STM1232	10.30	5	32 mm
36 mm	III	2	1 23/64	1 61/64	29/32	.46	STM1236	11.40	5	36 mm

METRIC



MS17K	LIST PRICE 192.80
STM1210 . . .10 mm 12 Pt. Skt.	STM1219 . . .19 mm 12 Pt. Skt.
STM1211 . . .11 mm 12 Pt. Skt.	STM1220 . . .20 mm 12 Pt. Skt.
STM1212 . . .12 mm 12 Pt. Skt.	STM1221 . . .21 mm 12 Pt. Skt.
STM1213 . . .13 mm 12 Pt. Skt.	STM1222 . . .22 mm 12 Pt. Skt.
STM1214 . . .14 mm 12 Pt. Skt.	STM1224 . . .24 mm 12 Pt. Skt.
STM1215 . . .15 mm 12 Pt. Skt.	SF51 . . . . . .10 1/2" Rev. Ratchet
STM1216 . . .16 mm 12 Pt. Skt.	SF41 . . . . . .17 1/2" Flex Handle
STM1217 . . .17 mm 12 Pt. Skt.	S110P. . . . . .Ext. 5"
STM1218 . . .18 mm 12 Pt. Skt.	95 . . . . . .Tool Box

METRIC



MS18K	LIST PRICE 132.10
STM1209 . . . 9 mm 12 Pt. Skt.	STM1219 . . .19 mm 12 Pt. Skt.
STM1210 . . .10 mm 12 Pt. Skt.	STM1220 . . .20 mm 12 Pt. Skt.
STM1211 . . .11 mm 12 Pt. Skt.	STM1221 . . .21 mm 12 Pt. Skt.
STM1212 . . .12 mm 12 Pt. Skt.	STM1222 . . .22 mm 12 Pt. Skt.
STM1213 . . .13 mm 12 Pt. Skt.	STM1224 . . .24 mm 12 Pt. Skt.
STM1214 . . .14 mm 12 Pt. Skt.	STM1227 . . .27 mm 12 Pt. Skt.
STM1215 . . .15 mm 12 Pt. Skt.	STM1230 . . .30 mm 12 Pt. Skt.
STM1216 . . .16 mm 12 Pt. Skt.	STM1232 . . .32 mm 12 Pt. Skt.
STM1217 . . .17 mm 12 Pt. Skt.	78 . . . . . .METAL TRAY
STM1218 . . .18 mm 12 Pt. Skt.	

Martin TOOL & FORGE

Socket Wrenches
1/2" Drive
Power/Impact



Martin Heavy Duty Power Impact Sockets are Specially Designed for Use with All Types of Power Wrenches. All Sockets are Hot Forged From the Finest Alloy Steels for Maximum Strength and Durability. Heat Treated By Carefully Controlled Methods, the Sockets are Accurately Broached in 6 Point Openings. All Power Impact Sockets are Finished in Rust Resistant Black Oxide.

1/2" Square Drive 6 Point Standard Depth

Opening	Type	Length	Drive End	Opening End	Opening Depth	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/8	I	1 15/32	15/16	21/32	5/32	.14	4612	4.20	5	3/8
7/16	I	1 15/32	15/16	45/64	7/32	.16	4614	4.20	5	7/16
1/2	I	1 15/32	15/16	25/32	7/64	.18	4616	4.30	5	1/2
9/16	I	1 15/32	15/16	55/64	21/64	.17	4618	4.30	5	9/16
5/8	II	1 15/32	—	15/16	3/8	.20	4620	4.40	5	5/8
11/16	II	1 1/2	—	1	3/8	.23	4622	4.90	5	11/16
3/4	II	1 1/2	—	1 5/64	7/16	.23	4624	4.80	5	3/4
13/16	II	1 9/16	—	1 5/32	29/64	.25	4626	5.00	5	13/16
7/8	II	1 5/8	—	1 7/32	1/2	.31	4628	5.60	5	7/8
15/16	II	1 5/8	—	1 19/64	35/64	.33	4630	6.20	5	15/16
1	III	1 11/16	1 5/64	1 23/64	35/64	.31	4632	6.60	5	1
1 1/16	III	1 3/4	1 3/32	1 7/16	5/8	.37	4634	8.10	5	1 1/16
1 1/8	III	1 13/16	1 7/64	1 1/2	21/32	.40	4636	8.90	5	1 1/8
1 1/4	III	1 59/64	1 1/8	1 41/64	3/4	.43	4640	9.70	5	1 1/4

1/2" Square Drive 6 Point Deep

Opening	Type	Length	Drive End	Opening End	Opening Depth	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/8	I	3 1/4	15/16	5/8	5/32	.42	14612	6.70	5	3/8
7/16	I	3 1/4	15/16	45/64	7/32	.42	14614	7.20	5	7/16
1/2	I	3 1/4	15/16	25/32	17/64	.43	14616	7.30	5	1/2
9/16	I	3 1/4	15/16	55/64	21/64	.43	14618	7.40	5	9/16
5/8	II	3 1/4	—	15/16	3/8	.40	14620	7.40	5	5/8
11/16	II	3 1/4	—	1	3/8	.37	14622	7.70	5	11/16
3/4	II	3 1/4	—	1 5/64	7/16	.45	14624	8.10	5	3/4
13/16	II	3 1/4	—	1 5/32	29/64	.49	14626	8.50	5	13/16
7/8	II	3 1/4	—	1 7/32	1/2	.54	14628	9.00	5	7/8
15/16	II	3 1/4	—	1 19/64	35/64	.62	14630	9.30	5	15/16
1	III	3 1/4	1 3/32	1 23/64	35/64	.57	14632	10.10	5	1
1 1/16	III	3 1/4	1 3/32	1 7/16	5/8	.62	14634	11.60	5	1 1/16
1 1/8	III	3 1/4	1 7/64	1 1/2	21/32	.62	14636	13.40	5	1 1/8
1 1/4	III	3 1/4	1 1/8	1 41/64	3/4	.73	14640	14.60	5	1 1/4

1/2" ATTACHMENTS

Item	Description	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
Universal	1/2 U-Joint	.44	4140A	23.60	5
Adaptor	1/2F x 3/8M	.13	42A	7.60	5
Adaptor	1/2F x 3/4M	.44	46	9.80	5
Extension	5" Extension	.67	4105A	9.70	5

Socket Wrenches 1/2" Drive Power/Impact

Martin TOOL & FORGE

Martin Heavy Duty Power Impact Sockets are Specially Designed for Use with All Types of Power Wrenches. All Sockets are Hot Forged From the Finest Alloy Steels for Maximum Strength and Durability. Heat Treated By Carefully Controlled Methods, the Sockets are Accurately Broached in 6 Point Openings. All Power Impact Sockets are Finished in Rust Resistant Black Oxide.

WARNING: Only Power Impact Sockets Should Be Used on Pneumatic or Electric Impact Wrenches. Never Use Chrome Sockets.

1/2" Drive 6 Point Standard Depth Set 13 Pieces

IS13K	$83.20	
4614 ..... 7/16"	4628 ..... 7/8"	
4616 ..... 1/2"	4630 ..... 15/16"	
4618 ..... 9/16"	4632 ..... 1"	
4620 ..... 5/8"	4634 ..... 1 1/16"	
4622 ..... 11/16"	4636 ..... 1 1/8"	
4624 ..... 3/4"	4640 ..... 1 1/4"	
4626 ..... 13/16"	151 ..... METAL TRAY	

1/2" Drive 6 Point Extra Depth Set 11 Pieces

IS11K	$93.30	
14612 ..... 3/8"	14624 ..... 3/4"	
14614 ..... 7/16"	14626 ..... 13/16"	
14616 ..... 1/2"	14628 ..... 7/8"	
14618 ..... 9/16"	14630 ..... 15/16"	
14620 ..... 5/8"	14632 ..... 1"	
14622 ..... 11/16"	120 ..... METAL TRAY	



Martin TOOL & FORGE

Socket Wrenches
3/4" Drive
Chrome



3/4" Square Drive 12 Point Standard Chrome

Opening	Type	Length	Drive End	Opening End	Opening Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/4	I	2	1 19/64	1 13/64	1/2	.40	H1224	11.60	5	3/4
13/16	II	2	—	1 19/64	1/2	.41	H1226	11.60	5	13/16
7/8	II	2	—	1 11/32	1/2	.35	H1228	11.60	5	7/8
15/16	II	2	—	1 3/8	35/64	.43	H1230	11.60	5	15/16
1	II	2 1/16	—	1 7/16	35/64	.50	H1232	11.60	5	1
1 1/16	III	2 1/16	1 7/16	1 9/16	5/8	.57	H1234	11.80	5	1 1/16
1 1/8	III	2 1/8	1 7/16	1 5/8	21/32	.65	H1236	12.00	5	1 1/8
1 1/4	III	2 3/16	1 9/16	1 13/16	3/4	.78	H1240	13.40	5	1 1/4
1 5/16	III	2 1/4	1 9/16	1 7/8	49/64	.79	H1242	14.90	3	1 5/16
1 3/8	III	2 1/4	1 9/16	1 7/8	25/32	.69	H1244	16.20	3	1 3/8
1 7/16	III	2 5/16	1 9/16	2 1/64	7/8	.87	H1246	17.40	3	1 7/16
1 1/2	III	2 5/16	1 35/64	2 3/32	55/64	.94	H1248	18.00	3	1 1/2
1 9/16	III	2 5/16	1 19/32	2 3/32	55/64	.91	H1250	19.50	3	1 9/16
1 5/8	III	2 3/8	1 19/32	2 5/32	1	.98	H1252	21.60	3	1 5/8
1 11/16	III	2 7/16	1 5/8	2 7/32	1	1.00	H1254	23.60	3	1 11/16
1 3/4	III	2 1/2	1 21/32	2 5/16	1 3/32	1.23	H1256	24.00	3	1 3/4
1 13/16	III	2 13/16	1 3/4	2 3/8	1 1/8	1.31	H1258	24.60	3	1 13/16
1 7/8	III	2 7/8	1 3/4	2 15/32	1 1/8	1.33	H1260	27.40	3	1 7/8
2	III	3	1 3/4	2 39/64	1 7/32	1.54	H1264	30.80	1	2
2 1/16	III	3 1/32	1 15/16	2 23/32	1 7/32	2.13	H1266	34.90	1	2 1/16
2 1/8	III	3 1/16	1 15/16	2 55/64	1 7/32	2.19	H1268	37.00	1	2 1/8
2 3/16	III	3 1/16	1 15/16	2 55/64	1 3/8	2.00	H1270	38.20	1	2 3/16
2 1/4	III	1 3/16	2	3 1/16	1 3/8	2.50	H1272	45.30	1	2 1/4
2 3/8	III	3 1/4	2	3 1/16	1 3/8	2.16	H1276	53.40	1	2 3/8

Item	Description	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
Flex Hdle.	21 5/8" Flexible Hdle.	5.63	H41A	61.40	1
Ratchet	21" Rev. Ratchet	5.38	H51	80.90	1
Repair Kit	Ratchet Repair Kit	1.00	H51RU	34.80	1
Extension	3 1/2" Extension	1.27	H104	18.60	1
Extension	8" Extension	2.25	H110	22.60	1
Extension	16" Extension	3.13	H115	31.20	1
Universal	U-Joint	1.08	H140	51.10	1



3/4" ATTACHMENTS

Socket Wrenches
3/4" Socket Sets
Chrome

Martin TOOL & FORGE



H12K	LIST PRICE 269.90
H1228 . . . 7/8" 12 Pt. Skt.	H1246 . . . 1 7/16" 12 Pt. Skt.
H1230 . . . 15/16" 12 Pt. Skt.	H1248 . . . 1 1/2" 12 Pt. Skt.
H1234 . . . 1 1/16" 12 Pt. Skt.	H1252 . . . 1 5/8" 12 Pt. Skt.
H1236 . . . 1 1/8" 12 Pt. Skt.	H51. . . . . Rev. Ratchet
H1240 . . . 1 1/4" 12 Pt. Skt.	H110. . . . . 8" Extension
H1242 . . . 1 5/16" 12 Pt. Skt.	96A. . . . . METAL BOX
H1244 . . . 1 3/8" 12 Pt. Skt.	



H17K	LIST PRICE 436.90
H1228 . . . 7/8" 12 Pt. Skt.	H1252 . . . 1 5/8" 12 Pt. Skt.
H1230 . . . 15/16" 12 Pt. Skt.	H1256 . . . 1 3/4" 12 Pt. Skt.
H1234 . . . 1 1/16" 12 Pt. Skt.	H1258 . . . 1 13/16" 12 Pt. Skt.
H1236 . . . 1 1/8" 12 Pt. Skt.	H1260 . . . 1 7/8" 12 Pt. Skt.
H1240 . . . 1 1/4" 12 Pt. Skt.	H1264 . . . 2" 12 Pt. Skt.
H1242 . . . 1 5/16" 12 Pt. Skt.	H51. . . . . Rev. Ratchet
H1244 . . . 1 3/8" 12 Pt. Skt.	H110. . . . . 8" Extension
H1246 . . . 1 7/16" 12 Pt. Skt.	H115. . . . . 16" Extension
H1248 . . . 1 1/2" 12 Pt. Skt.	237 . . . . . METAL BOX



H20K	LIST PRICE 520.90
H51. . . . . Rev. Ratchet	H1242 . . . 1 5/16" 12 pt. Skt.
H104. . . . . 3 1/2" Extension	H1244 . . . 1 3/8" 12 pt. Skt.
H110. . . . . 8" Extension	H1246 . . . 1 7/16" 12 pt. Skt.
H41A . . . . 21 5/8" Flexible Hdle.	H1248 . . . 1 1/2" 12 pt. Skt.
H1228 . . . 7/8" 12 pt. Skt.	H1252 . . . 1 5/8" 12 pt. Skt.
H1230 . . . 15/16" 12 pt. Skt.	H1254 . . . 1 11/16" 12 pt. Skt.
H1232 . . . 1" 12 pt. Skt.	H1256 . . . 1 3/4" 12 pt. Skt.
H1234 . . . 1 1/16" 12 pt. Skt.	H1258 . . . 1 13/16" 12 pt. Skt.
H1236 . . . 1 1/8" 12 pt. Skt.	H1260 . . . 1 7/8" 12 pt. Skt.
H1240 . . . 1 1/4" 12 pt. Skt.	H1264 . . . 2" 12 pt. Skt.
	237 . . . . . TOOL BOX



H22K	LIST PRICE 561.30
H51. . . . . Rev. Ratchet	H1240 . . . 1 1/4" 12 pt. Skt.
H104. . . . . 3 1/2" Extension	H1242 . . . 1 5/16" 12 pt. Skt.
H110. . . . . 8" Extension	H1244 . . . 1 3/8" 12 pt. Skt.
H115. . . . . 16" Extension	H1246 . . . 1 7/16" 12 pt. Skt.
H140. . . . . Universal Joint	H1248 . . . 1 1/2" 12 pt. Skt.
H1228 . . . 7/8" 12 pt. Skt.	H1250 . . . 1 9/16" 12 pt. Skt.
H1230 . . . 15/16" 12 pt. Skt.	H1252 . . . 1 5/8" 12 pt. Skt.
H1232 . . . 1" 12 pt. Skt.	H1254 . . . 1 11/16" 12 pt. Skt.
H1234 . . . 1 1/16" 12 pt. Skt.	H1256 . . . 1 3/4" 12 pt. Skt.
H1236 . . . 1 1/8" 12 pt. Skt.	H1258 . . . 1 13/16" 12 pt. Skt.
	H1260 . . . 1 7/8" 12 pt. Skt.
	H1264 . . . 2" 12 pt. Skt.
	237 . . . . . TOOL BOX

Martin TOOL & FORGE

Socket Wrenches 3/4" Drive Power/Impact



3/4" Square Drive 6 Point Standard Depth

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea.	Industrial Black		Std. Pkg.	Opening
		A	B	C	D	Lbs.	Part No.	List Price Ea.	Qty.	
5/8	I	2 1/8	1 7/64	1 5/8	9/32	.65	6620	10.40	5	5/8
11/16	I	2 1/8	1 11/64	1 5/8	5/16	.66	6622	10.40	5	11/16
3/4	I	2 1/8	1 5/8	1 15/64	9/16	.67	6624	10.50	5	3/4
13/16	I	2 1/8	1 5/8	1 23/64	39/64	.75	6626	10.50	5	13/16
7/8	I	2 1/8	1 5/8	1 1/2	39/64	.91	6628	10.60	5	7/8
15/16	I	2 1/8	1 5/8	1 9/16	19/32	.77	6630	10.60	5	15/16
1	II	2 1/8	—	1 5/8	35/64	.85	6632	10.90	5	1
1 1/16	II	2 1/8	—	1 11/16	13/16	.83	6634	12.10	5	1 1/16
1 1/8	II	2 1/8	—	1 3/4	13/16	.92	6636	12.30	5	1 1/8
1 3/16	III	2 1/8	1 3/4	1 7/8	7/8	.94	6638	12.90	5	1 3/16
1 1/4	III	2 1/8	1 7/8	2	29/32	1.24	6640	12.90	3	1 1/4
1 5/16	III	2 1/8	1 7/8	2	49/64	1.38	6642	14.20	3	1 5/16
1 3/8	III	2 1/4	1 7/8	2 1/8	25/32	1.38	6644	15.30	3	1 3/8
1 7/16	III	2 1/4	1 7/8	2 1/8	51/64	1.33	6646	16.50	3	1 7/16
1 1/2	III	2 1/2	1 7/8	2 5/16	55/64	1.71	6648	16.60	3	1 1/2
1 9/16	III	2 1/2	2 13/32	1 15/16	55/64	1.80	6650	18.40	3	1 9/16
1 5/8	III	2 1/2	2 7/16	1 15/16	1	1.83	6652	18.60	3	1 5/8
1 11/16	III	2 5/8	2 1/2	1 15/16	1	1.90	6654	19.20	3	1 11/16
1 3/4	III	2 5/8	2 9/16	1 15/16	1	2.01	6656	19.20	3	1 3/4
1 13/16	III	2 5/8	2 5/8	1 15/16	1	2.16	6658	19.20	3	1 13/16
1 7/8	III	2 3/4	2 23/32	1 15/16	1 1/16	2.20	6660	20.30	3	1 7/8
1 15/16	III	2 3/4	2 13/16	1 15/16	1 1/16	2.25	6662	21.30	3	1 15/16
2	III	2 7/8	2 15/16	1 15/16	1 1/16	2.30	6664	24.90	3	2

3/4" Square Drive 6 Point Deep Socket

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea.	Industrial Black		Std. Pkg.	Opening
		A	B	C	D	Lbs.	Part No.	List Price Ea.	Qty.	
3/4	I	3 1/8	1 5/8	1 15/64	9/16	1.10	16624	14.50	5	3/4
13/16	I	3 1/8	1 5/8	1 23/64	39/64	1.14	16626	14.60	5	13/16
7/8	I	3 1/8	1 5/8	1 1/2	39/64	1.24	16628	14.90	5	7/8
15/16	I	3 1/8	1 5/8	1 9/16	19/32	1.10	16630	15.00	5	15/16
1	II	3 1/8	—	1 5/8	35/64	1.30	16632	15.20	5	1
1 1/16	I	3 1/2	1 3/4	1 5/8	13/16	1.42	16634	15.50	5	1 1/16
1 1/8	I	3 1/2	1 3/4	1 11/16	13/16	1.39	16636	15.60	3	1 1/8
1 3/16	I	3 1/2	1 7/8	1 13/16	13/16	1.63	16638	18.80	3	1 3/16
1 1/4	I	3 1/2	1 7/8	1 13/16	29/32	1.58	16640	18.80	3	1 1/4
1 5/16	III	3 1/2	1 7/8	2	7/8	2.02	16642	20.80	3	1 5/16
1 3/8	III	3 1/2	1 7/8	2 1/8	7/8	2.13	16644	23.30	3	1 3/8
1 7/16	III	3 1/2	1 7/8	2 1/8	7/8	2.00	16646	23.30	3	1 7/16
1 1/2	III	3 1/2	1 7/8	2 5/16	55/64	2.33	16648	26.10	3	1 1/2



3/4" ATTACHMENTS

Item	Description	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
Adaptor	3/4F x 1/2M	.06	64A	12.20	5
Adaptor	3/4 x 1M	.06	67	16.40	5
Extension	7" Extension	1.77	6107	32.10	5
Retainer Pin	Pin for 6624 to 6648 & 16624 to 16648 & 6607 & 76	.01	6576	1.20	1
O-Ring	Ring for 6624 to 6638 & 16624 to 16636 & 6107	.01	6577	1.60	1
O-Ring	Ring for 6640 to 6648 & 16638 to 16648 & 76	.01	6578	1.60	1

Socket Wrenches
3/4" Drive
Power/Impact

Martin TOOL & FORGE

Martin Heavy Duty Power Impact Sockets are Specially Designed for Use with All Types of Power Wrenches. All Sockets are Hot Forged From the Finest Alloy Steels for Maximum Strength and Durability. Heat Treated By Carefully Controlled Methods, the Sockets are Accurately Broached in 6 Point Openings. All Power Impact Sockets are Finished in Rust Resistant Black Oxide.

WARNING: Only Power Impact Sockets Should Be Used on Pneumatic or Electric Impact Wrenches. Never Use Chrome Sockets.

3/4" Drive 6 Point Deep 8 Pieces

IH8K	$141.90	
16628 ..... 7/8"	16636 ..... 1 1/8"	
16630 ..... 15/16"	16640 ..... 1 1/4"	
16632 ..... 1"	16642 ..... 1 5/16"	
16634 ..... 1 1/16"	16648 ..... 1 1/2"	

3/4" Drive 6 Point Standard 9 Pieces

IH9K	$110.60	
6624 ..... 3/4"	6634 ..... 1 1/16"	
6626 ..... 13/16"	6636 ..... 1 1/8"	
6628 ..... 7/8"	6638 ..... 1 3/16"	
6630 ..... 15/16"	6640 ..... 1 1/4"	
6632 ..... 1"	84 ..... METAL TRAY	

Martin TOOL & FORGE

Socket Wrenches 1″ Drive Chrome



TYPE III

1″ Square Drive 12 Point Standard Chrome

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Chrome		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
1 7/16	III	2 1/2	1 3/4	2	7/8	.94	X1246	25.10	1	1 7/16
1 1/2	III	2 9/16	1 3/4	2 1/8	55/64	1.06	X1248	25.70	1	1 1/2
1 5/8	III	2 11/16	1 3/4	2 1/4	1	1.06	X1252	27.30	1	1 5/8
1 11/16	III	2 3/4	1 15/16	2 3/8	1	1.50	X1254	33.10	1	1 11/16
1 3/4	III	2 13/16	1 15/16	2 1/2	1 3/32	1.50	X1256	33.50	1	1 3/4
1 13/16	III	2 7/8	1 15/16	2 9/16	1 1/8	1.63	X1258	34.30	1	1 13/16
1 7/8	III	2 15/16	2 1/4	2 5/8	1 1/8	1.94	X1260	39.70	1	1 7/8
1 15/16	III	3	2 1/4	2 3/4	1 7/32	2.25	X1262	42.50	1	1 15/16
2	III	3	2 1/4	2 3/4	1 7/32	2.19	X1264	43.60	1	2
2 1/8	III	3 1/16	2 1/4	2 15/16	1 3/8	2.44	X1268	54.00	1	2 1/8
2 3/16	III	3 1/8	2 1/4	3	1 3/8	2.50	X1270	57.30	1	2 3/16
2 1/4	III	3 3/16	2 1/4	3 1/16	1 3/8	2.38	X1272	59.90	1	2 1/4
2 5/16	III	3 1/4	2 1/4	3 5/32	1 3/8	2.69	X1274	64.90	1	2 5/16
2 3/8	III	3 5/16	2 1/4	3 1/4	1 3/8	2.88	X1276	69.30	1	2 3/8
2 7/16	III	3 3/8	2 1/4	3 5/16	1 3/8	2.88	X1278	77.90	1	2 7/16
2 1/2	III	3 7/16	2 1/4	3 3/8	1 3/8	3.00	X1280	79.90	1	2 1/2
2 9/16	III	3 1/2	2 1/4	3 3/8	1 1/2	3.13	X1282	88.80	1	2 9/16
2 5/8	III	3 9/16	2 1/4	3 9/16	1 3/4	3.63	X1284	93.80	1	2 5/8
2 3/4	III	3 11/16	2 43/64	3 23/32	1 3/4	4.63	X1288	103.60	1	2 3/4
2 13/16	III	3 3/4	2 43/64	3 53/64	1 3/4	5.13	X1290	117.60	1	2 13/16
2 15/16	III	3 7/8	2 43/64	3 61/64	2	5.25	X1294	118.70	1	2 15/16
3	III	3 15/16	2 43/64	4 1/64	2	5.56	X1296	129.50	1	3
3 1/8	III	4 1/16	2 43/64	4 11/64	2 13/64	5.25	X12100	138.20	1	3 1/8
3 3/8	III	4 1/16	2 43/64	4 17/32	2 13/64	6.31	X12108	140.40	1	3 3/8
3 1/2	III	4 1/16	2 43/64	4 11/16	2 13/64	6.50	X12112	142.90	1	3 1/2

Item	Description	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
Ratchet	30″ Rev. Ratchet	7.94	X51	159.30	1
Repair Kit	Ratchet Repair Kit	1.13	X51RU	60.60	1
Extension	8″ Extension	2.31	X108	40.90	1
Extension	17″ Extension	4.31	X117	52.70	1
Flex Handle	26″ Flexible Hdle.	8.19	X41A	131.10	1


1″ ATTACHMENTS

X21K	LIST PRICE 1490.50
X1246 . . . . 1 7/16″ 12 Pt. Std. Skt.	X1276 . . 2 3/8″ 12 pt. Std. Skt.
X1248 . . . . 1 1/2″ 12 Pt. Std. Skt.	X1280 . . 2 1/2″ 12 pt. Std. Skt.
X1252 . . . . 1 5/8″ 12 Pt. Std. Skt.	X1284 . . 2 5/8″ 12 pt. Std. Skt.
X1254 . . . . 1 11/16″ 12 Pt. Std. Skt.	X1288 . . 2 3/4″ 12 pt. Std. Skt.
X1256 . . . . 1 3/4″ 12 Pt. Std. Skt.	X1294 . . 2 15/16″ 12 pt. Std. Skt.
X1258 . . . . 1 13/16″ 12 Pt. Std. Skt.	X12100 3 1/8″ 12 pt. Std. Skt.
X1260 . . . . 1 7/8″ 12 Pt. Std. Skt.	X51 . . . . REVERSIBLE RATCHET
X1264 . . . . 2″ 12 Pt. Std. Skt.	X108 . . . 8″ EXTENSION
X1268 . . . . 2 1/8″ 12 Pt. Std. Skt.	X117 . . . 17″ EXTENSION
X1270 . . . . 2 3/16″ 12 Pt. Std. Skt.	X41A . . . FLEXIBLE HANDLE
X1272 . . . . 2 1/4″ 12 Pt. Std. Skt.	299 . . . . METAL BOX



Socket Wrenches 1″ Drive Power/Impact

Martin TOOL & FORGE



1″ Drive 6 Point Standard

Opening	Type	Length	Drive End	Opening End	Minimum Depth	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.	Opening
		A	B	C	D		Part No.	List Price Ea.		
3/4	I	2 1/4	2	1 7/16	1 1/4	1.13	7624	16.30	1	3/4
13/16	I	2 1/4	2	1 7/16	1 1/4	1.00	7626	16.30	1	13/16
7/8	I	2 9/32	2	1 17/32	45/64	1.06	7628	16.50	1	7/8
15/16	I	2 9/32	2	1 9/16	23/32	1.06	7630	16.80	1	15/16
1	I	2 13/32	2	1 21/32	49/64	1.19	7632	16.80	1	1
1 1/16	I	2 13/32	2	1 3/4	13/64	1.25	7634	17.00	1	1 1/16
1 1/8	I	2 13/32	2	1 13/16	27/64	1.25	7636	17.00	1	1 1/8
1 3/16	II	2 17/32	—	2 1/16	29/32	1.50	7638	17.10	1	1 3/16
1 1/4	II	2 17/32	—	2 1/16	29/32	1.50	7640	17.40	1	1 1/4
1 5/16	II	2 17/32	—	2 1/16	49/64	1.44	7642	18.20	1	1 5/16
1 3/8	III	2 1/2	2 1/16	2 1/4	49/64	1.69	7644	18.40	1	1 3/8
1 7/16	III	2 1/2	2 1/16	2 1/4	55/64	1.63	7646	18.60	1	1 7/16
1 1/2	III	2 1/2	2 1/16	2 1/4	55/64	1.56	7648	18.60	1	1 1/2
1 9/16	III	2 1/2	2 1/16	2 1/2	1	1.75	7650	21.00	1	1 9/16
1 5/8	III	2 1/2	2 1/16	2 1/2	1	1.81	7652	21.00	1	1 5/8
1 11/16	III	2 5/8	2 1/16	2 1/2	1	1.88	7654	23.30	1	1 11/16
1 3/4	III	2 5/8	2 3/8	2 3/4	1	2.50	7656	24.30	1	1 3/4
1 13/16	III	2 5/8	2 3/8	2 3/4	1 1/16	2.50	7658	26.10	1	1 13/16
1 7/8	III	2 3/4	2 3/8	2 3/4	1 1/16	2.56	7660	26.20	1	1 7/8
1 15/16	III	2 3/4	2 3/8	2 63/64	1 1/16	3.00	7662	29.30	1	1 15/16
2	III	2 7/8	2 3/8	2 63/64	1 11/64	2.88	7664	31.30	1	2
2 1/16	III	2 7/8	2 3/8	2 63/64	1 11/64	2.81	7666	32.00	1	2 1/16
2 1/8	III	3	2 3/8	3 1/4	1 13/64	3.63	7668	37.90	1	2 1/8
2 3/16	III	3	2 3/8	3 1/4	1 9/32	3.38	7670	38.80	1	2 3/16
2 1/4	III	3	2 3/8	3 1/4	1 9/32	3.19	7672	40.00	1	2 1/4
2 5/16	III	3 1/16	2 3/8	3 1/2	1 5/16	3.88	7674	41.30	1	2 5/16
2 3/8	III	3 1/16	2 3/8	3 1/2	1 23/64	3.75	7676	54.00	1	2 3/8
2 7/16	III	3 1/8	2 3/8	3 1/2	1 3/8	3.44	7678	55.00	1	2 7/16
2 1/2	III	3 3/16	2 3/8	3 1/2	1 1/2	3.78	7680	61.20	1	2 1/2
2 5/8	III	3 3/8	2 43/64	3 45/64	1 3/4	4.75	7684	85.40	1	2 5/8
2 3/4	III	3 9/16	2 43/64	3 53/64	1 3/4	4.94	7688	79.20	1	2 3/4
2 15/16	III	3 3/4	2 43/64	4 1/64	2	5.56	7694	96.20	1	2 15/16
3	III	3 13/16	2 43/64	4 11/64	2	5.75	7696	97.20	1	3
3 1/8	III	3 15/16	2 43/64	4 11/64	2 13/64	5.63	76100	114.70	1	3 1/8
3 3/8	III	4 3/16	2 43/64	4 17/32	2 13/64	7.06	76108	117.00	1	3 3/8
3 1/2	III	4 5/16	2 43/64	4 11/16	2 13/64	7.25	76112	118.40	1	3 1/2



1″ POWER OR IMPACT ATTACHMENTS

Item	Description	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
Adaptor	1F x 3/4M	1.00	76	25.10	1
Extension	7″ Extension	3.56	7107	45.40	1
Retainer Pin	Pin for 7624 thru 7654 & 7107	.02	8576	1.20	1
Retainer Pin	Pin for 7656 thru 76112	.02	8580	1.20	1
"O" Ring	Ring for 7624 thru 7654 & 7107	.01	8577	2.40	1
"O" Ring	Ring for 7656 thru 76112	.01	8578	2.40	1

Martin TOOL & FORGE

Hammer Index

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.

Hammer Index

STANDARD BALL PEEN HAMMER G SERIES		Mechanics and machinists are but two of the many taking advantage of the ball peen hammer. The peen is employed for riveting, peening, and on gaskets while the low crown chamfered face delivers optimum power without chipping. Face, peen and ball surfaces are polished and premium second growth hickory handle is sealed in a lacquer finish for long life. **WARNING: "Always Wear Safety Goggles."**	Page 67
UTILITY BALL PEEN HAMMER D SERIES		Volume users employ this economical hammer which has all of the features of the "G" series except the surfaces are not polished. Rust-resistant hand finish and second growth hickory handle ensure maximum durability. **WARNING: "Always Wear Safety Goggles."**	Page 67
CROSS PEEN ENGINEER/ BLACKSMITH HAND HAMMER		With the cross peen head and the sturdy face chamfered and polished, this hammer offers its user versatility combined with balance and durability. Rust-resistant industrial black finish and second growth hickory handle team up to provide long life and dependable use. **WARNING: "Always Wear Safety Goggles."**	Page 68
DOUBLE FACED ENGINEER'S BLACKSMITH'S HAMMER		Accurate distribution of head weight and sturdy handle deliver power within a confined area. Industrial black finish and polished faces on the head and second growth hickory handle provide long life. **WARNING: "Always Wear Safety Goggles."**	Page 68
HAND DRILLING HAMMER		Mechanics, masons, and miners are merely a few of the many that appreciate the perfect balance of this sturdy hammer. Ideal for a wide range of applications, the hammer has a short, thick second growth hickory handle and an industrial black head with chamfered and polished faces. **WARNING: "Always Wear Safety Goggles."**	Page 68

All of our hammers have a comfortable handle and are balanced for long hard use.

Hammer Index

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.

Martin TOOL & FORGE

Hammer Index

BRICK HAMMER		Drop forged and accurately heat treated, Martin's brick hammers have sharp cornered heads that split bricks cleanly and easily. The recess below the head prevents spalling of brick face. Chisel end cuts brick to shape. The head has an industrial black rust-resistant finish with a polished face and the balanced handle is made of second growth hickory with a lacquered finish. **WARNING: "Always Wear Safety Goggles."**	Page 70
TINNER'S RIVETING HAMMER		A lightweight yet extremely durable cross peen hammer ideal for small work. Both the face and peen are polished with a rust-resistant industrial black body and a fully balanced second growth hickory handle with a lacquered finish. **WARNING: "Always Wear Safety Goggles."**	Page 70
SCALING HAMMER (BOILER PICK)		Used for chipping boiler scale, rust, paint, etc., this balanced hammer is also employed by welders. For maximum scaling capacity the peens have been sharpened and polished. An industrial black body tops the finely crafted second growth hickory handle. **WARNING: "Always Wear Safety Goggles."**	Page 69
SETTING PANEING HAMMER		Excellent for precision work on cramped right angle jobs, this hammer's head is grooved, polished and finished in rust-resistant industrial black. The hammer's second growth hickory handle ensures balance and durability. **WARNING: "Always Wear Safety Goggles."**	Page 69
SLEDGE HAMMER		For the big jobs with a multitude of applications, these hammers are available in head weights ranging from 4 to 16 lbs. The faces are chamfered and polished, then finished in rust-resistant industrial black for ultimate performance. The handles are expertly constructed of second growth hickory then sealed with a lacquered finish. **WARNING: "Always Wear Safety Goggles."**	Page 69

Martin TOOL & FORGE

Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.



Standard Ball Peen — G Series

Head Weight	Overall Length	Head Length	Bell Dia.	Face	Peen	Replacement Handle	Weight With Handle	Industrial Black Head Finish		Std. Pkg. Qty.	Head Weight
		A	B	C	D			Part No.	List Price Ea.		
2 oz.	9 1/2	2 1/16	5/8	5/8	17/32	HH49	.25	101G	11.00	6	2 oz.
4 oz.	9 1/2	2 1/2	3/4	3/4	5/8	HH50	.37	102G	11.20	6	4 oz.
8 oz.	11 5/8	3 1/8	15/16	13/16	25/32	HH53	.66	103G	11.80	6	8 oz.
12 oz.	13 1/4	3 3/4	1 3/32	15/16	15/16	HH56	1.0	104G	12.40	6	12 oz.
1 lb.	14 1/4	4	1 5/32	63/64	1	HH59	1.3	105G	13.70	6	1 lb.
1 1/4 lb.	14 1/2	4 3/16	1 9/32	1 1/8	1 3/64	HH63	1.5	106G	14.40	6	1 1/4 lb.
1 1/2 lb.	14 3/4	4 9/16	1 21/64	1 9/64	1 1/8	HH63	1.8	107G	15.80	6	1 1/2 lb.
2 lb.	15 1/4	5	1 1/2	1 9/32	1 1/4	HH66	2.4	108G	17.60	4	2 lb.
2 1/2 lb.	16 1/4	5 7/16	1 21/32	1 27/64	1 23/64	HH69	3.0	109G	19.70	4	2 1/2 lb.
3 lb.	16 1/4	5 7/8	1 23/32	1 15/32	1 15/32	HH71	3.4	110G	22.60	4	3 lb.



Utility Ball Peen — D Series

Head Weight	Overall Length	Head Length	Bell Dia.	Face	Peen	Replacement Handle	Weight With Handle	Shot Blasted Head Finish		Std. Pkg. Qty.	Head Weight
		A	B	C	D			Part No.	List Price Ea.		
8 oz.	11 5/8	3 1/8	15/16	13/16	25/32	HH53	.66	63D	10.60	6	8 oz.
12 oz.	13 1/4	3 3/4	1 3/32	15/16	15/16	HH56	1.0	64D	11.30	6	12 oz.
1 lb.	14 1/4	4	1 5/32	63/64	1	HH59	1.3	65D	12.30	6	1 lb.
1 1/4 lb.	14 1/2	4 3/16	1 9/32	1 1/8	1 3/64	HH63	1.5	66D	13.10	6	1 1/4 lb.
1 1/2 lb.	14 3/4	4 9/16	1 21/64	1 9/64	1 1/8	HH63	1.8	67D	14.20	6	1 1/2 lb.
2 lbs.	15 1/4	5	1 1/2	1 9/32	1 1/4	HH66	2.4	68D	15.80	4	2 lbs.
2 1/2 lbs.	16 1/4	5 7/16	1 21/32	1 27/64	1 23/64	HH69	3.0	69D	17.80	4	2 1/2 lbs.
3 lbs.	16 1/4	5 7/8	1 23/32	1 15/32	1 15/32	HH71	3.4	70D	20.30	4	3 lbs.

Always wear eye protection. A hammer blow should always be struck squarely. Avoid glancing blows. Never use hammers, punches or chisels with "mushroomed" heads.

Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.

Martin TOOL & FORGE

WARNING: Never use Hammers with "Mushroomed" heads. They may chip and cause injury.
"ALWAYS WEAR SAFETY GOGGLES."



Cross Peen Engineer / Blacksmith Hand

Head Weight	Overall Length	Head Length A	Bell Dia. B	Face C	Peen D	Replacement Handle	Weight With Handle	Industrial Black Head Finish Part No.	Industrial Black Head Finish List Price Ea.	Std. Pkg. Qty.	Head Weight
2 lbs.	15 1/2	4 3/4	1 1/2	1 9/32	3/16R	HH45	2.7	121G	17.90	4	2 lb.
2 1/2 lbs.	15 1/2	5 1/16	1 9/16	1 11/32	3/16R	HH45	3.2	122G	19.10	4	2 1/2 lb.
3 lbs.	15 1/2	5 1/4	1 5/8	1 25/64	1/4R	HH45	3.7	123G	20.30	4	3 lb.





Double Faced Engineer's / Blacksmith

Head Weight	Overall Length	Head Length A	Bell Dia. B	Face C	Replacement Handle	Weight With Handle	Industrial Black Head Finish Part No.	Industrial Black Head Finish List Price Ea.	Std. Pkg. Qty.	Head Weight
2 lbs.	15 1/2	4	1 1/2	1 9/32	HH45	2.7	141G	17.30	4	2 lb.
2 1/2 lbs.	15 1/2	4 1/2	1 1/2	1 9/32	HH45	3.2	142G	18.20	4	2 1/2 lb.
3 lbs.	15 1/2	5 1/16	1 9/16	1 11/32	HH45	3.7	143G	20.30	4	3 lb.





Hand Drilling

Head Weight	Overall Length	Head Length A	Bell Dia. B	Face C	Replacement Handle	Weight With Handle	Industrial Black Head Finish Part No.	Industrial Black Head Finish List Price Ea.	Std. Pkg. Qty.	Head Weight
2 lbs.	10 1/2	4 1/16	1 3/8	1 3/32	HH92	2.6	192G	18.20	4	2 lbs.
3 lbs.	10 1/2	4 3/8	1 1/2	1 9/32	HH92	3.6	193G	19.90	4	3 lbs.
4 lbs.	10 1/2	4 5/8	1 5/8	1 25/64	HH92	4.4	194G	21.30	4	4 lbs.



Martin TOOL & FORGE

Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.



Scaling Hammer (Boiler Pick)

Head Weight	Overall Length	Head Length A	Face Length B	Face Radius C	Replacement Handle	Weight With Handle Lbs.	Industrial Black Head Finish Part No.	Industrial Black Head Finish List Price Ea.	Std. Pkg. Qty.	Head Weight
1 lb.	14	5 9/16	1 1/32	1/16	HH63	1.4	132G	13.60	6	1 lb.





Setting Paneing Hammer

Head Weight	Overall Length	Head Length A	Head Width B	Face Width C	Replacement Handle	Weight With Handle Lbs.	Industrial Black Head Finish Part No.	Industrial Black Head Finish List Price Ea.	Std. Pkg. Qty.	Head Weight
12 oz.	13 1/2	4 13/16	7/8	3/4	HH801	1.1	30G	18.10	6	12 oz.
1 lb.	13 1/2	5 1/16	15/16	13/16	HH801	1.4	31G	20.30	6	1 lb.



Sledge Hammer

Head Weight	Head Length	Face Width	Handle Length	Replacement Handle	Weight With Handle Lbs.	Industrial Black Head Finish Part No.	Industrial Black Head Finish List Price Ea.	Std. Pkg. Qty.	Head Weight
4 lbs.	5 7/4	1 13/16	18	HH418	4.3	S844SH	20.10	5	4 lbs.
6 lbs.	6	2 1/8	32	HH6810	7.1	S846H	29.30	5	6 lbs.
8 lbs.	6 1/2	2 1/4	32	HH6810	9.1	S848H	31.50	5	8 lbs.
10 lbs.	7	2 1/2	32	HH6810	11.1	S8410H	36.40	5	10 lbs.
12 lbs.	7 1/2	2 5/8	34	HH1216	13.2	S8412H	40.50	5	12 lbs.
16 lbs.	8 1/4	2 7/8	34	HH1216	17.2	S8416H	52.60	4	16 lbs.

Always wear eye protection. A hammer blow should always be struck squarely. Avoid glancing blows. Never use hammers, punches or chisels with "mushroomed" heads.

Hammers

Only Martin Provides This Added Warranty — If a Hammer Head Should Loosen at Any Time, Return It for Handle Replacement or a New Hammer.

Martin TOOL & FORGE



WARNING: Always wear Safety Goggles.



Brick Hammer

Head Weight	Overall Length	Replacement Handle	Weight With Handle Lbs.	Industrial Black Head Finish		Std. Pkg. Qty.	Head Weight
				Part No.	List Price Ea.		
1½ lbs.	11	HH47	2.0	173	22.30	6	1½ lb.





Tinner's Riveting Hammer

Head Weight	Overall Length	Head Length	Head Width	Face Width	Replacement Handle	Weight With Handle Lbs.	Industrial Black Head Finish		Std. Pkg. Qty.	Head Weight
		A	B	C			Part No.	List Price Ea.		
4 oz.	9¼	3¹¹⁄₁₆	⁹⁄₁₆	¹⁵⁄₃₂	HH49	.38	25G	14.60	6	4 oz.
8 oz.	11	4¼	¾	²¹⁄₃₂	HH53	.76	26G	15.70	6	8 oz.
12 oz.	13½	4¾	²⁹⁄₃₂	²⁵⁄₃₂	HH801	1.1	27G	15.50	6	12 oz.
1 lb.	14	5⅛	³¹⁄₃₂	²⁷⁄₃₂	HH801	1.4	28G	19.40	6	1 lb.



Hickory Hammer Handles

Part Number	List Price Ea.	Std. Pkg. Qty.	Approx. Length	Use For
HH42A18	6.00	12	18	165 Body Hammer
HH42B	4.80	12	12	All Body Hammers (Except 165 & 155)
HH45	5.60	12	16	Cross Peen and Double Face Eng. and 155
HH47	5.40	12	11½	Brick Hammer
HH49	5.40	12	9¾	2 oz. Ball Peen
HH50	5.40	12	10	4 oz. Ball Peen
HH53	5.40	12	12	8 oz. Ball Peen
HH56	5.50	12	13½	12 oz. Ball Peen
HH59	5.50	12	14½	1 lb. Ball Peen
HH63	5.80	12	15⅛	1¼, 1½ Ball Peen and Scaling
HH66	5.80	12	16	2 lb. Ball Peen
HH69	5.90	12	17	2½ lb. Ball Peen
HH71	5.90	12	17	3 lb. Ball Peen
HH92	4.90	12	10½	All Hand Drilling
HH801	5.90	12	13¾	All Riveting and Settling
HH418	4.90	12	15	Short Handle Sledge
HH6810	13.50	12	33	6, 8 & 10 lb. Sledge
HH1216	13.50	12	35	12 & 16 lb. Sledge

Martin TOOL & FORGE

Mechanics Tools Index

Mechanics Tools Index

ADJUSTABLE AUTO WRENCH		Also called a "Monkey Wrench" suited for general repair work, 3" opening.	Page 76
C CLAMP		Deep throat C clamps. Fatigue proof copper plated spindles. From 2" to 12" capacities.	Page 76
EYE BOLTS		Available in plain and shoulder patterns. 1/4" to 1 1/2" shank diameter and eyes from 3/4" to 2 1/2". All are threaded UNC.	Page 76
HEX KEYS		Available in sets from 7 to 14 pieces. From 5/64" to 5/8" hex.	Page 77
PRY BAR		General purpose pry or pinch bar. Also called a "jimmy" bar. From 16" to 30" long. Available Chrome or Black.	Page 77
ROLLING HEAD BAR		Used for aligning and adjusting mating items. From 12" to 18" long. Available in Chrome or Black.	Page 77
CRANK HANDLES		Furnished either unfinished or with a square broached opening. Wide variety of OEM uses. Specials are available to meet your needs.	Page 75
PLIERS		Slip joint and grooved pliers to suit a wide variety of heavy duty applications.	Page 74
LINEMEN CUTTING & LONG-NOSE PLIERS		Pliers for heavy duty construction jobs or for precision work on electronic applications. Great for electrical equipment installation. Handles fit comfortably in your hand.	Page 73
SCREW-DRIVERS		Screwdrivers are of Chrome vanadium steel for superior strength. Available in round blade, square blade and stubby. Standard and Phillips tips. Handles are shaped to fit your hand comfortably while allowing maximum torque transfer.	Page 72

Screwdrivers

Martin TOOL & FORGE

Chrome Vanadium Steel Blades

Highly Resistant to Wear and Fatigue, thus High-Tech Material Possesses Overall Superior Tensile Strength and Antifatigue Characteristics.

Rust and Corrosion Resistant Finish

Bonding Agent Fuses to Blade, Resulting in a High Gloss Protective Finish, Keeping Screwdriver Attractive and in Use for Years.

WARNING: Plastic handles are not intended to act as insulation. Never use screwdrivers as prybars or chisels.

NARROW TIP, ROUND SHANK

Cabinet and Electrical Screwdrivers

Blade Length	Blade Width	Type	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
4	3/16	Cabinet	.14	SDE4	5.00	6
6	3/16	Electrical	.15	SDE6	5.20	6
8	3/16	Electrical	.16	SDE8	5.40	6

WIDENED TIP, ROUND SHANK

Mechanic's and Heavy Duty Screwdrivers

Blade Length	Blade Width	Type	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
4	1/4	Mechanic's	.20	SDR4	5.00	6
6	5/16	Heavy Duty	.30	SDR6	6.30	6
8	3/8	Heavy Duty	.49	SDR8	8.10	6

PRECISION HEAD, ROUND SHANK

Phillips Screwdrivers

Blade Length	Phillips Size	Type	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
3	No. 1	Phillips	.13	SDP3	4.40	6
4	No. 2	Phillips	.20	SDP4	6.20	6
6	No. 3	Phillips	.30	SDP6	7.80	6

STURDY TIP, SQUARE SHANK

Square-Blade Screwdrivers

Blade Length	Blade Width	Type	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
4	1/4	Square	.21	SDS4	5.80	6
6	5/16	Square	.34	SDS6	7.70	6
8	3/8	Square	.55	SDS8	9.20	6
10	3/8	Square	.62	SDS10	10.70	6
12	3/8	Square	.70	SDS12	12.60	6



TIGHT CLEARANCE, STURDY

Stubby Screwdrivers

Blade Length	Width/ Size	Type	Wt. Ea. Lbs.	Part No.	List Price Ea.	Std. Pkg. Qty.
1 1/2	1/4	Stubby	.10	SDS1	4.10	6
1 1/2	No. 2	Phillips Stubby	.10	SDP1	4.10	6

Martin TOOL & FORGE

Pliers, Plastic Grip

WARNING: Plastic covered plier handles are not intended to act as insulation. Do not use on live electric circuits. "ALWAYS WEAR SAFETY GOGGLES"



Lineman's Plier

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	List Price Each	Std. Pkg. Qty.
7 1/4	1 1/4	7/8	1/2	.44	P307	20.80	6
8 1/2	1 1/4	1 1/16	5/8	.91	P308	21.50	6

In addition to lineman's work, this tool is great for various wiring and electrical equipment installation and maintenance.



New England Head Lineman's

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	List Price Each	Std. Pkg. Qty.
9 1/2	1 3/4	1 1/4	9/16	1.0	P309	25.10	6

Heavy duty for cutting #8 and other large wires. Jaws are designed for increased leverage and has built-in insulation crusher.



Diagonal Cutting Plier

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	List Price Each	Std. Pkg. Qty.
6	13/16	11/16	7/16	.28	P206	16.30	6
7 7/16	1 1/16	7/8	1/2	.53	P2075	18.10	6

Great for general purpose electrical and electronic work in confined areas. Also fantastic for severing waterfowl wings.

Plastic Grip Pliers

Martin TOOL & FORGE

WARNING: Plastic covered plier handles are not intended to act as insulation. Do not use on live electric circuits.
"ALWAYS WEAR SAFETY GOGGLES"

Long Chain Nose Side Cutting Pliers

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	List Price Each	Std. Pkg. Qty.
6 1/2	1 25/32	11/16	11/32	.28	P506	16.90	6
7 1/2	2 3/4	3/4	3/8	.34	P507	17.90	6

Long nose and sharp cutters are ideal for many electrical and electronic applications.



Tongue and Groove Pliers

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	List Price Each	Std. Pkg. Qty.
7 1/4	1 17/32	1 1/4	3/8	.48	P407	11.60	6
10	1 15/16	1 7/8	1/4	.91	P510	14.40	6
12 3/4	1 21/32	2 1/8	1/2	1.49	P71275	20.60	6

Precision crafted for balance, taking strain off bolt. Hardened and Tempered for long industrial service life.



Combination Slip Joint Pliers

Overall Length A	Jaw Length B	Jaw Width C	Jaw Thickness D	Wt. Ea. Lbs.	Part No.	List Price Each	Std. Pkg. Qty.
6 5/8	1 13/16	1 1/4	3/8	.42	P2065	8.80	6
8	1 1/8	1 11/32	3/8	.53	P208	9.90	6
10	2 5/32	1 3/8	31/64	.87	P210	13.90	6

Two Slip-joint adjustments, the most basic plier for general use.



Martin TOOL & FORGE

Crank Handles

Broached Crank Handles



Square Broached Openings, With Counterbore in Free End of Hub. Special Bends, Offsets, and Broached Openings Also Available.

Stock Square Bore	Max Square Bore	Hub		Length		Height Handle Above Arm	Wt. Ea. Lbs.	Natural Finish		Std. Pkg. Qty.
		Dia.	Length	Center Hub to Center Handle	Overall			Part No.	List Price Ea.	
		A	B	C	D	E				
1/2	5/8	1	1 1/2	1 3/4	2 5/8	2 3/4	.46	CH00B	21.10	1
1/2	5/8	1	1 1/4	2 1/2	3 1/8	2 1/2	.53	CH0B	25.30	1
9/16	13/16	1 1/4	1 1/2	3	4	2 3/4	.83	CH1B	27.90	1
1/2	5/8	1 1/16	1 5/16	3 1/2	4 1/2	2 7/8	.74	CH2B	28.20	1
9/16	13/16	1 1/4	1 3/8	4	5 1/8	3 1/8	1.0	CH4B	31.40	1
5/8	13/16	1 1/4	1 13/16	5	6 1/8	3 1/8	1.3	CH6B	37.40	1
11/16	13/16	1 1/4	1 15/16	6	7 1/8	3 1/8	1.4	CH8B	46.90	1
3/4	7/8	1 3/8	2 1/16	7	8 1/4	3 3/8	1.6	CH10B	57.70	1
7/8	1	1 9/16	2 7/16	8	9 3/8	3 5/8	2.3	CH12B	70.30	1
7/8	1	1 1/2	2 1/2	9 1/8	10 1/2	3 3/4	2.7	CH14B	77.90	1
1	1 1/8	1 3/4	3	10	11 1/2	4	3.6	CH16B	100.70	1

Unfinished Crank Handles



Unfinished Cranks Are Plain Forgings Without a Hole in the Hub.

Hub		Length		Height Handle Above Arm	Wt. Ea. Lbs.	Natural Finish		Std. Pkg. Qty.
Dia.	Length	Center Hub to Center Handle	Overall			Part No.	List Price Ea.	
A	B	C	D	E				
1	1 1/2	1 3/4	2 5/8	2 3/4	.46	CH00U	12.40	1
1	1 1/4	2 1/2	3 1/8	2 1/2	.53	CH0U	13.70	1
1 1/4	1 1/2	3	4	2 3/4	.83	CH1U	15.80	1
1 1/16	1 5/16	3 1/2	4 1/2	2 7/8	.74	CH2U	15.90	1
1 1/4	1 3/8	4	5 1/8	3 1/8	1.0	CH4U	18.70	1
1 1/4	1 13/16	5	6 1/8	3 1/8	1.3	CH6U	23.10	1
1 1/4	1 15/16	6	7 1/8	3 1/8	1.4	CH8U	30.60	1
1 3/8	2 1/16	7	8 1/4	3 3/8	1.6	CH10U	39.10	1
1 9/16	2 7/16	8	9 3/8	3 5/8	2.3	CH12U	49.40	1
1 1/2	2 1/2	9 1/8	10 1/2	3 3/4	2.7	CH14U	59.20	1
1 3/4	3	10	11 1/2	4	3.6	CH16U	75.60	1

Auto Wrench C-Clamps Eye Bolts

Martin TOOL & FORGE

Drop Forged, Machined, and Heat Treated. Well Suited for General Repair Work.

Chrome		A	Max. Jaw Capacity	B	C	Wt. Ea. Lbs.	Std. Pkg. Qty.
Part No.	List Price						
89311	30.10	11	3	7/16	1 1/2	1.5	1



ADJUSTABLE AUTO WRENCH

Extra Deep Throat, Copper Plated Fatigue Proof Spindles, Permanent Type Pads.

Inch Capacity	Throat Depth	Spindle Diameter	Minimum Proof Test	Weight Each-Lbs.	Part Number	List Price Ea.	Std. Pkg. Qty.
0-2 1/8	2 1/4	9/16	3500 lbs.	1.4	CC402	17.10	1
0-3	2 1/2	9/16	3500 lbs.	2.2	CC403	20.40	1
0-4 1/2	3 1/4	3/4	6200 lbs.	3.4	CC404	25.30	1
0-6 1/16	4 1/8	3/4	6900 lbs.	5.0	CC406	34.80	1
0-8 1/4	5	3/4	6600 lbs.	6.2	CC408	45.70	1
2-10 1/8	6	3/4	8000 lbs.	10.0	CC410	58.30	1
2-12 1/4	6 5/16	7/8	9300 lbs.	13.0	CC412	78.50	1



EXTRA DEEP THROAT CLAMP

Shot Blasted Finish Meets ANSI B18.15-1985

A	Threads/ Inch	B	Eye		*Rated Capacity	Weight Each-Lbs.	Part Number	List Price Ea.	Std. Pkg. Qty.
			C	D					
1/4	20	1	3/4	1 3/16	400	.05	EB1	2.80	1
5/16	18	1 1/8	7/8	1 7/16	680	.09	EB2	3.10	1
3/8	16	1 1/4	1	1 11/16	1000	.13	EB3	3.30	1
7/16	14	1 3/8	1 1/16	1 13/16	1380	.19	EB4	3.50	1
1/2	13	1 1/2	1 3/16	2 1/8	1840	.30	EB5	3.90	1
9/16	12	1 3/4	1 1/4	2 1/4	2370	.70	EB6	5.70	1
5/8	11	1 3/4	1 3/8	2 9/16	2940	.55	EB7	6.40	1
3/4	10	2	1 1/2	2 13/16	4340	.89	EB8	8.40	1
7/8	9	2 1/4	1 5/8	3 3/16	6000	1.3	EB9	10.60	1
1	8	2 1/2	1 3/4	3 9/16	7880	2.0	EB10	14.40	1
1 1/8	7	2 3/4	2	4	9920	2.9	EB11	19.50	1
1 1/4	7	3	2 3/16	4 7/16	12800	4.0	EB12	27.20	1
1 1/2	6	3 1/2	2 1/2	5 3/16	18260	6.3	EB14	48.00	1


D
C
B
A
WARNING!
Rated capacity is substantially reduced when loading at any angle. Loading must never be made at an angle greater than 45° from bolt centerline. At an angle of 45° rated capacity is reduced to 1/4 of shown rating.

EYEBOLTS PLAIN PATTERN

Shot Blasted Finish Meets ANSI B18.15-1985

A	Threads/ Inch	B	Eye		E	*Rated Cpcty.-Lbs.	Weight Each-Lbs.	Part Number	List Price Ea.	Std. Pkg. Qty.
			C	D						
1/4	20	1	3/4	1 3/16	11/16	400	.05	EB21	2.90	1
5/16	18	1 1/8	7/8	1 7/16	7/8	680	.11	EB22	3.00	1
3/8	16	1 1/4	1	1 11/16	1 1/16	1000	.21	EB23	3.10	1
7/16	14	1 3/8	1 1/16	1 13/16	1 3/16	1380	.28	EB24	4.20	1
1/2	13	1 1/2	1 3/16	2 1/8	1 5/16	1840	.43	EB25	4.10	1
9/16	12	1 5/8	1 1/4	2 1/4	1 1/2	2370	.70	EB26	5.60	1
5/8	11	1 3/4	1 3/8	2 9/16	1 19/32	2940	.77	EB27	5.60	1
3/4	10	2	1 1/2	2 13/16	1 23/32	4340	1.2	EB28	8.70	1
7/8	9	2 1/4	1 5/8	3 3/16	2 1/32	6000	1.9	EB29	10.60	1
1	8	2 1/2	1 3/4	3 9/16	2 7/32	7880	2.6	EB30	14.70	1
1 1/8	7	2 3/4	2	4 1/16	2 19/32	9920	3.7	EB31	20.10	1
1 1/4	7	3	2 3/16	4 7/16	2 27/32	12600	4.9	EB32	28.10	1
1 1/2	6	3 1/2	2 1/2	5 3/16	3 3/16	18260	8.0	EB34	49.00	1


D
C
E
B
A
WARNING!
Rated capacity is substantially reduced when loading at any angle. Loading must never be made at an angle greater than 45° from bolt centerline. At an angle of 45° rated capacity is reduced to 1/4 of shown rating.

EYEBOLTS SHOULDER PATTERN

Martin TOOL & FORGE

Pry Bar Hex Key Sets

WARNING: Never substitute a prybar with a screwdriver.
"ALWAYS WEAR SAFETY GOGGLES"

Pinch or Pry Bar



Size	Length	Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.
			Part No.	List Price	Part No.	List Price	
5/8	16	1.3	196C	17.10	196	13.20	1
3/4	24	3.0	197C	22.50	197	19.30	1
7/8	30	5.25	198C	26.00	198	24.70	1

Rolling Head — Pry Bar



Size	Length	Wt. Ea. Lbs.	Chrome		Industrial Black		Std. Pkg. Qty.
			Part No.	List Price	Part No.	List Price	
1/2	12	.70	192C	15.60	192	11.90	1
1/2	15	.87	193C	17.10	193	13.00	1
5/8	18	1.6	194C	20.80	194	19.20	1

Hex Key Wrench Sets



Part No.	List Price	Description	Std. Pkg.
7KW	6.40	7 Wrenches .050 thru 3/16 in Pocket Knife Type Holder	1 Set

Part No.	List Price	Description	Std. Pkg.
7S	2.60	7 Short Arm Wrenches 5/64 thru 1/4 in Bag	1 Set

Part No.	List Price	Description	Std. Pkg.
59S	6.30	9 Short Arm Wrenches 5/64 thru 3/8 in Bag	1 Set
59L	7.30	9 Long Arm Wrenches 5/64 thru 3/8 in Bag	1 Set

Part No.	List Price	Description	Std. Pkg.
514	20.90	14 Short Arm Wrenches .050 thru 5/8 in Bag	1 Set

Part No.	List Price	Description	Std. Pkg.
0511S	5.30	11 Short Arm Wrenches .050 thru 3/8 in Bag	1 Set

Chisel and Punch Index

Martin TOOL & FORGE

WARNING: Never use chisels or punches with "mushroomed" heads. They may chip and cause injury.
"ALWAYS WEAR SAFETY GOGGLES"

Chisel and Punch Index			
COLD CHISEL		Cold Chisels are the most widely used chisels for cutting, shaping and removing metal softer than the edge itself such as steel, cast iron, wrought iron, copper, aluminum, nuts and bolts. Specially heat treated to insure long life, with cutting edges designed to stay sharp.	Page 79
LONG COLD CHISEL		Designed to reach hard to get at jobs. Chisel is hardened the entire length with tempered striking end. Heads and points are polished bright.	Page 79
PIN PUNCHES		Designed to drive and remove plug, taper or standard type pins already loosened with a solid punch. Polished tapers and ends.	Page 79
CENTER PUNCHES		Used in metal working layout for piercing or marking work for indentation for starting drills in metal and other materials.	Page 79
SOLID PUNCHES		Solid punches are designed for installing or loosening frozen or tight pins and keys or knocking out rivets.	Page 79
LONG TAPER PUNCHES		Ideal for aligning the holes in metal pieces through which rivets, pins or bolts are inserted. Also designed to reach hard to get at jobs.	Page 79

Martin TOOL & FORGE

Chisels and Punches

WARNING: "ALWAYS WEAR SAFETY GOGGLES"

Cold Chisel



Cut Width	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
A	B	C		Part No.	List Price	
1/4	1/4	5	.07	C8	3.70	12
3/8	5/16	5 1/2	.13	C12	4.20	12
1/2	7/16	6	.26	C16	5.20	12
5/8	1/2	6 1/2	.37	C20	5.60	6
3/4	5/8	7	.62	C24	6.90	6
7/8	3/4	7 1/2	.93	C28	8.80	6
1	7/8	8	1.34	C32	10.50	6

Long Cold Chisel



Cut Width	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
A	B	C		Part No.	List Price	
3/4	5/8	12	1.13	C120	12.50	6

Pin Punch



Point Size	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
A	B	C		Part No.	List Price	
3/32	5/16	4 1/2	.12	P3	4.20	12
1/8	5/16	4 3/4	.12	P4	4.30	12
5/32	5/16	5	.12	P5	4.30	12
3/16	3/8	5 1/4	.17	P6	4.40	12
1/4	1/2	5 3/4	.29	P8	4.50	12
5/16	1/2	6	.33	P10	5.20	12

Center Punch



Point Size	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
A	B	C		Part No.	List Price	
1/32	3/8	5	.15	P40	4.00	12
1/32	1/2	6	.30	P42	4.70	12

Solid Punch



Point Size	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
A	B	C		Part No.	List Price	
1/8	3/8	5	.14	P14	4.40	12
3/16	3/8	5	.15	P16	4.50	12
1/4	1/2	6	3.1	P18	4.70	12

Long Taper Punch



Point Size	Stock Size	Length	Wt. Ea. Lbs.	Industrial Black		Std. Pkg. Qty.
A	B	C		Part No.	List Price	
5/32	3/8	9	.25	P25	6.40	6
3/16	1/2	10	.45	P26	7.80	6
1/4	5/8	12	.88	P27	8.70	6
5/16	3/4	12	1.27	P28	10.50	6

Chisel and Punch Sets

Martin TOOL & FORGE

WARNING: Never use chisels or punches with "mushroomed" heads. They may chip and cause injury.
"ALWAYS WEAR SAFETY GOGGLES"

CC6K	6 PIECES	$36.60

C8 .....1/4" Cold Chisel
C10 .....5/16" Cold Chisel
C12 .....3/8" Cold Chisel
C16 .....1/2" Cold Chisel
C20 .....5/8" Cold Chisel
C24 .....3/4" Cold Chisel
C66 .....KIT BAG



PC6K	6 PIECES	$35.60

C16 .....1/2" Cold Chisel
C24 .....3/4" Cold Chisel
P42 .....1/2" Center Punch
P4.....1/8" Pin Punch
P6.....3/16" Pin Punch
P16 .....3/16" Solid Punch
C66 .....KIT BAG



PC14K	14 PIECES	$90.10

C42 .....1/4" Cape Chisel
C16 .....1/2" Cold Chisel
C20 .....5/8" Cold Chisel
C24 .....3/4" Cold Chisel
C28 .....7/8" Cold Chisel
C-60.....1/4" Diamond Pt. Chisel
C72 .....1/4" 1/2 Rd. Hose Chisel
P40.....3/8" Center Punch
P24.....1/8" Drift Punch
P25.....7/32" Lg. Taper Punch
P6.....3/16" Pin Punch
P8.....1/4" Pin Punch
P14.....1/8" Solid Punch
P18.....1/4" Solid Punch
C14.....KIT BAG

Martin TOOL & FORGE

Body and Fender Repair Tools Index

Body and Fender Repair Tools Index

HAMMERS		All body and fender hammers are drop forged from special steels selected to provide the ruggedness and durability built into each tool. Heat treated by methods found most successful over the years. Each hammer designed and engineered for the job. Black oxide heads with brightly polished working surfaces. Second growth hickory handles securely wedged.	Page 82 83
DOLLY BLOCKS		All Dolly Blocks are drop forged from selected steels. Balanced. Working surfaces are processed and highly polished. A single dolly block has a limited variety of working surfaces. A set provides working surfaces answering all contour needs. Dolly Blocks are not meant to be struck by a hammer.	Page 84
BODY SPOONS		Spoons are carefully designed and engineered to service the specific needs of the Body and Fender repairmen. All spoons are drop-forged from selected steels and are heat treated. Working surfaces are carefully processed and highly polished. Handles are black oxide finish.	Page 85
BODY PICKS		Picks are designed primarily for inner construction and outer panels where clearance is from 2″ to 6″. Their use makes the metal man's job far easier, cutting repair time as much as 40%. All picks are drop forged and heat treated. All have black shanks and polished working surfaces.	Page 86
MISC. TOOLS		File Holders, Files, Body Dent Pullers, and Instruction manuals make the repair craftman's work much easier. All are made to exacting standards assuring long life.	Page 87
TOOL SETS		Assorted tools combined into convenient sets meet any requirement. Makes selection easy and saves money.	Page 88

Body Hammers

Only Martin Provides This Added Warranty — If A Hammer Head Should Loosen At Any Time, Return It for Handle Replacement or A New Hammer.

Martin TOOL & FORGE

Type		Description	Part No.	List Price	Std. Pkg. Qty.
DINGING HAMMER		For fender and high-crowned panel dinging or bumping. Both high and low-crown faces for "on or off dolly" work. **Faces, 1 1/4" and 1 9/16". Round heads, 6" overall. Weight 1.04 lbs.**	150G	20.90	6
DINGING HAMMER		For light dinging and long reach. Square face permits dinging close to moulding or beading. **Faces 1 1/4" round, 1 1/16" square head 6" overall. Weight .85 lbs.**	151G	20.90	6
HIGH CROWN CROSS PEEN HAMMER		Two high-crowned faces for concave surfaces on doors, rear quarter panels, fenders and hoods. **Faces 1 1/8", 6" overall. Weight 1.02 lbs.**	152G	29.10	6
CROSS CHISEL HAMMER		Excellent for finishing. Cross peen used for working in sharp corners around mouldings and for caulking. **Round face — 1 9/16" diameter. Chisel — 3" long. Weight .87 lbs.**	153G	19.10	6
CURVED CROSS CHISEL HAMMER		Excellent for finishing. Cross peen used for working in sharp corners around mouldings and for caulking. Well balanced curved chisel for work in close places. **Round face — 1 9/16" diameter. Chisel — 3" long. Weight .85 lbs.**	153GB	20.80	6
CROSS CHISEL SHRINKING HAMMER		Cross grooved. Extra wide faces are cross grooved and used for shrinkage on large surfaces — chisel end used on sharp corners. **Flat round face — 1 9/16" diameter. Chisel — 3" long. Weight .87 lbs.**	153S	21.60	6
FENDER BUMPER		For bumping where hand and dolly cannot reach. Ample clearance for obstructions. Also used as a caulking iron. **Length of head, 8 3/4". Weight 2.8 lbs.**	155G	25.30	4
PICK HAMMER		Long-reach, thin point for low spot on low-crown panels. Reaches over inner obstructions. One high-crown face. **Face, 1 1/4" round point, 1/32" radius. Length of pointed end, 5 1/2". Weight .91 lbs.**	156G	20.00	6
CURVED PICK HAMMER		Like 156G except pick end is bent in arc of normal blow. Reaches behind reinforcements to difficult spots. **Face, 1 1/4" round point, 1/32" radius. Length of pointed end, 5 1/2". Weight .86 lbs.**	156GB	18.40	6

Martin TOOL & FORGE

Body Hammers

Only Martin Provides This Added Warranty — If A Hammer Head Should Loosen At Any Time, Return It for Handle Replacement or A New Hammer.

WARNING: Never use hammers with "mushroomed" heads. They may chip and cause injury.
"ALWAYS WEAR SAFETY GOGGLES"

Type		Description	Part No.	List Price	Std. Pkg. Qty.
GENERAL PURPOSE PICK HAMMER		Medium size point and reach for general work. Low crown strawberry point for perfect balance. **Face, 1 9/16″ round point, 3/32″ radius. Length of pick end, 3 3/4″. Weight .91 lbs.**	158G	19.30	6
ROUND POINT FINISHING HAMMER		Blunt point — long reach. For low spots on high crown panels and other work with long reach. Will not pick holes in the metal. **Round face — 1 9/16″ diameter. Blunt point 3″ long. Weight .81 lbs.**	158GM	20.00	6
SHARP POINT FINISHING HAMMER		Sharp point — long reach. For low spots on high crown panels and other work with long reach. **Round face — 1 9/16″ diameter. Sharp point 3″ long. Weight .79 lbs.**	158GMS	21.60	6
HEAVY DUTY BUMPING HAMMER		For heavy gauge truck fenders and panels. Also used in straightening reinforcements, braces, etc. **Faces, 1 1/4″ round and 1 3/16″ square head, 4″ overall. Weight 1.1 lbs.**	160G	19.40	6
DINGING HAMMER		Short-reach, lightweight. One low-crown, square face. Lightest dinging hammer in line. **Faces, 1 1/4″ round and 1 3/16″ square. Head, 4″ overall. Weight .83 lbs.**	161G	19.20	6
SHRINKING HAMMER		For work in close quarters. Expertly machined serrations on the round face. **Plain square face, 1 1/8″ round serrated face, 1 1/4″ diameter. 4″ overall. Weight .78 lbs.**	162G	25.30	6
UTILITY PICK HAMMER		Blunt point, short reach. For low spots in high-crown panels and other work with small clearance. **Face, 1 9/16″ round point, 5/32″ radius. Length of pointed end, 2″ head, 4″ overall. Weight .75 lbs.**	164G	18.30	6
PICK HAMMER		Lightweight. Provides stubby pick point and high-crown peen-type faces. Will ding out small dents in high fins. No need to remove panels. **Long reach, 18″ handle. Weight 5 oz.**	165G	16.60	6
CROSS PEEN FINISHING HAMMER		Used to bump odd fender or bumper contours. **Round face — 1 9/16″ diameter peen end 3/16 x 7/8″. 5″ overall head length. 12″ handle. Weight .91 lbs.**	168G	20.00	6
LARGE FACE PICK FINISHING HAMMER		For finishing and caulking. **Round face — 1 7/8″ diameter. 4 1/2″ overall head length. 13″ handle. Weight 1.0 lbs.**	169G	20.10	6
REPLACEMENT HAMMER HANDLES		Hickory Handle for 155G Fender Bumper	HH45	5.60	12
		Hickory Handle for 165G Pick Hammer	HH42A18	6.00	12
		Hickory Handle for all other body hammers	HH42B	4.80	12

Body and Fender Repair Tools
Dolly Blocks

Martin TOOL & FORGE

Type		Description	Part No.	List Price	Std. Pkg. Qty.
TOE DOLLY		Thinness and length provide easy accessibility to narrow pockets. Large, flat face is frequently used in shrinking and dinging flat panels. The flat sides furnish a convenient anvil for repairing flanges. **Sizes 4 3/4″ x 2 3/8″ x 1 1/8″. Weight .3 lbs.**	1058	27.30	1
HEEL DOLLY		Design makes it possible to reach easily into sharp corners and wide radii. These features are exclusive to the Heel Dolly and continue its high demand. **Sizes 3 1/4″ x 2 1/2″ x 1 7/16″. Weight 2.7 lbs.**	1059	22.90	1
GENERAL PURPOSE DOLLY		Provides convenient and comfortable hand hold during heaviest blows. Weight, balance and several differently crowned working faces, together with two beading and flange lips, give this dolly broad general use. **Sizes 2 7/8″ x 2 3/8″ x 2 1/4″. Weight 3 lbs.**	1060	28.00	1
UTILITY DOLLY		High-crown dolly with one narrow beading edge. Thick rounded sides are useful in short radii curves. Wide application of uses in high-crown portions of hoods, fenders and body panels. **Sizes 3 1/8″ x 3″ x 1 5/8″. Weight 2.9 lbs.**	1061	25.20	1
WEDGE DOLLY		Long, slender general purpose dolly. Widely favored by many body repair men for all-around use. The long, thin lip is very useful in working behind reinforcements. **Size 5 3/4″ x 2 3/8″ x 2 3/16″. Weight 4 lbs.**	1067	28.00	1
LOW CROWN DOLLY		Specially designed for use on low-crown panels where medium and high-crown dollies would stretch the metal. Angle between the sides and large face is less than 90°, which permits this dolly to reach into the corner of a flanged edge. **Size 3 7/8″ x 2 3/4″ x 1 5/8″. Weight 3.3 lbs.**	1068	27.00	1
"CHAMPION" HEAVYWEIGHT DOLLY		Heavy duty, general purpose fender dolly. A necessity on heavy gauge fenders which resist the blows of lighter dollies. Brings out the toughest damage. Seats comfortably in the hand and protects fingers from a swinging blow. **Sizes 3 3/8″ x 3 3/8″ x 2 11/16″. Weight 4.6 lbs.**	1070	37.90	1

Martin TOOL & FORGE

Body and Fender Repair Tools
Body Spoons

Type		Description	Part No.	List Price	Std. Pkg. Qty.
LIGHT DINGING SPOON		To ding ridges smooth and level. When held against ridge and struck with hammer, spreads blow over large area making smooth job and preventing damage to metal or finish. Not made for prying. **Length 10″ overall. Face 2″ x 4 5/16″. Weight .50 lbs.**	1036	14.00	6
COMBINATION SPOON		General purpose fender spoon. Used as dolly behind brackets, inner panels and similar places. Handle offset to give balance when dinging and for long reach. Has high-crown working surface. **Face 1 3/4″ x 5 1/2″. Handle 1″ octagon 4 3/4″ long. Weight 3.0 lbs.**	1050	25.80	4
SPOON DOLLY		Long handle permits many uses in places otherwise inaccessible. Can be driven between reinforcements and outer panel, then used to pry outward as the metal is dinged. Excellent forming and caulking tool for the deep pockets of doors, quarter-panels, rear fenders and lower trunk panels. **Size 2 1/2″ x 1″ x 3″. Weight 4.2 lbs.**	1052	26.20	1
LONG CURVED SPOON		Long, thin, curved blade is handy for prying up dents behind curved reinforcements in header panels, hinge anchors in doors, body pillars and reinforcements in hoods and radiator shells. **Length 10 1/2″ overall. Face 2″ x 7″. Weight 1.5 lbs.**	1054	19.20	6
WING-DING SPOON DOLLY		The answer to repair problems on high fins. A dolly, a spoon, a pry. Long handle and special contours for working up inside cramped fins. Wide spoon transmits hammer blows over wide area without damaging finish. **1″ handle diameter, 19″ overall length. Weight 4.5 lbs.**	1056	34.50	1
HEAVY DUTY DRIVING AND FENDER BENDING TOOL		Useful for restoration of turned under, non-wired flanged edges. Also handy for alignment of inner construction and flanges on alligator hoods. Heavy formed striking pads. **Length 14 1/8″. Weight 3.2 lbs.**	1091	40.90	1
CAULKING IRON		Excellent precision made wire caulking iron. Polished working surfaces are rounded for use on inside moldings. **Face 1 3/4″ x 1″. Overall length 11″. Weight 1.4 lbs.**	1096C	20.30	6

Body and Fender Repair Tools
Body Picks

Martin TOOL & FORGE

Type		Description	Part No.	List Price	Std. Pkg. Qty.
MEDIUM CURVED PICK		Medium length. Curved and pointed. Use twisting or prying action. **Length 26 1/2″. Weight 2.2 lbs.**	1106	28.60	1
LONG CURVED PICK		Long length. Curved and pointed. Use twisting or prying action. **Length 31″. Weight 2.5 lbs.**	1107	30.20	1
LONG CHISEL BIT PICK		Heavy duty. Employ twisting action. **Chisel bit 1″. Length 20″. Weight 1.9 lbs.**	1109	28.00	1
SHORT CURVED PICK		Extremely short length. Curved and pointed. Use twisting or prying action. **Length 12″. Weight .5 lbs.**	1110	13.20	1
MEDIUM SHORT CURVED PICK		Short length. Curved and pointed. Use twisting or prying action. **Length 18″. Weight .7 lbs.**	1111	14.80	1
LIGHT CHISEL BIT PICK		Light duty. Employ twisting action. **Chisel bit 11/16″. Length 16″. Weight .7 lbs.**	1112	15.10	1

Martin TOOL & FORGE

Body and Fender Repair Tools
Miscellaneous Tools

Type		Description	Part No.	List Price	Std. Pkg. Qty.
ADJUSTABLE AND FLEXIBLE FILE HOLDERS		Permits use of files to 14″. Handle adjustable for both right and left hand use for working close to offset or panels. Permit flexing either way to maximum point of safety against breakage. **Weight 1.7 lbs.**	1150	35.30	1
STANDARD 14″ BODY FILE		Vixen milled, curved tooth. Plain blade. Flexible, standard cut, 8 tooth. **14″ long. Weight .66 lbs.**	1158F	39.00	5
STRAIGHT SHELL BODY FILE		Vixen milled, curved tooth. Plain blade. Half round shell, 8 tooth. Concave for shallow concave work. **14″ Long. Weight .66 lbs.**	1163F	45.20	5
BODY DENT PULLER TOOL		Slide hammer activated. This tool provides a remarkably simple and easy method of removing a dent in a door or panel. Merely punch or drill a hole in the deepest part of the damage and insert a self-threading screw or hook. A few light impacts with the slide hammer will return the metal to original position. Shaft is 1/2″ x 13″ with locking device to keep screw from turning. Cadmium and black oxide rust-proof finish. **Weight 3.9 lbs.**	DP38	29.00	1
THE KEY TO METAL BUMPING		This book, entitled "The Key to Metal Bumping," is an excellent instruction manual and guide for every body man or student. It provides authoritative reference for techniques and methods for all phases of body and fender work. Its 126 pages cover most approaches to body repair problems. Visual assistance is rendered by more than 100 illustrations. It includes explanations of many time-saving short-cut methods to make the job easier and better. Among other features is a glossary of terms used in the trade. This is the third edition. The first was published in the late thirties and over the years has enjoyed widespread acceptance and usage as a guide and test by many public, private and trade schools. It is a perfect "tool of the trade" for the student and journeyman alike.	BFB	10.00	1

Body and Fender Repair Tools Tool Sets

Martin TOOL & FORGE

Body and Fender Repair Tool Sets

PART NO.	659-K	LIST PRICE 247.85

153G.....Cross Chisel Straight Hammer
158G.....General Purpose Pick Hammer
160G.....Heavy Duty Bumping Hammer
164G.....Utility Pick Hammer
1058.....Toe Dolly Block
1059.....Heel Dolly Block
1060.....General Purpose Dolly Block
1036.....Light Dinging Spoon
1150.....Adjustable File Holder
1158F.....Body File Standard 14"
BFB.....Instruction Manual
BX18.....Tool Box

10 TOOLS

PART NO.	691-K	LIST PRICE 352.70

153G.....Cross Chisel Straight Hammer
156G.....Pick Hammer
158G.....General Purpose Pick Hammer
160G.....Heavy Duty Bumping Hammer
161G.....Dinging Hammer
164G.....Utility Pick Hammer
1058.....Toe Dolly Block
1059.....Heel Dolly Block
1060.....General Purpose Dolly Block
1036.....Light Dinging Spoon
1052.....Spoon Dolly
1050.....Combination Spoon
1150.....Adjustable File Holder
1158F.....Body File Standard 14"
162G.....Shrinking Hammer
BFB.....Instruction Manual
BX18.....Tool Box

15 TOOLS

PART NO.	692-K	LIST PRICE 591.20

150G.....Dinging Hammer
153G.....Cross Chisel Straight Hammer
153GB.....Cross Chisel Curved Hammer
155G.....Fender Bumper
156G.....Pick Hammer
156GB.....Curved Pick Hammer
158G.....General Purpose Pick Hammer
160G.....Heavy Duty Bumping Hammer
161G.....Dinging Hammer
162G.....Shrinking Hammer
164G.....Utility Pick Hammer
168G.....Cross Peen Finishing Hammer
169G.....Large Face Pick Finishing Hammer
1036.....Light Dinging Spoon
1050.....Combination Spoon
1052.....Spoon Dolly
1054.....Long Curved Spoon
1058.....Toe Dolly Block
1059.....Heel Dolly Block
1060.....General Purpose Dolly Block
1061.....Utility Dolly Block
1068.....Low Crown Dolly Block
1091.....Heavy Duty Driving Spoon
1150.....Adjustable File Holder
1158F.....Body File Standard 14"
BFB.....Instruction Manual
BX17.....Tool Box

25 TOOLS

ALPHA/NUMERIC INDEX

A6 31
A6T 31
A8 31
A8T 31
A10 31

A10T 31
A12 31
A12T 31
A15 31
A15T 31

A18 31
A24 31
B8K 48
B8KD 48
B11K 48

B11KM 49
B15 47
B20A 47
B20K 49
B26K 49

B40A 47
B52 47
B52RD 47
B103 47
B105 47

B112 47
B140A 47
B608 45
B610 45
B612 45

B614 45
B616 45
B618 45
B620 45
B622 45

B624 45
B626 45
B628 45
B630 45
B632 45

B1208 44
B1210 44
B1212 44
B1214 44
B1216 44

B1218 44
B1220 44
B1222 44
B1224 44
B1226 44

B1228 44
B1230 44
B1232 44
BA4 45
BA5 45

BA6 45
BA7 45
BA7K 48
BA8 45
BA10 45

BA12 45
BBO6K 23
BBO11K 23
BD608 45
BD610 45

BD612 45
BD614 45
BD616 45
BD618 45
BD620 45

BD622 45
BD624 45
BD626 45
BD628 45
BD630 45

BD632 45
BD1212 44
BD1214 44
BD1216 44
BD1218 44

BD1220 44
BD1222 44
BD1224 44
BD1226 44
BD1228 44

BFB 87
BLK44A 20
BLK45 20
BLK49 20
BLK49A 20

BLK-1020 20
BLK1021 20
BLK1027 20
BLK1027B 20
BLK1027C 20

BLK1029 20
BLK1029B 20
BLK1029C 20
BLK-1030 20
BLK1033A 20

BLK1033C 20
BLK1034 20
BLK1034A 20
BLK1036B 20
BLK1037 20

BLK1037A 20
BLK1039 20
BLK1039A 20
BLK1039B 20
BLK1039C 20

BLK1040 20
BLK1041 20
BLK1041B 20
BLK1158 18
BLK1159 18

BLK1159A 18
BLK1160 18
BLK1161 18
BLK1162 18
BLK1163 18

BLK1164 18
BLK1165 18
BLK1166 18
BLK1167 18
BLK1167A 18

BLK1168 18
BLK1170 18
BLK1171 18
BLK1172 18
BLK1173 18

BLK1174 18
BLK1175 18
BLK1176 18
BLK1177 18
BLK1180 18

BLK1182 18
BLK1184 18
BLK1186 18
BLK1188 18
BLK1190 18

BLK1191 18
BLK1192 18
BLK1193 18
BLK1194 18
BLK1195 18

BLK1196 18
BLK-1224 26
BLK1226 26
BLK1228 26
BLK-1230 26

BLK1232 26
BLK1234 26
BLK1236 26
BLK1236S 26
BLK1238 26

BLK1240 26
BLK1242 26
BLK1244 26
BLK1246 26
BLK1248 26

BLK1250 26
BLK1252 26
BLK1254 26
BLK1256 26
BLK1258 26

BLK1260 26
BLK1262 26
BLK1264 26
BLK1264S 26
BLK1268 26

BLK1272 26
BLK1272S 26
BLK1276 26
BLK1720 20
BLK1721 20

BLK1723 20
BLK1723A 20
BLK1725 20
BLK1725A 20
BLK1725B 20

BLK1726 20
BLK1727 20
BLK1728 20
BLK1729 20
BLK1731 20

BLK1731A 20
BLK1731B 20
BLK1733 20
BLK1735 20
BLK1737 20

BLK3710 24
BLK3710A 24
BLK3711 24
BLK3712 24
BLK3713 24

BLK3714 24
BLK3715 24
BLK3716 24
BLK3717 24
BLK3718 24

BLK3719 24
BLK3720 24
BLK3721 24
BLK3722 24
BLK3722A 24

BLK3723 24
BLK3724 24
BLK3725 24
BLK3726 24
BLK4112 30

BLK4114 30
BLK4116 30
BLK4118 30
BLK4120 30
BLK4122 30

BLK4124 30
BLK4126 30
BLK4128 30
BLK4130 30
BLK4132 30

BLK4134 30
BLK4136 30
BLK4140 30
BLK4144 30
BLK4148 30

BLK8029B 22
BLK8033A 22
BLK8033C 22
BLK8037 22
BLK8037A 22

BLK8039 22
BLK8039A 22
BLK8039B 22
BLK8723 22
BLK8725 22

BLK8725B 22
BLK8727 22
BLK8727A 22
BLK8729 22
BLK8731A 22

BLK8731B 22
BLK8735 22
BLK8735A 22
BLK9721 22
BLK9723 22

BLK9725 22
BLK9725B 22
BLK9727 22
BLK9727A 22
BLK9729 22

BM606 46
BM607 46
BM608 46
BM609 46
BM610 46

BM611 46
BM612 46
BM613 46
BM614 46
BM615 46

BM616 46
BM617 46
BM618 46
BM619 46
BMD606 46

BMD607 46
BMD608 46
BMD609 46
BMD610 46
BMD611 46

BMD612 46
BMD613 46
BMD614 46
BMD615 46
BMD616 46

BMD617 46
BMD618 46
BMD619 46
BO6K 23
BO11K 23

B0B7K 25
BOB11K 25
BOB15K 25
BOB18K 25
BOE6K 21

BOE8K 21
BOE11K 21
BS129 47
BS130 47
BSW11K 26

C8 79
C12 79
C16 79
C20 79
C24 79

C28 79
C32 79
C120 79
C7K 19
C11K 19

C14K 19
CB7K 19
CB11K 19
CB14K 19
CC6K 80

CC402 76
CC403 76
CC404 76
CC406 76
CC408 76

CC410 76
CC412 76
CHOB 75
CHOU 75
CHOOB 75

CHOOU 75
CH1B 75
CH1U 75
CH2B 75
CH2U 75

CH4B 75
CH4U 75
CH6B 75
CH6U 75
CH8B 75

CH8U 75
CH10B 75
CH10U 75
CH12B 75
CH12U 75

CH14B 75
CH14U 75
CH16B 75
CH16U 75
DP38 87

EB1 76
EB2 76
EB3 76
EB4 76
EB5 76

EB6 76
EB7 76
EB8 76
EB9 76
EB10 76

EB11 76
EB12 76
EB14 76
EB21 76
EB22 76

ALPHA/NUMERIC INDEX

EB23 76
EB24 76
EB25 76
EB26 76
EB27 76

EB28 76
EB29 76
EB30 76
EB31 76
EB32 76

EB34 76
H12K 60
H17K 60
H20K 60
H22K 60

H41A 59
H51 59
H51RU 59
H104 59
H110 59

H115 59
H140 59
H1224 59
H1226 59
H1228 59

H1230 59
H1232 59
H1234 59
H1236 59
H1240 59

H1242 59
H1244 59
H1246 59
H1248 59
H1250 59

H1252 59
H1254 59
H1256 59
H1258 59
H1260 59

H1264 59
H1266 59
H1268 59
H1270 59
H1272 59

H1276 59
HC5K 19
HCB5K 19
HH42A18 70,83
HH42B 70,83

HH45 70,83
HH47 70
HH49 70
HH50 70
HH53 70

HH56 70
HH59 70
HH63 70
HH66 70
HH69 70

HH71 70
HH92 70
HH418 70
HH801 70
HH1216 70

HH6810 70
IB8K 51
IB8KD 51
IH8K 62
IH9K 62

IS11K 58
IS13K 58
MB14K 50
MB14KD 50
MB26K 50

MS17K 56
MS18K 56
OB7K 25
OB11K 25
OB15K 25

OB18K 25
OE6K 21
OE8K 21
OE11K 21
P3 79

P4 79
P5 79
P6 79
P8 79
P10 79

P14 79
P16 79
P18 79
P25 79
P26 79

P27 79
P28 79
P40 79
P42 79
P206 73

P208 74
P210 74
P307 73
P308 73
P309 73

P407 74
P506 74
P507 74
P510 74
P2065 74

P2075 73
P71275 74
PANEL 9
PC6K 80
PC14K 80

PW6 40
PW6HJ 40
PW6HP 40
PW6N 40
PW6SFC 40

PW8 40
PW8HJ 40
PW8HP 40
PW8N 40
PW8SFC 40

PW10 40
PW10HJ 40
PW10HP 40
PW10N 40
PW10SFC 40

PWA10 40
PWH10 40
PWO10 40
PW12 40
PW12HJ 40

PW12HP 40
PW12N 40
PW12SFC 40
PW14 40
PW14HJ 40

PW14HP 40
PW14N 40
PW14SFC 40
PWA14 40
PWO14 40

PW18 40
PW18HJ 40
PW18HP 40
PW18N 40
PW18SFC 40

PWA18 40
PWO18 40
PW24 40
PW24HJ 40
PW24HP 40

PW24N 40
PW24SFC 40
PWA24 40
PW36 40
PW36HJ 40

PW36HP 40
PW36N 40
PW36SFC 40
PWA36 40
PW48 40

PW48HJ 40
PW48HP 40
PW48N 40
PW48SFC 40
PWA48 40

RB5K 28
RB7K 28
RB810 28
RB810DH 28
RB1214 28

RB1214DH 28
RB1618 28
RB1618DH 28
RB2022 28
RB2024 28

RB2226 28
RB2428 28
RBO5K 29
RBO7K 29
RBO810 29

RBO1214 29
RBO1618 29
RBO2022 29
RBO2024 29
RBO2226 29

RBO2428 29
RN7063 37
RN7075 37
RN7088 37
RN7100 37

RN7113 37
RN7125 37
RN7138 37
RN7150 37
RN7163 37

RN7175 37
RN7188 37
RN7200 37
RN7225 37
RN7250 37

S11K 54
S12K 54
S13K 54
S15 53
S16K 54

S18K 55
S20A 53
S24K 55
S36K 55
S110P 53

S115P 53
S121P 53
S140 53
S844SH 69
S846H 69

S848H 69
S8410H 69
S8412H 69
S8416H 69
SD1212 52

SD1214 52
SD1216 52
SD1218 52
SD1220 52
SD1222 52

SD1224 52
SD1226 52
SD1228 52
SD1230 52
SD1232 52

SD1234 52
SD1236 52
SD1238 52
SD1240 52
SD1242 52

SD1244 52
SD1246 52
SD1248 52
SDE4 72
SDE6 72

SDE8 72
SDP1 72
SDP3 72
SDP4 72
SDP6 72

SDR4 72
SDR6 72
SDR8 72
SDS1 72
SDS4 72

SDS6 72
SDS8 72
SDS10 72
SDS12 72
SF41 53

SF51 53
SF51RD 53
SH129 53
SH130 53
SPW6K 34

ST1212 52
ST1214 52
ST1216 52
ST1218 52
ST1220 52

ST1222 52
ST1224 52
ST1226 52
ST1228 52
ST1230 52

ST1232 52
ST1234 52
ST1236 52
ST1238 52
ST1240 52

ST1242 52
ST1244 52
ST1246 52
ST1248 52
STM1209 56

STM1210 56
STM1211 56
STM1212 56
STM1213 56
STM1214 56

STM1215 56
STM1216 56
STM1217 56
STM1218 56
STM1219 56

STM1220 56
STM1221 56
STM1222 56
STM1224 56
STM1227 56

STM1230 56
STM1232 56
STM1236 56
SW11K 26
SWIVEL 9

USA1 2
USA1BLK 2
USA2 3
USA2BLK 3
USA3 4

USA3BLK 4
USA4 5
USA5 5
USA6 6
USA7 6

USA8 7
USA9 7
USA10 8
USA11 8
USA12 9

USA13 10
USA13A 10
USA14 11
USA14A 11
USA15 12

USA15A 12
X21K 63
X41A 63
X51 63
X51RU 63

X108 63
X117 63
X1246 63
X1248 63
X1252 63

X1254 63
X1256 63
X1258 63
X1260 63
X1262 63

X1264 63
X1268 63
X1270 63
X1272 63
X1274 63

X1276 63
X1278 63
X1280 63
X1282 63
X1284 63

ALPHA/NUMERIC INDEX

X1288 63
X1290 63
X1294 63
X1296 63
X12100 63

X12108 63
X12112 63
0471 34
0471A 34
0472 34

0472A 34
0474 34
0474A 34
0511S 77
1 32

3 32
5 32
6A 32
7 32
7KW 77

7S 77
8 32
8A 32
9 32
10 32

10A 32
11 32
11A 32
12 32
12A 32

13 32
13A 32
14 32
14A 32
15 32

15A 32
16 32
16A 32
16B 32
17 32

17A 32
18 32
18A 32
19 32
19A 32

19B 32
19C 32
20 32
20A 32
20B 32

24A 51
25G 70
26G 70
27G 70
28G 70

30G 69
31G 69
42A 57
46 57
59L 77

59S 77
63D 67
64A 61
64D 67
65D 67

66D 67
67 61
67D 67
68D 67
69D 67

70D 67
76 64
101G 67
102G 67
103G 67

104G 67
105G 67
106G 67
107G 67
108G 67

109G 67
110G 67
121G 68
122G 68
123G 68

132G 69
141G 68
142G 68
143G 68
150G 82

151G 82
152G 82
153G 82
153GB 82
153S 82

155G 82
156G 82
156GB 82
158G 83
158GM 83

158GMS 83
160G 83
161G 83
162G 83
164G 83

165G 83
168G 83
169G 83
173 70
192 77

192C 77
192G 68
193 77
193C 77
193G 68

194 77
194C 77
194G 68
196 77
196C 77

197 77
197C 77
198 77
198C 77
203 35

203A 35
204A 35
205 35
206B 35
206C 35

207 35
207A 35
208 35
208A 35
209 35

209A 35
210 35
210A 35
211 35
211A 35

212 35
261J 38
262H 38
263D 38
263H 38

264A 38
265D 38
265H 38
266D 38
266H 38

267D 38
267H 38
268H 38
269A 38
269H 38

270S 38
271A 38
271D 38
273A 38
275A 38

275D 38
276A 38
276H 38
418 33
420 33

422 33
424 33
426 33
428 33
430 33

432 33
434 33
436 33
438 33
440 33

442 33
452 33
453 33
454 33
455 33

456 33
457 33
458 33
459 33
460 33

461 33
462 33
463 33
464 33
466 33

468 33
471 34
472 34
474 34
474A 34

474B 34
482 33
483 33
484 33
514 77

525 31
527 31
529 31
534 31
601 27

601A 27
602 27
602A 27
603 27
603A 27

604A 27
605 27
605A 27
606A 27
606B 27

607 27
607A 27
608 27
608A 27
609A 27

610 27
610A 27
659K 88
691K 88
692K 88

702 32
703 32
704 32
705 32
706 32

707 32
708A 32
709 32
801 37
802A 37

803 37
803A 37
804A 37
805 37
806 37

806B 37
807 37
807A 37
808 37
809A 37

903 35
903A 35
904A 35
905 35
905A 35

906B 35
906C 35
907 35
907A 35
908 35

908A 35
909 35
909A 35
910 35
910A 35

911 35
911A 35
912 35
961A 39
961H 39

961J 39
962D 39
962H 39
963D 39
963H 39

964A 39
965D 39
965H 39
966D 39
966H 39

967A 39
967D 39
967H 39
968H 39
969A 39

969H 39
970D 39
970S 39
971A 39
971D 39

971H 39
973A 39
973B 39
975D 39
976A 39

1020 20
1021 20
1027 20
1027B 20
1027C 20

1029 20
1029B 20
1029C 20
1030 20
1033A 20

1033C 20
1034 20
1034A 20
1036 85
1036B 20

1037 20
1037A 20
1039 20
1039A 20
1039B 20

1039C 20
1040 20
1041 20
1041B 20
1050 85

1052 85
1054 85
1056 85
1058 84
1059 84

1060 84
1061 84
1067 84
1068 84
1070 84

1091 85
1096C 85
1106 86
1107 86
1109 86

1110 86
1111 86
1112 86
1150 87
1158 18

1158F 87
1159 18
1159A 18
1160 18
1161 18

1162 18
1163 18
1163F 87
1164 18
1165 18

1166 18
1167 18
1167A 18
1168 18
1170 18

ALPHA/NUMERIC INDEX

1171 18
1172 18
1173 18
1174 18
1175 18

1176 18
1177 18
1180 18
1182 18
1184 18

1186 18
1188 18
1190 18
1191 18
1192 18

1193 18
1194 18
1195 18
1196 18
1224 26

1226 26
1228 26
1230 26
1232 26
1234 26

1236 26
1236S 26
1238 26
1240 26
1242 26

1244 26
1246 26
1248 26
1250 26
1252 26

1254 26
1256 26
1258 26
1260 26
1262 26

1264 26
1264S 26
1268 26
1272 26
1272S 26

1276 26
1720 20
1721 20
1723 20
1723A 20

1725 20
1725A 20
1725B 20
1726 20
1727 20

1728 20
1729 20
1731 20
1731A 20
1731B 20

1733 20
1735 20
1737 20
1932 26
1936 26

1948 26
1952 26
1956 26
1964 26
1972 26

2140A 51
2610 51
2612 51
2614 51
2616 51

2618 51
2620 51
2622 51
2624 51
3710 24

3710A 24
3711 24
3712 24
3713 24
3714 24

3715 24
3716 24
3717 24
3718 24
3719 24

3720 24
3721 24
3722 24
3722A 24
3723 24

3724 24
3725 24
3726 24
4105A 57
4112 30

4114 30
4116 30
4118 30
4120 30
4122 30

4124 30
4126 30
4128 30
4130 30
4132 30

4134 30
4136 30
4140 30
4140A 57
4144 30

4148 30
4612 57
4614 57
4616 57
4618 57

4620 57
4622 57
4624 57
4626 57
4628 57

4630 57
4632 57
4634 57
4636 57
4640 57

6107 61
6576 61
6577 61
6578 61
6620 61

6622 61
6624 61
6626 61
6628 61
6630 61

6632 61
6634 61
6636 61
6638 61
6640 61

6642 61
6644 61
6646 61
6648 61
6650 61

6652 61
6654 61
6656 61
6658 61
6660 61

6662 61
6664 61
7107 64
7624 64
7626 64

7628 64
7630 64
7632 64
7634 64
7636 64

7638 64
7640 64
7642 64
7644 64
7646 64

7648 64
7650 64
7652 64
7654 64
7656 64

7658 64
7660 64
7662 64
7664 64
7666 64

7668 64
7670 64
7672 64
7674 64
7676 64

7678 64
7680 64
7684 64
7688 64
7694 64

7696 64
8029B 22
8033A 22
8033C 22
8037 22

8037A 22
8039 22
8039A 22
8039B 22
8576 64

8577 64
8578 64
8580 64
8723 22
8725 22

8725B 22
8727 22
8727A 22
8729 22
8731A 22

8731B 22
8735 22
8735A 22
8807 36
8807A 36

8808 36
8808A 36
8809 36
8809A 36
8810 36

8810A 36
8811 36
8811A 36
8811B 36
8812 36

8812A 36
8813 36
8813A 36
8813B 36
8814 36

8814A 36
8815 36
8815A 36
8815B 36
8816 36

8816B 36
8817 36
8817A 36
8832 mm 36
8836 mm 36

8841 mm 36
8846 mm 36
8850 mm 36
8855 mm 36
8860 mm 36

8865 mm 36
8870 mm 36
8875 mm 36
8880 mm 36
9721 22

9723 22
9725 22
9725B 22
9727 22
9727A 22

9729 22
12610 51
12612 51
12614 51
12616 51

12618 51
12620 51
12622 51
12624 51
14612 57

14614 57
14616 57
14618 57
14620 57
14622 57

14624 57
14626 57
14628 57
14630 57
14632 57

14634 57
14636 57
14640 57
16624 61
16626 61

16628 61
16630 61
16632 61
16634 61
16636 61

16638 61
16640 61
16642 61
16644 61
16646 61

16648 61
76100 64
76108 64
76112 64
89311 76

PRODUCTS MANUFACTURED IN THE U.S.A.

Sold by America's Greatest Salesmen:
Our Distributors.

Martin

General Offices: Sales and Manufacturing

ARLINGTON, TX
3100 Sprocket Drive 76015-2898
P.O. Box 91588 • Arlington, Texas 76015-0088
817-465-6377 (FAX 817-465-2401)
TWX910-890-5105-U

Sales and Manufacturing

DANIELSVILLE, PA
3376 Delps Rd. 18038
P.O. Box 267 • Danielsville, Pennsylvania 18038-0267
215-837-1841 (FAX 215-837-7337)

FT. WORTH, TX
3600 McCart Street
P.O. Box 1038 • Ft. Worth, Texas 76101-1038
817-924-4255 (FAX 817-924-7020)

MANSFIELD, TX (CONVEYOR DIVISION)
811 4th Ave. 76063-0193
P.O. Box 193 • Mansfield, Texas 76063-0193
817-473-1526 (FAX 817-473-6936)

MONTPELIER, OH
Airport Road 43543
P.O. Box 29 • Montpelier, Ohio 43543-0029
419-485-5515 (FAX 419-485-3565)

SACRAMENTO, CA
1199 Vine Street 95814
P.O. Box 13856 • Sacramento, Calif. 95853-3856
916-441-7172 (FAX 916-441-4600)

SCOTTDALE, GA
3303 Church St. 33079-1395
P.O. Box 886 • Scottdale, Georgia 30079-0886
404-292-8744 (FAX 404-292-7771)

FT. WORTH, TX (TOOL & FORGE DIVISION)
3600 McCart Street
P.O. Box 1038 • Ft. Worth, Texas 76101-1038
817-924-4255 (FAX 817-924-7020)

Manufacturing Only

ABILENE, TX
CLARKSVILLE, TX
DALLAS, TX
PARAGOULD, AR
TERRELL, TX (PLASTICS)

Sales and Factory Stock

CHICAGO, IL
1505 Birchwood 60018-3001
P.O. Box 1307 • Des Plaines (Chicago), Illinois 60018-0199
312-298-8844 (FAX 312-298-2967)

HOUSTON, TX
6803 Fulton St. 77022
P.O. Box 16306 • Houston, Texas 77222-6306
713-699-3922 (FAX 713-699-5273)

KANSAS CITY, MO
1520 No. Commerce St. 64120
P.O. Box 4961 • Kansas City, Missouri 64120-4961
816-231-5575 (FAX 816-231-1959)

LOS ANGELES, CA
6032 S. Triangle Dr. 90040-3688
P.O. Box 22287 • Commerce (Los Angeles) Calif. 90022-0287
213-685-3150 (FAX 213-722-7526)

MINNEAPOLIS, MN
10601 Hampshire Avenue South 55438
P.O. Box 20005 • Bloomington, Minnesota 55420-0005
612-829-0623 (FAX 612-944-9385)

PORTLAND, OR
3030 N. W. Industrial 97210-1798
P.O. Box 10046 • Portland, Oregon 97210-0046
503-223-7261 (FAX 503-221-0203)

TAMPA, FL
3201 Queen Palm Dr., Tampa, Florida 33619
P.O. Box 838 • Mango, Florida 33550-0838
813-623-1705 (FAX 813-626-8953)

WAYNE, NJ
7 Highpoint Dr. 07470
P.O. Box 527 • Wayne, New Jersey 07474-0527
201-633-5700 (FAX 201-633-7196)

DENVER, CO
10800 East 54th Ave. 80239
P.O. Box 39208 • Denver, Colorado 80239-0208
303-371-8466 (FAX 303-371-7116)

CHARLOTTE, NC
3901 South I-85 28208
P.O. Box 19447 • Charlotte, North Carolina 28219-0447
704-394-9111 (FAX 704-394-9122)

BOSTON, MA (1990)

COPYRIGHT 1987
Martin SPROCKET & GEAR, INC.
ALL RIGHTS RESERVED

HAND TOOLS INSTITUTE HTI